

WINDRIVER CARRIER GRADE LINUX VERSION 1.3 FOR IA32

CGL 3.2 REFERENCE DISTRIBUTION v1.3

Vendor: Wind River Systems

CLUSTER

```

CMS.1.0                Cluster Membership Service [SA Forum AIS]
RPM PACKAGE:          openais-0.70-1
Name                  : openais                Relocations: (not relocatable)
Version              : 0.70                    Vendor: Wind River Systems
Release             : 1                        Build Date: Sat May 13 07:25:36 2006
Install Date: Tue Jun 13 12:13:43 2006        Build Host: lpgbuild04
Group               : Utilities                Source RPM: openais-0.70-1.src.rpm
Size                : 1387386                  License: BSD and Public Domain
Signature           : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager            : Wind River
URL                 : http://developer.osdl.org/dev/openais/rel/openais-0.70.tar.gz
Summary             : OPENAIS Project.
Description          :
OpenAIS is an open source implementation of the SA Forum (www.saforum.org) Application Interface Spe
/etc
/etc/ais
/etc/ais/groups.conf
/etc/ais/openais.conf
/usr
/usr/lib
/usr/lib/libSaAis.versions
/usr/lib/libSaAmf.so
/usr/lib/libSaAmf.so.1
/usr/lib/libSaAmf.so.1.0
/usr/lib/libSaAmf.versions
/usr/lib/libSaCkpt.so
/usr/lib/libSaCkpt.so.1
/usr/lib/libSaCkpt.so.1.0
/usr/lib/libSaCkpt.versions
/usr/lib/libSaClm.so
/usr/lib/libSaClm.so.1
/usr/lib/libSaClm.so.1.0
/usr/lib/libSaClm.versions
/usr/lib/libSaEvt.so
/usr/lib/libSaEvt.so.1
/usr/lib/libSaEvt.so.1.0
/usr/lib/libSaEvt.versions
/usr/lib/libais.so
/usr/lib/libais.so.1
/usr/lib/libais.so.1.0
/usr/lib/libevs.so
/usr/lib/libevs.so.1
/usr/lib/libevs.so.1.0
/usr/lib/libevs.versions
/usr/sbin
/usr/sbin/ais-test
/usr/sbin/ais-test/ckpt-rd
/usr/sbin/ais-test/ckpt-wr
/usr/sbin/ais-test/ckptbench
/usr/sbin/ais-test/ckptbenchth
/usr/sbin/ais-test/ckptstress
/usr/sbin/ais-test/evsbench
/usr/sbin/ais-test/evtbench
/usr/sbin/ais-test/publish
/usr/sbin/ais-test/subscription
/usr/sbin/ais-test/testamf
/usr/sbin/ais-test/testamf1
/usr/sbin/ais-test/testamf2
/usr/sbin/ais-test/testamf3
/usr/sbin/ais-test/testamf4
/usr/sbin/ais-test/testamf5
/usr/sbin/ais-test/testamf6
/usr/sbin/ais-test/testckpt
/usr/sbin/ais-test/testclm
/usr/sbin/ais-test/testclm2
/usr/sbin/ais-test/testevs
/usr/sbin/ais-test/testevt
/usr/sbin/ais-test/unlink
/usr/sbin/aisexec
/usr/sbin/keygen
CES.1.0                Cluster Event Service [SA Forum AIS]
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for CMS.1.0
CCS.1.0                Cluster Checkpoint Service [SA Forum AIS]
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for CMS.1.0
CLS.1.0                Cluster Lock Service [SA Forum AIS]
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for CMS.1.0

```

CAF.1.0 Cluster Availability Framework [SA Forum AIS]
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CFH.1.0 Cluster Node Failure Detection
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CFH.2.0 Prevent Failed Node From Corrupting Shared Resources
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CFH.3.0 Application Fail-Over Enabling
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CSM.1.0 Storage Network Replication
 DETAILS RELATED TO THE REQUIREMENT
 This feature is supported in stock 2.6 kernel

CSM.2.0 Cluster-aware Volume Management for Shared Storage
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CSM.3.0 Shared Storage Mirroring
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CSM.4.0 Redundant Cluster Storage Path
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CSM.6.0 Cluster File System
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CCM.2 Cluster Communication Service
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CCM.2.1 Cluster Communication Service Logical Addressing
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CCM.2.2 Cluster Communication Service Fault Handling
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CCM.3.0 Redundant Cluster Communication Path
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CAF.2 Highly Available Network
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for AVL.21.0

CAF.2.1 Ethernet MAC Address Takeover
 DETAILS RELATED TO THE REQUIREMENT
 This feature is supported in stock 2.6 kernel

CAF.2.2 IP Takeover
 DETAILS RELATED TO THE REQUIREMENT
 This feature is supported in stock 2.6 kernel

CCS.2.0 SAF-AIS Data Checkpointing Performance
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CMS.2.0 Dynamic Cluster Membership
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CMON.1 Cluster Node Monitoring
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CMON.1.1 Cluster Node HW Status Monitoring
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CMON.1.2 Cluster Events for Node Status Changes
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CMON.1.3 Cluster-Wide Resource Monitor
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CDIAG.2 Cluster-Wide Diagnostic Info
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CDIAG.2.1 Cluster-Wide Identified Application Core Dump
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CDIAG.2.2 Cluster-Wide Kernel Crash Dump
 DETAILS RELATED TO THE REQUIREMENT
 See requirement satisfaction data for CMS.1.0

CDIAG.2.3 Cluster -Wide Log Collection

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for CMS.1.0

CDIAG.2.4 Synchronized/Atomic Time Across Cluster

```

RPM PACKAGE:    ntp-4.2.0-1
Name           : ntp                               Relocations: (not relocatable)
Version        : 4.2.0                             Vendor: Wind River Systems
Release        : 1                                 Build Date: Sat May 13 07:25:15 2006
Install Date:  Tue Jun 13 12:13:43 2006           Build Host: lpgbuild04
Group          : System Environment/Daemons        Source RPM: ntp-4.2.0-1.src.rpm
Size           : 512176                             License: Public Domain
Signature      : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://www.eecis.udel.edu/~ntp/ntp_spool/ntp4/ntp-4.2.0.tar.gz
Summary        : Synchronizes system time using the Network Time Protocol (NTP).
Description    :
The Network Time Protocol (NTP) is used to synchronize a computers time with another reference time
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ntpd
/usr
/usr/bin
/usr/bin/ntpd
/usr/bin/ntpdc
/usr/bin/ntpq
/usr/bin/ntptrace
/usr/sbin
/usr/sbin/ntp-keygen
/usr/sbin/ntp-wait
/usr/sbin/ntpd
/usr/sbin/ntpdate
/usr/sbin/ntptime
/usr/sbin/tickadj

```

SECURITY

SEC.1 Access Control

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

```

RPM PACKAGE:    acl-2.2.34-1
Name           : acl                               Relocations: (not relocatable)
Version        : 2.2.34                             Vendor: Wind River Systems
Release        : 1                                 Build Date: Sat May 13 05:35:36 2006
Install Date:  Tue Jun 13 12:13:07 2006           Build Host: lpgbuild04
Group          : System Environment/Base          Source RPM: acl-2.2.34-1.src.rpm
Size           : 298624                             License: LGPL
Signature      : DSA/SHA1, Sun May 14 04:28:35 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : ftp://oss.sgi.com/projects/xfst/cmd_tars/acl-2.2.34.src.tar.gz
Summary        : Access control list utilities.
Description    :
The acl package contains the getfacl and setfacl utilities needed for manipulating access control li
/lib
/lib/libacl.so
/lib/libacl.so.1
/lib/libacl.so.1.1.0
/usr
/usr/bin
/usr/bin/chacl
/usr/bin/getfacl
/usr/bin/setfacl
/usr/share
/usr/share/doc
/usr/share/doc/acl
/usr/share/doc/acl/CHANGES.gz
/usr/share/doc/acl/COPYING
/usr/share/doc/acl/PORTING
/usr/share/doc/acl/README
/usr/share/man/man1/chacl.1.gz
/usr/share/man/man1/getfacl.1.gz
/usr/share/man/man1/setfacl.1.gz
/usr/share/man/man3/acl_add_perm.3.gz
/usr/share/man/man3/acl_calc_mask.3.gz
/usr/share/man/man3/acl_check.3.gz
/usr/share/man/man3/acl_clear_perms.3.gz
/usr/share/man/man3/acl_cmp.3.gz
/usr/share/man/man3/acl_copy_entry.3.gz
/usr/share/man/man3/acl_copy_ext.3.gz
/usr/share/man/man3/acl_copy_int.3.gz
/usr/share/man/man3/acl_create_entry.3.gz
/usr/share/man/man3/acl_delete_def_file.3.gz
/usr/share/man/man3/acl_delete_entry.3.gz
/usr/share/man/man3/acl_delete_perm.3.gz
/usr/share/man/man3/acl_dup.3.gz
/usr/share/man/man3/acl_entries.3.gz
/usr/share/man/man3/acl_equiv_mode.3.gz
/usr/share/man/man3/acl_error.3.gz
/usr/share/man/man3/acl_extended_fd.3.gz
/usr/share/man/man3/acl_extended_file.3.gz
/usr/share/man/man3/acl_free.3.gz
/usr/share/man/man3/acl_from_mode.3.gz
/usr/share/man/man3/acl_from_text.3.gz
/usr/share/man/man3/acl_get_entry.3.gz

```

```

/usr/share/man/man3/acl_get_fd.3.gz
/usr/share/man/man3/acl_get_file.3.gz
/usr/share/man/man3/acl_get_perm.3.gz
/usr/share/man/man3/acl_get_permset.3.gz
/usr/share/man/man3/acl_get_qualifier.3.gz
/usr/share/man/man3/acl_get_tag_type.3.gz
/usr/share/man/man3/acl_init.3.gz
/usr/share/man/man3/acl_set_fd.3.gz
/usr/share/man/man3/acl_set_file.3.gz
/usr/share/man/man3/acl_set_permset.3.gz
/usr/share/man/man3/acl_set_qualifier.3.gz
/usr/share/man/man3/acl_set_tag_type.3.gz
/usr/share/man/man3/acl_size.3.gz
/usr/share/man/man3/acl_to_any_text.3.gz
/usr/share/man/man3/acl_to_text.3.gz
/usr/share/man/man3/acl_valid.3.gz
/usr/share/man/man5/acl.5.gz

```

SEC.1.1 Dynamic Kernel Security Module Mechanism

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SEC.1.2 Process Containment using File System Restrictions

RPM PACKAGE: libselinux-1.29.6-1

```

Name       : libselinux                Relocations: (not relocatable)
Version    : 1.29.6                    Vendor: Wind River Systems
Release    : 1                          Build Date: Sat May 13 06:16:06 2006
Install Date: Tue Jun 13 12:13:28 2006  Build Host: lpgbuild04
Group      : System Environment/Libraries Source RPM: libselinux-1.29.6-1.src.rpm
Size       : 245075                     License: GPL
Signature  : DSA/SHA1, Sun May 14 04:28:42 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://www.nsa.gov/selinux/archives/libselinux-1.29.6.tgz
Summary    : libselinux from NSA
Description:

```

the libselinux library provides an interface for manipulating binary policies.

```

/lib
/lib/libselinux.so.1
/usr
/usr/lib
/usr/lib/libselinux.so
/usr/lib/python2.4
/usr/lib/python2.4/site-packages
/usr/lib/python2.4/site-packages/_selinux.so
/usr/lib/python2.4/site-packages/selinux.py
/usr/sbin
/usr/sbin/avcstat
/usr/sbin/compute_av
/usr/sbin/compute_create
/usr/sbin/compute_member
/usr/sbin/compute_relabel
/usr/sbin/compute_user
/usr/sbin/getconlist
/usr/sbin/getenforce
/usr/sbin/getfilecon
/usr/sbin/getpidcon
/usr/sbin/getsebool
/usr/sbin/getseuser
/usr/sbin/matchpathcon
/usr/sbin/policyvers
/usr/sbin/selinuxenabled
/usr/sbin/setenforce
/usr/sbin/setfilecon
/usr/sbin/togglesebool
/usr/share
/usr/share/man/man3/avc_add_callback.3
/usr/share/man/man3/avc_audit.3
/usr/share/man/man3/avc_av_stats.3
/usr/share/man/man3/avc_cache_stats.3
/usr/share/man/man3/avc_cleanup.3
/usr/share/man/man3/avc_context_to_sid.3
/usr/share/man/man3/avc_destroy.3
/usr/share/man/man3/avc_entry_ref_init.3
/usr/share/man/man3/avc_has_perm.3
/usr/share/man/man3/avc_has_perm_noaudit.3
/usr/share/man/man3/avc_init.3
/usr/share/man/man3/avc_reset.3
/usr/share/man/man3/avc_sid_stats.3
/usr/share/man/man3/avc_sid_to_context.3
/usr/share/man/man3/checkPasswdAccess.3
/usr/share/man/man3/context_free.3
/usr/share/man/man3/context_new.3
/usr/share/man/man3/context_range_get.3
/usr/share/man/man3/context_range_set.3
/usr/share/man/man3/context_role_get.3
/usr/share/man/man3/context_role_set.3
/usr/share/man/man3/context_type_get.3
/usr/share/man/man3/context_type_set.3
/usr/share/man/man3/context_user_get.3
/usr/share/man/man3/context_user_set.3
/usr/share/man/man3/freecon.3
/usr/share/man/man3/freeconary.3
/usr/share/man/man3/fsetfilecon.3
/usr/share/man/man3/get_default_context.3
/usr/share/man/man3/get_default_context_with_level.3

```

```

/usr/share/man/man3/get_default_context_with_role.3
/usr/share/man/man3/get_default_context_with_rolelevel.3
/usr/share/man/man3/get_ordered_context_list.3
/usr/share/man/man3/get_ordered_context_list_with_level.3
/usr/share/man/man3/getcon.3
/usr/share/man/man3/getexeccon.3
/usr/share/man/man3/getfilecon.3
/usr/share/man/man3/getfscreatecon.3
/usr/share/man/man3/getpeercon.3
/usr/share/man/man3/getpidcon.3
/usr/share/man/man3/getprevcon.3
/usr/share/man/man3/getseuserbyname.3
/usr/share/man/man3/is_context_customizable.3
/usr/share/man/man3/is_selinux_enabled.3
/usr/share/man/man3/lsetfilecon.3
/usr/share/man/man3/manual_user_enter_context.3
/usr/share/man/man3/matchmediacon.3
/usr/share/man/man3/matchpathcon.3
/usr/share/man/man3/query_user_context.3
/usr/share/man/man3/rpm_execcon.3
/usr/share/man/man3/security_check_context.3
/usr/share/man/man3/security_commit_booleans.3
/usr/share/man/man3/security_compute_av.3
/usr/share/man/man3/security_compute_create.3
/usr/share/man/man3/security_compute_relabel.3
/usr/share/man/man3/security_compute_user.3
/usr/share/man/man3/security_get_boolean_active.3
/usr/share/man/man3/security_get_boolean_names.3
/usr/share/man/man3/security_get_boolean_pending.3
/usr/share/man/man3/security_getenforce.3
/usr/share/man/man3/security_load_booleans.3
/usr/share/man/man3/security_load_policy.3
/usr/share/man/man3/security_policyvers.3
/usr/share/man/man3/security_set_boolean.3
/usr/share/man/man3/security_setenforce.3
/usr/share/man/man3/selinux_binary_policy_path.3
/usr/share/man/man3/selinux_booleans_path.3
/usr/share/man/man3/selinux_contexts_path.3
/usr/share/man/man3/selinux_default_context_path.3
/usr/share/man/man3/selinux_failsafe_context_path.3
/usr/share/man/man3/selinux_file_context_path.3
/usr/share/man/man3/selinux_getenforcemode.3
/usr/share/man/man3/selinux_media_context_path.3
/usr/share/man/man3/selinux_policy_root.3
/usr/share/man/man3/selinux_removable_context_path.3
/usr/share/man/man3/selinux_user_contexts_path.3
/usr/share/man/man3/set_matchpathcon_printf.3
/usr/share/man/man3/setcon.3
/usr/share/man/man3/setexeccon.3
/usr/share/man/man3/setfilecon.3
/usr/share/man/man3/setfscreatecon.3
/usr/share/man/man3/sidget.3
/usr/share/man/man3/sidput.3
/usr/share/man/man8/avcstat.8
/usr/share/man/man8/booleans.8
/usr/share/man/man8/getenforce.8
/usr/share/man/man8/getsebool.8
/usr/share/man/man8/matchpathcon.8
/usr/share/man/man8/selinux.8
/usr/share/man/man8/selinuxenabled.8
/usr/share/man/man8/setenforce.8
/usr/share/man/man8/togglesebool.8
RPM PACKAGE: libsepol-1.11.12-1
Name          : libsepol                Relocations: (not relocatable)
Version       : 1.11.12                Vendor: Wind River Systems
Release       : 1                      Build Date: Sat May 13 05:59:43 2006
Install Date: Tue Jun 13 12:13:28 2006 Build Host: lpgbuild04
Group         : System Environment/Libraries Source RPM: libsepol-1.11.12-1.src.rpm
Size          : 214233                  License: GPL
Signature     : DSA/SHA1, Sun May 14 04:28:42 2006, Key ID 6dfc21e3b0c7d54f
Packager      : Wind River
URL           : http://www.nsa.gov/selinux/archives/libsepol-1.11.12.tgz
Summary      : libsepol from NSA
Description   :
the libsepol library provides an interface for manipulating binary policies.
/lib
/lib/libsepol.so.1
/usr
/usr/bin
/usr/bin/chkcon
/usr/lib
/usr/lib/libsepol.so
/usr/share
/usr/share/man/man3/sepol_check_context.3
/usr/share/man/man3/sepol_genbools.3
/usr/share/man/man3/sepol_genusers.3
/usr/share/man/man8/chkcon.8
/usr/share/man/man8/genpolbools.8
/usr/share/man/man8/genpolusers.8
RPM PACKAGE: policycoreutils-1.29.18-1
Name          : policycoreutils        Relocations: (not relocatable)
Version       : 1.29.18                Vendor: Wind River Systems
Release       : 1                      Build Date: Sat May 13 07:23:10 2006
Install Date: Tue Jun 13 12:13:55 2006 Build Host: lpgbuild04

```

```

Group       : System Environment/Libraries   Source RPM: policycoreutils-1.29.18-1.src.rpm
Size        : 894449                          License: GPL
Signature   : DSA/SHA1, Sun May 14 04:28:50 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : http://www.nsa.gov/selinux/archives/policycoreutils-1.29.18.tgz
Summary     : policycoreutils from NSA
Description :
the policycoreutils policy compiler is needed to compile policies to the binary form used by the ker
/etc
/etc/pam.d
/etc/sestatus.conf
/sbin
/sbin/fixfiles
/sbin/restorecon
/usr
/usr/bin
/usr/bin/audit2allow
/usr/bin/chcat
/usr/bin/newrole
/usr/bin/semodule_expand
/usr/bin/semodule_link
/usr/bin/semodule_package
/usr/lib
/usr/lib/python2.4
/usr/lib/python2.4/site-packages
/usr/lib/python2.4/site-packages/seobject.py
/usr/sbin
/usr/sbin/audit2why
/usr/sbin/genhomedircon
/usr/sbin/load_policy
/usr/sbin/open_init_pty
/usr/sbin/run_init
/usr/sbin/semanage
/usr/sbin/semodule
/usr/sbin/sestatus
/usr/sbin/setfiles
/usr/sbin/setsebool
/usr/share
/usr/share/man/man1/audit2allow.1
/usr/share/man/man1/newrole.1
/usr/share/man/man8/audit2why.8
/usr/share/man/man8/chcat.8
/usr/share/man/man8/fixfiles.8
/usr/share/man/man8/genhomedircon.8
/usr/share/man/man8/load_policy.8
/usr/share/man/man8/open_init_pty.8
/usr/share/man/man8/restorecon.8
/usr/share/man/man8/run_init.8
/usr/share/man/man8/semanage.8
/usr/share/man/man8/semodule.8
/usr/share/man/man8/semodule_expand.8
/usr/share/man/man8/semodule_link.8
/usr/share/man/man8/semodule_package.8
/usr/share/man/man8/sestatus.8
/usr/share/man/man8/setfiles.8

```

SEC.1.3 Process Containment Using MAC-based Mechanism

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.1.2

SEC.1.3.1 MAC-based Policy Administration Tools

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.1.2

SEC.1.4 Buffer Overflow Protection

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.1.2

SEC.1.5 Access Control List Support for File Systems

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.1.2

SEC.2 Authentication

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.1.2

SEC.2.1 Generic Authentication Modules

```

RPM PACKAGE: pam-0.99.2.1-1
Name         : pam                               Relocations: (not relocatable)
Version      : 0.99.2.1                         Vendor: Wind River Systems
Release     : 1                                 Build Date: Sat May 13 05:41:10 2006
Install Date: Tue Jun 13 12:13:45 2006          Build Host: lpgbuild04
Group       : System Environment/Base           Source RPM: pam-0.99.2.1-1.src.rpm
Size        : 418150                            License: GPL
Signature   : DSA/SHA1, Sun May 14 04:28:47 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : ftp://ftp.kernel.org/pub/linux/libs/pam/pre/library/Linux-PAM-0.99.2.1.tar.gz
Summary     : A security tool which provides authentication for applications.
Description :
PAM (Pluggable Authentication Modules) is a system security tool that allows system administrators t
/etc
/etc/pam.d
/etc/pam.d/chage
/etc/pam.d/login
/etc/pam.d/other
/etc/pam.d/passwd

```

```

/etc/pam.d/shadow
/etc/pam.d/sshd
/etc/pam.d/su
/etc/pam.d/useradd
/etc/security
/etc/security/access.conf
/etc/security/group.conf
/etc/security/limits.conf
/etc/security/pam_env.conf
/etc/security/time.conf
/lib
/lib/libpam.so
/lib/libpam.so.0
/lib/libpam.so.0.81.1
/lib/libpam_misc.so
/lib/libpam_misc.so.0
/lib/libpam_misc.so.0.81.1
/lib/libpamc.so
/lib/libpamc.so.0
/lib/libpamc.so.0.81.0
/lib/security
/lib/security/pam_access.la
/lib/security/pam_access.so
/lib/security/pam_cracklib.la
/lib/security/pam_cracklib.so
/lib/security/pam_debug.la
/lib/security/pam_debug.so
/lib/security/pam_deny.la
/lib/security/pam_deny.so
/lib/security/pam_echo.la
/lib/security/pam_echo.so
/lib/security/pam_env.la
/lib/security/pam_env.so
/lib/security/pam_filter
/lib/security/pam_filter.la
/lib/security/pam_filter.so
/lib/security/pam_filter/upperLOWER
/lib/security/pam_ftp.la
/lib/security/pam_ftp.so
/lib/security/pam_group.la
/lib/security/pam_group.so
/lib/security/pam_issue.la
/lib/security/pam_issue.so
/lib/security/pam_lastlog.la
/lib/security/pam_lastlog.so
/lib/security/pam_limits.la
/lib/security/pam_limits.so
/lib/security/pam_listfile.la
/lib/security/pam_listfile.so
/lib/security/pam_localuser.la
/lib/security/pam_localuser.so
/lib/security/pam_mail.la
/lib/security/pam_mail.so
/lib/security/pam_mkhome.la
/lib/security/pam_mkhome.so
/lib/security/pam_motd.la
/lib/security/pam_motd.so
/lib/security/pam_nologin.la
/lib/security/pam_nologin.so
/lib/security/pam_permit.la
/lib/security/pam_permit.so
/lib/security/pam_rhosts_auth.la
/lib/security/pam_rhosts_auth.so
/lib/security/pam_rootok.la
/lib/security/pam_rootok.so
/lib/security/pam_securetty.la
/lib/security/pam_securetty.so
/lib/security/pam_shells.la
/lib/security/pam_shells.so
/lib/security/pam_stress.la
/lib/security/pam_stress.so
/lib/security/pam_succeed_if.la
/lib/security/pam_succeed_if.so
/lib/security/pam_tally.la
/lib/security/pam_tally.so
/lib/security/pam_time.la
/lib/security/pam_time.so
/lib/security/pam_umask.la
/lib/security/pam_umask.so
/lib/security/pam_unix.la
/lib/security/pam_unix.so
/lib/security/pam_warn.la
/lib/security/pam_warn.so
/lib/security/pam_wheel.la
/lib/security/pam_wheel.so
/lib/security/pam_xauth.la
/lib/security/pam_xauth.so
/sbin
/sbin/pam_tally
/sbin/unix_chkpwd
/usr
/usr/share
/usr/share/man/man8/pam_echo.8
/usr/share/man/man8/pam_localuser.8

```

```

/usr/share/man/man8/pam_nologin.8
/usr/share/man/man8/pam_securetty.8
/usr/share/man/man8/pam_selinux.8
/usr/share/man/man8/pam_succeed_if.8
/usr/share/man/man8/pam_xauth.8
/usr/share/man/man8/unix_chkpwd.8

```

SEC.2.2 Password Integrity Checking

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.2.1

SEC.3 Secure Transport of Log Information

RPM PACKAGE: logrotate-3.7-1

```

Name      : logrotate                Relocations: (not relocatable)
Version   : 3.7                      Vendor: Wind River Systems
Release   : 1                        Build Date: Sat May 13 05:44:50 2006
Install Date: Tue Jun 13 12:13:30 2006  Build Host: lpgbuild04
Group     : System Environment/Base   Source RPM: logrotate-3.7-1.src.rpm
Size      : 50379                     License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:42 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : http://ftp.debian.org/debian/pool/main/l/logrotate/logrotate_3.7.orig.tar.gz
Summary   : Rotates, compresses, removes and mails system log files.
Description :

```

The logrotate utility is designed to simplify the administration of log files on a system which gene

```

/usr
/usr/man/man8/logrotate.8
/usr/sbin
/usr/sbin/logrotate

```

SEC.3.2 Secure Transport of Log Information

RPM PACKAGE: logrotate-3.7-1

```

Name      : logrotate                Relocations: (not relocatable)
Version   : 3.7                      Vendor: Wind River Systems
Release   : 1                        Build Date: Sat May 13 05:44:50 2006
Install Date: Tue Jun 13 12:13:30 2006  Build Host: lpgbuild04
Group     : System Environment/Base   Source RPM: logrotate-3.7-1.src.rpm
Size      : 50379                     License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:42 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : http://ftp.debian.org/debian/pool/main/l/logrotate/logrotate_3.7.orig.tar.gz
Summary   : Rotates, compresses, removes and mails system log files.
Description :

```

The logrotate utility is designed to simplify the administration of log files on a system which gene

```

/usr
/usr/man/man8/logrotate.8
/usr/sbin
/usr/sbin/logrotate

```

SEC.3.3 Periodic Automated Log Analysis

RPM PACKAGE: syslogd-1.4.1-1

```

Name      : syslogd                  Relocations: (not relocatable)
Version   : 1.4.1                   Vendor: Wind River Systems
Release   : 1                        Build Date: Sat May 13 06:42:26 2006
Install Date: Tue Jun 13 12:14:07 2006  Build Host: lpgbuild04
Group     : System Environment/Daemons Source RPM: syslogd-1.4.1-1.src.rpm
Size      : 95007                    License: GPL, BSD
Signature : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : http://www.infodrom.org/projects/syslogd/download/syslogd-1.4.1.tar.gz
Summary   : System logging and kernel message trapping daemons.
Description :

```

The syslogd package contains two system utilities (syslogd and klogd) that provide support for syst

```

/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/syslog
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K88syslog
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K88syslog
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S12syslog
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S12syslog
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S12syslog
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S12syslog
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K88syslog
/etc/syslog.conf
/sbin
/sbin/klogd
/sbin/syslogd
/usr
/usr/share
/usr/share/man/man5/syslog.conf.5
/usr/share/man/man8/klogd.8
/usr/share/man/man8/syslogd.8
/usr/share/man/man8/syslogd.8

```

SEC.3.4 Real-Time Automated Log Analysis

RPM PACKAGE: logrotate-3.7-1

```

Name      : logrotate                Relocations: (not relocatable)
Version   : 3.7                      Vendor: Wind River Systems

```

```

Release      : 1                               Build Date: Sat May 13 05:44:50 2006
Install Date: Tue Jun 13 12:13:30 2006       Build Host: lpgbuild04
Group       : System Environment/Base        Source RPM: logrotate-3.7-1.src.rpm
Size        : 50379                          License: GPL
Signature   : DSA/SHA1, Sun May 14 04:28:42 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : http://ftp.debian.org/debian/pool/main/l/logrotate/logrotate_3.7.orig.tar.gz
Summary     : Rotates, compresses, removes and mails system log files.
Description :
The logrotate utility is designed to simplify the administration of log files on a system which gene
/usr
/usr/man/man8/logrotate.8
/usr/sbin
/usr/sbin/logrotate
RPM PACKAGE:   sysklogd-1.4.1-1
Name          : sysklogd                      Relocations: (not relocatable)
Version       : 1.4.1                        Vendor: Wind River Systems
Release      : 1                             Build Date: Sat May 13 06:42:26 2006
Install Date: Tue Jun 13 12:14:07 2006       Build Host: lpgbuild04
Group        : System Environment/Daemons     Source RPM: sysklogd-1.4.1-1.src.rpm
Size         : 95007                          License: GPL, BSD
Signature    : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
Packager     : Wind River
URL          : http://www.infodrom.org/projects/sysklogd/download/sysklogd-1.4.1.tar.gz
Summary      : System logging and kernel message trapping daemons.
Description   :
The sysklogd package contains two system utilities (syslogd and klogd) that provide support for syst
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/syslog
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K88syslog
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K88syslog
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S12syslog
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S12syslog
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S12syslog
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S12syslog
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K88syslog
/etc/syslog.conf
/sbin
/sbin/klogd
/sbin/syslogd
/usr
/usr/share
/usr/share/man/man5/syslog.conf.5
/usr/share/man/man8/klogd.8
/usr/share/man/man8/sysklogd.8
/usr/share/man/man8/syslogd.8

```

SEC.4 Network Confidentiality and Integrity

```

RPM PACKAGE:   ipsec-tools-0.6.3-1
Name          : ipsec-tools                  Relocations: (not relocatable)
Version       : 0.6.3                        Vendor: Wind River Systems
Release      : 1                             Build Date: Sat May 13 06:48:12 2006
Install Date: Tue Jun 13 12:13:24 2006       Build Host: lpgbuild04
Group        : System Environment/Base        Source RPM: ipsec-tools-0.6.3-1.src.rpm
Size         : 644874                          License: GPL
Signature    : DSA/SHA1, Sun May 14 04:28:41 2006, Key ID 6dfc21e3b0c7d54f
Packager     : Wind River
URL          : http://voxel.dl.sourceforge.net/sourceforge/ipsec-tools/ipsec-tools-0.6.3.tar.bz2
Summary      : Tools for configuring and using IPsec
Description   :
IPsec is a set of protocols developed to support the secure exchange of network traffic.The ipsec-to
/etc
/etc/racoon.conf
/usr
/usr/lib
/usr/sbin
/usr/sbin/plainrsa-gen
/usr/sbin/racoon
/usr/sbin/racoonctl
/usr/sbin/setkey
/usr/share
/usr/share/man/man3/ipsec_set_policy.3
/usr/share/man/man3/ipsec_strerror.3
/usr/share/man/man5/racoon.conf.5
/usr/share/man/man8/plainrsa-gen.8
/usr/share/man/man8/racoon.8
/usr/share/man/man8/racoonctl.8
/usr/share/man/man8/setkey.8
/var
/var/racoon
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel

```

SEC.4.1 IPsec for IPv4 and IPv6

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.4

SEC.4.2 Support for IKE for IPv4 and IPv6

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.4

SEC.4.3 PF_KEY Support

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for SEC.4

SEC.5.0 File Integrity Checking

RPM PACKAGE: e2fsprogs-1.38-1

```
Name       : e2fsprogs                Relocations: (not relocatable)
Version    : 1.38                      Vendor: Wind River Systems
Release    : 1                          Build Date: Sat May 13 05:34:57 2006
Install Date: Tue Jun 13 12:13:14 2006  Build Host: lpgbuild04
Group      : System Environment/Base    Source RPM: e2fsprogs-1.38-1.src.rpm
Size       : 1170648                    License: GPL, LGPL
Signature  : DSA/SHA1, Sun May 14 04:28:37 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://aleron.dl.sourceforge.net/sourceforge/e2fsprogs/e2fsprogs-1.38.tar.gz
Summary    : Utilities for managing the second extended (ext2) filesystem.
```

Description :

The e2fsprogs package contains a number of utilities for creating, checking, modifying, and correcti

```
/lib
/lib/e2initrd_helper
/lib/libblkid.so
/lib/libblkid.so.1
/lib/libblkid.so.1.0
/lib/libcom_err.so
/lib/libcom_err.so.2
/lib/libcom_err.so.2.1
/lib/libe2p.so
/lib/libe2p.so.2
/lib/libe2p.so.2.3
/lib/libext2fs.so
/lib/libext2fs.so.2
/lib/libext2fs.so.2.4
/lib/libss.so
/lib/libss.so.2
/lib/libss.so.2.0
/lib/libuuid.so
/lib/libuuid.so.1
/lib/libuuid.so.1.2
/sbin
/sbin/badblocks
/sbin/blkid
/sbin/debugfs
/sbin/dumpe2fs
/sbin/e2fsck
/sbin/e2image
/sbin/e2label
/sbin/filefrag
/sbin/findfs
/sbin/fsck
/sbin/fsck.ext2
/sbin/fsck.ext3
/sbin/logsave
/sbin/mke2fs
/sbin/mkfs.ext2
/sbin/mkfs.ext3
/sbin/mklost+found
/sbin/resize2fs
/sbin/tune2fs
/usr
/usr/bin
/usr/bin/chattr
/usr/bin/lsattr
/usr/bin/uuidgen
/usr/share
/usr/share/info
/usr/share/info/libext2fs.info.gz
/usr/share/man/man1/chattr.1
/usr/share/man/man1/lsattr.1
/usr/share/man/man1/uuidgen.1
/usr/share/man/man8/badblocks.8
/usr/share/man/man8/blkid.8
/usr/share/man/man8/debugfs.8
/usr/share/man/man8/dumpe2fs.8
/usr/share/man/man8/e2fsck.8
/usr/share/man/man8/e2image.8
/usr/share/man/man8/e2label.8
/usr/share/man/man8/filefrag.8
/usr/share/man/man8/findfs.8
/usr/share/man/man8/fsck.8
/usr/share/man/man8/fsck.ext2.8
/usr/share/man/man8/fsck.ext3.8
/usr/share/man/man8/logsave.8
/usr/share/man/man8/mke2fs.8
/usr/share/man/man8/mkfs.ext2.8
/usr/share/man/man8/mkfs.ext3.8
/usr/share/man/man8/mklost+found.8
/usr/share/man/man8/resize2fs.8
/usr/share/man/man8/tune2fs.8
```

SEC.6 PKI and SSL/TLS Support

```

RPM PACKAGE:    openssl-0.9.7h-1
Name           :  openssl                               Relocations: (not relocatable)
Version        :  0.9.7h                               Vendor: Wind River Systems
Release        :  1                                     Build Date: Sat May 13 05:44:29 2006
Install Date:  Tue Jun 13 12:13:45 2006               Build Host: lpgbuild04
Group          :  System Environment/Libraries         Source RPM: openssl-0.9.7h-1.src.rpm
Size           :  3781537                               License: OpenSSL License and SSLeay License (OSI Appr
Signature      :  DSA/SHA1, Sun May 14 04:28:47 2006, Key ID 6dfc21e3b0c7d54f
Packager       :  Wind River
URL            :  http://www.openssl.org/source/openssl-0.9.7h.tar.gz
Summary        :  The OpenSSL toolkit.
Description    :
The OpenSSL toolkit provides support for secure communications between machines. OpenSSL includes a
/etc
/etc/openssl
/etc/openssl/openssl.cnf
/usr
/usr/bin
/usr/bin/c_rehash
/usr/bin/openssl
/usr/bin/openssl_fips_fingerprint
/usr/lib
/usr/lib/libcrypto.so
/usr/lib/libcrypto.so.0
/usr/lib/libcrypto.so.0.9.7
/usr/lib/libssl.so
/usr/lib/libssl.so.0
/usr/lib/libssl.so.0.9.7
/usr/lib/ssl
/usr/lib/ssl/certs
/usr/lib/ssl/misc
/usr/lib/ssl/misc/CA.pl
/usr/lib/ssl/misc/CA.sh
/usr/lib/ssl/misc/c_hash
/usr/lib/ssl/misc/c_info
/usr/lib/ssl/misc/c_issuer
/usr/lib/ssl/misc/c_name
/usr/lib/ssl/openssl.cnf
/usr/lib/ssl/private
/usr/share
/usr/share/man/man1/CA.pl.1
/usr/share/man/man1/asnpkcs7.1
/usr/share/man/man1/ca.1
/usr/share/man/man1/ciphers.1
/usr/share/man/man1/crl.1
/usr/share/man/man1/crl2pkcs7.1
/usr/share/man/man1/dgst.1
/usr/share/man/man1/dhparam.1
/usr/share/man/man1/dsa.1
/usr/share/man/man1/dsaparam.1
/usr/share/man/man1/enc.1
/usr/share/man/man1/errstr.1
/usr/share/man/man1/gendsa.1
/usr/share/man/man1/genrsa.1
/usr/share/man/man1/md2.1
/usr/share/man/man1/md4.1
/usr/share/man/man1/md5.1
/usr/share/man/man1/mdc2.1
/usr/share/man/man1/nseq.1
/usr/share/man/man1/ocsp.1
/usr/share/man/man1/openssl-passwd.1
/usr/share/man/man1/openssl.1
/usr/share/man/man1/pkcs12.1
/usr/share/man/man1/pkcs7.1
/usr/share/man/man1/pkcs8.1
/usr/share/man/man1/rand.1
/usr/share/man/man1/req.1
/usr/share/man/man1/ripemd160.1
/usr/share/man/man1/rsa.1
/usr/share/man/man1/rsautl.1
/usr/share/man/man1/s_client.1
/usr/share/man/man1/s_server.1
/usr/share/man/man1/s_time.1
/usr/share/man/man1/session_id.1
/usr/share/man/man1/sha.1
/usr/share/man/man1/sha1.1
/usr/share/man/man1/smime.1
/usr/share/man/man1/speed.1
/usr/share/man/man1/spkac.1
/usr/share/man/man1/verify.1
/usr/share/man/man1/version.1
/usr/share/man/man1/x509.1
/usr/share/man/man3/ASN1_OBJECT_free.3
/usr/share/man/man3/ASN1_OBJECT_new.3
/usr/share/man/man3/ASN1_STRING_cmp.3
/usr/share/man/man3/ASN1_STRING_data.3
/usr/share/man/man3/ASN1_STRING_dup.3
/usr/share/man/man3/ASN1_STRING_free.3
/usr/share/man/man3/ASN1_STRING_length.3
/usr/share/man/man3/ASN1_STRING_length_set.3
/usr/share/man/man3/ASN1_STRING_new.3
/usr/share/man/man3/ASN1_STRING_print_ex.3
/usr/share/man/man3/ASN1_STRING_print_ex_fp.3
/usr/share/man/man3/ASN1_STRING_set.3

```

```

/usr/share/man/man3/ASN1_STRING_type.3
/usr/share/man/man3/ASN1_STRING_type_new.3
/usr/share/man/man3/BF_cbc_encrypt.3
/usr/share/man/man3/BF_cfb64_encrypt.3
/usr/share/man/man3/BF_decrypt.3
/usr/share/man/man3/BF_ecb_encrypt.3
/usr/share/man/man3/BF_encrypt.3
/usr/share/man/man3/BF_ofb64_encrypt.3
/usr/share/man/man3/BF_options.3
/usr/share/man/man3/BF_set_key.3
/usr/share/man/man3/BIO_append_filename.3
/usr/share/man/man3/BIO_callback_ctrl.3
/usr/share/man/man3/BIO_ctrl.3
/usr/share/man/man3/BIO_ctrl_get_read_request.3
/usr/share/man/man3/BIO_ctrl_get_write_guarantee.3
/usr/share/man/man3/BIO_ctrl_pending.3
/usr/share/man/man3/BIO_ctrl_reset_read_request.3
/usr/share/man/man3/BIO_ctrl_wpending.3
/usr/share/man/man3/BIO_debug_callback.3
/usr/share/man/man3/BIO_destroy_bio_pair.3
/usr/share/man/man3/BIO_do_accept.3
/usr/share/man/man3/BIO_do_connect.3
/usr/share/man/man3/BIO_eof.3
/usr/share/man/man3/BIO_f_base64.3
/usr/share/man/man3/BIO_f_buffer.3
/usr/share/man/man3/BIO_f_cipher.3
/usr/share/man/man3/BIO_f_md.3
/usr/share/man/man3/BIO_f_null.3
/usr/share/man/man3/BIO_f_ssl.3
/usr/share/man/man3/BIO_find_type.3
/usr/share/man/man3/BIO_flush.3
/usr/share/man/man3/BIO_free.3
/usr/share/man/man3/BIO_free_all.3
/usr/share/man/man3/BIO_get_accept_port.3
/usr/share/man/man3/BIO_get_bind_mode.3
/usr/share/man/man3/BIO_get_callback.3
/usr/share/man/man3/BIO_get_callback_arg.3
/usr/share/man/man3/BIO_get_cipher_ctx.3
/usr/share/man/man3/BIO_get_cipher_status.3
/usr/share/man/man3/BIO_get_close.3
/usr/share/man/man3/BIO_get_conn_hostname.3
/usr/share/man/man3/BIO_get_conn_int_port.3
/usr/share/man/man3/BIO_get_conn_ip.3
/usr/share/man/man3/BIO_get_conn_port.3
/usr/share/man/man3/BIO_get_fd.3
/usr/share/man/man3/BIO_get_fp.3
/usr/share/man/man3/BIO_get_info_callback.3
/usr/share/man/man3/BIO_get_md.3
/usr/share/man/man3/BIO_get_md_ctx.3
/usr/share/man/man3/BIO_get_mem_data.3
/usr/share/man/man3/BIO_get_mem_ptr.3
/usr/share/man/man3/BIO_get_num_renegotiates.3
/usr/share/man/man3/BIO_get_read_request.3
/usr/share/man/man3/BIO_get_retry_BIO.3
/usr/share/man/man3/BIO_get_retry_reason.3
/usr/share/man/man3/BIO_get_ssl.3
/usr/share/man/man3/BIO_get_write_buf_size.3
/usr/share/man/man3/BIO_get_write_guarantee.3
/usr/share/man/man3/BIO_gets.3
/usr/share/man/man3/BIO_int_ctrl.3
/usr/share/man/man3/BIO_make_bio_pair.3
/usr/share/man/man3/BIO_new.3
/usr/share/man/man3/BIO_new_bio_pair.3
/usr/share/man/man3/BIO_new_buffer_ssl_connect.3
/usr/share/man/man3/BIO_new_fd.3
/usr/share/man/man3/BIO_new_file.3
/usr/share/man/man3/BIO_new_fp.3
/usr/share/man/man3/BIO_new_mem_buf.3
/usr/share/man/man3/BIO_new_socket.3
/usr/share/man/man3/BIO_new_ssl.3
/usr/share/man/man3/BIO_new_ssl_connect.3
/usr/share/man/man3/BIO_next.3
/usr/share/man/man3/BIO_pending.3
/usr/share/man/man3/BIO_pop.3
/usr/share/man/man3/BIO_ptr_ctrl.3
/usr/share/man/man3/BIO_push.3
/usr/share/man/man3/BIO_puts.3
/usr/share/man/man3/BIO_read.3
/usr/share/man/man3/BIO_read_filename.3
/usr/share/man/man3/BIO_reset.3
/usr/share/man/man3/BIO_retry_type.3
/usr/share/man/man3/BIO_rw_filename.3
/usr/share/man/man3/BIO_s_accept.3
/usr/share/man/man3/BIO_s_bio.3
/usr/share/man/man3/BIO_s_connect.3
/usr/share/man/man3/BIO_s_fd.3
/usr/share/man/man3/BIO_s_file.3
/usr/share/man/man3/BIO_s_mem.3
/usr/share/man/man3/BIO_s_null.3
/usr/share/man/man3/BIO_s_socket.3
/usr/share/man/man3/BIO_seek.3
/usr/share/man/man3/BIO_set.3
/usr/share/man/man3/BIO_set_accept_bios.3
/usr/share/man/man3/BIO_set_accept_port.3

```

```
/usr/share/man/man3/BIO_set_bind_mode.3
/usr/share/man/man3/BIO_set_callback.3
/usr/share/man/man3/BIO_set_callback_arg.3
/usr/share/man/man3/BIO_set_cipher.3
/usr/share/man/man3/BIO_set_close.3
/usr/share/man/man3/BIO_set_conn_hostname.3
/usr/share/man/man3/BIO_set_conn_int_port.3
/usr/share/man/man3/BIO_set_conn_ip.3
/usr/share/man/man3/BIO_set_conn_port.3
/usr/share/man/man3/BIO_set_fd.3
/usr/share/man/man3/BIO_set_fp.3
/usr/share/man/man3/BIO_set_info_callback.3
/usr/share/man/man3/BIO_set_md.3
/usr/share/man/man3/BIO_set_mem_buf.3
/usr/share/man/man3/BIO_set_mem_eof_return.3
/usr/share/man/man3/BIO_set_nbio.3
/usr/share/man/man3/BIO_set_nbio_accept.3
/usr/share/man/man3/BIO_set_ssl.3
/usr/share/man/man3/BIO_set_ssl_mode.3
/usr/share/man/man3/BIO_set_ssl_renegotiate_bytes.3
/usr/share/man/man3/BIO_set_ssl_renegotiate_timeout.3
/usr/share/man/man3/BIO_set_write_buf_size.3
/usr/share/man/man3/BIO_should_io_special.3
/usr/share/man/man3/BIO_should_read.3
/usr/share/man/man3/BIO_should_retry.3
/usr/share/man/man3/BIO_should_write.3
/usr/share/man/man3/BIO_shutdown_wr.3
/usr/share/man/man3/BIO_ssl_copy_session_id.3
/usr/share/man/man3/BIO_ssl_shutdown.3
/usr/share/man/man3/BIO_tell.3
/usr/share/man/man3/BIO_vfree.3
/usr/share/man/man3/BIO_wpending.3
/usr/share/man/man3/BIO_write.3
/usr/share/man/man3/BIO_write_filename.3
/usr/share/man/man3/BN_CTX_end.3
/usr/share/man/man3/BN_CTX_free.3
/usr/share/man/man3/BN_CTX_get.3
/usr/share/man/man3/BN_CTX_init.3
/usr/share/man/man3/BN_CTX_new.3
/usr/share/man/man3/BN_CTX_start.3
/usr/share/man/man3/BN_MONT_CTX_copy.3
/usr/share/man/man3/BN_MONT_CTX_free.3
/usr/share/man/man3/BN_MONT_CTX_init.3
/usr/share/man/man3/BN_MONT_CTX_new.3
/usr/share/man/man3/BN_MONT_CTX_set.3
/usr/share/man/man3/BN_RECP_CTX_free.3
/usr/share/man/man3/BN_RECP_CTX_init.3
/usr/share/man/man3/BN_RECP_CTX_new.3
/usr/share/man/man3/BN_RECP_CTX_set.3
/usr/share/man/man3/BN_add.3
/usr/share/man/man3/BN_add_word.3
/usr/share/man/man3/BN_bin2bn.3
/usr/share/man/man3/BN_bn2bin.3
/usr/share/man/man3/BN_bn2dec.3
/usr/share/man/man3/BN_bn2hex.3
/usr/share/man/man3/BN_bn2mpi.3
/usr/share/man/man3/BN_clear.3
/usr/share/man/man3/BN_clear_bit.3
/usr/share/man/man3/BN_clear_free.3
/usr/share/man/man3/BN_cmp.3
/usr/share/man/man3/BN_copy.3
/usr/share/man/man3/BN_dec2bn.3
/usr/share/man/man3/BN_div.3
/usr/share/man/man3/BN_div_recp.3
/usr/share/man/man3/BN_div_word.3
/usr/share/man/man3/BN_dup.3
/usr/share/man/man3/BN_exp.3
/usr/share/man/man3/BN_free.3
/usr/share/man/man3/BN_from_montgomery.3
/usr/share/man/man3/BN_gcd.3
/usr/share/man/man3/BN_generate_prime.3
/usr/share/man/man3/BN_get_word.3
/usr/share/man/man3/BN_hex2bn.3
/usr/share/man/man3/BN_init.3
/usr/share/man/man3/BN_is_bit_set.3
/usr/share/man/man3/BN_is_odd.3
/usr/share/man/man3/BN_is_one.3
/usr/share/man/man3/BN_is_prime.3
/usr/share/man/man3/BN_is_prime_fasttest.3
/usr/share/man/man3/BN_is_word.3
/usr/share/man/man3/BN_is_zero.3
/usr/share/man/man3/BN_lshift.3
/usr/share/man/man3/BN_lshift1.3
/usr/share/man/man3/BN_mask_bits.3
/usr/share/man/man3/BN_mod.3
/usr/share/man/man3/BN_mod_add.3
/usr/share/man/man3/BN_mod_exp.3
/usr/share/man/man3/BN_mod_inverse.3
/usr/share/man/man3/BN_mod_mul.3
/usr/share/man/man3/BN_mod_mul_montgomery.3
/usr/share/man/man3/BN_mod_mul_reciprocal.3
/usr/share/man/man3/BN_mod_sqr.3
/usr/share/man/man3/BN_mod_sub.3
/usr/share/man/man3/BN_mod_word.3
```

```

/usr/share/man/man3/BN_mpi2bn.3
/usr/share/man/man3/BN_mul.3
/usr/share/man/man3/BN_mul_word.3
/usr/share/man/man3/BN_new.3
/usr/share/man/man3/BN_nnmod.3
/usr/share/man/man3/BN_num_bits.3
/usr/share/man/man3/BN_num_bits_word.3
/usr/share/man/man3/BN_num_bytes.3
/usr/share/man/man3/BN_one.3
/usr/share/man/man3/BN_print.3
/usr/share/man/man3/BN_print_fp.3
/usr/share/man/man3/BN_pseudo_rand.3
/usr/share/man/man3/BN_rand.3
/usr/share/man/man3/BN_rshift.3
/usr/share/man/man3/BN_rshift1.3
/usr/share/man/man3/BN_set_bit.3
/usr/share/man/man3/BN_set_word.3
/usr/share/man/man3/BN_sqr.3
/usr/share/man/man3/BN_sub.3
/usr/share/man/man3/BN_sub_word.3
/usr/share/man/man3/BN_swap.3
/usr/share/man/man3/BN_to_montgomery.3
/usr/share/man/man3/BN_ucmp.3
/usr/share/man/man3/BN_value_one.3
/usr/share/man/man3/BN_zero.3
/usr/share/man/man3/BUF_MEM_free.3
/usr/share/man/man3/BUF_MEM_grow.3
/usr/share/man/man3/BUF_MEM_new.3
/usr/share/man/man3/BUF_strdup.3
/usr/share/man/man3/CONF_modules_free.3
/usr/share/man/man3/CONF_modules_load.3
/usr/share/man/man3/CONF_modules_load_file.3
/usr/share/man/man3/CONF_modules_unload.3
/usr/share/man/man3/CRYPTO_destroy_dynlockid.3
/usr/share/man/man3/CRYPTO_get_ex_data.3
/usr/share/man/man3/CRYPTO_get_new_dynlockid.3
/usr/share/man/man3/CRYPTO_lock.3
/usr/share/man/man3/CRYPTO_num_locks.3
/usr/share/man/man3/CRYPTO_set_dynlock_create_callback.3
/usr/share/man/man3/CRYPTO_set_dynlock_destroy_callback.3
/usr/share/man/man3/CRYPTO_set_dynlock_lock_callback.3
/usr/share/man/man3/CRYPTO_set_ex_data.3
/usr/share/man/man3/CRYPTO_set_id_callback.3
/usr/share/man/man3/CRYPTO_set_locking_callback.3
/usr/share/man/man3/DES_cbc_cksum.3
/usr/share/man/man3/DES_cfb64_encrypt.3
/usr/share/man/man3/DES_cfb_encrypt.3
/usr/share/man/man3/DES_crypt.3
/usr/share/man/man3/DES_ecb2_encrypt.3
/usr/share/man/man3/DES_ecb3_encrypt.3
/usr/share/man/man3/DES_ecb_encrypt.3
/usr/share/man/man3/DES_edc2_cbc_encrypt.3
/usr/share/man/man3/DES_edc2_cfb64_encrypt.3
/usr/share/man/man3/DES_edc2_ofb64_encrypt.3
/usr/share/man/man3/DES_edc3_cbc_encrypt.3
/usr/share/man/man3/DES_edc3_cbc_encrypt.3
/usr/share/man/man3/DES_edc3_cfb64_encrypt.3
/usr/share/man/man3/DES_edc3_ofb64_encrypt.3
/usr/share/man/man3/DES_enc_read.3
/usr/share/man/man3/DES_enc_write.3
/usr/share/man/man3/DES_fcrypt.3
/usr/share/man/man3/DES_is_weak_key.3
/usr/share/man/man3/DES_key_sched.3
/usr/share/man/man3/DES_ncbc_encrypt.3
/usr/share/man/man3/DES_ofb64_encrypt.3
/usr/share/man/man3/DES_ofb_encrypt.3
/usr/share/man/man3/DES_pcbc_encrypt.3
/usr/share/man/man3/DES_quad_cksum.3
/usr/share/man/man3/DES_random_key.3
/usr/share/man/man3/DES_set_key.3
/usr/share/man/man3/DES_set_key_checked.3
/usr/share/man/man3/DES_set_key_unchecked.3
/usr/share/man/man3/DES_set_odd_parity.3
/usr/share/man/man3/DES_string_to_2keys.3
/usr/share/man/man3/DES_string_to_key.3
/usr/share/man/man3/DES_xcbc_encrypt.3
/usr/share/man/man3/DH_OpenSSL.3
/usr/share/man/man3/DH_check.3
/usr/share/man/man3/DH_compute_key.3
/usr/share/man/man3/DH_free.3
/usr/share/man/man3/DH_generate_key.3
/usr/share/man/man3/DH_generate_parameters.3
/usr/share/man/man3/DH_get_default_method.3
/usr/share/man/man3/DH_get_ex_data.3
/usr/share/man/man3/DH_get_ex_new_index.3
/usr/share/man/man3/DH_new.3
/usr/share/man/man3/DH_new_method.3
/usr/share/man/man3/DH_set_default_method.3
/usr/share/man/man3/DH_set_ex_data.3
/usr/share/man/man3/DH_set_method.3
/usr/share/man/man3/DH_size.3
/usr/share/man/man3/DHparams_print.3
/usr/share/man/man3/DHparams_print_fp.3
/usr/share/man/man3/DSA_OpenSSL.3

```

```

/usr/share/man/man3/DSA_SIG_free.3
/usr/share/man/man3/DSA_SIG_new.3
/usr/share/man/man3/DSA_do_sign.3
/usr/share/man/man3/DSA_do_verify.3
/usr/share/man/man3/DSA_dup_DH.3
/usr/share/man/man3/DSA_free.3
/usr/share/man/man3/DSA_generate_key.3
/usr/share/man/man3/DSA_generate_parameters.3
/usr/share/man/man3/DSA_get_default_method.3
/usr/share/man/man3/DSA_get_ex_data.3
/usr/share/man/man3/DSA_get_ex_new_index.3
/usr/share/man/man3/DSA_new.3
/usr/share/man/man3/DSA_new_method.3
/usr/share/man/man3/DSA_print.3
/usr/share/man/man3/DSA_print_fp.3
/usr/share/man/man3/DSA_set_default_method.3
/usr/share/man/man3/DSA_set_ex_data.3
/usr/share/man/man3/DSA_set_method.3
/usr/share/man/man3/DSA_sign.3
/usr/share/man/man3/DSA_sign_setup.3
/usr/share/man/man3/DSA_size.3
/usr/share/man/man3/DSA_verify.3
/usr/share/man/man3/DSAParams_print.3
/usr/share/man/man3/DSAParams_print_fp.3
/usr/share/man/man3/ERR_GET_FUNC.3
/usr/share/man/man3/ERR_GET_LIB.3
/usr/share/man/man3/ERR_GET_REASON.3
/usr/share/man/man3/ERR_PACK.3
/usr/share/man/man3/ERR_add_error_data.3
/usr/share/man/man3/ERR_clear_error.3
/usr/share/man/man3/ERR_error_string.3
/usr/share/man/man3/ERR_error_string_n.3
/usr/share/man/man3/ERR_free_strings.3
/usr/share/man/man3/ERR_func_error_string.3
/usr/share/man/man3/ERR_get_error.3
/usr/share/man/man3/ERR_get_error_line.3
/usr/share/man/man3/ERR_get_error_line_data.3
/usr/share/man/man3/ERR_get_next_error_library.3
/usr/share/man/man3/ERR_lib_error_string.3
/usr/share/man/man3/ERR_load_UI_strings.3
/usr/share/man/man3/ERR_load_crypto_strings.3
/usr/share/man/man3/ERR_load_strings.3
/usr/share/man/man3/ERR_peek_error.3
/usr/share/man/man3/ERR_peek_error_line.3
/usr/share/man/man3/ERR_peek_error_line_data.3
/usr/share/man/man3/ERR_peek_last_error.3
/usr/share/man/man3/ERR_peek_last_error_line.3
/usr/share/man/man3/ERR_peek_last_error_line_data.3
/usr/share/man/man3/ERR_print_errors.3
/usr/share/man/man3/ERR_print_errors_fp.3
/usr/share/man/man3/ERR_put_error.3
/usr/share/man/man3/ERR_reason_error_string.3
/usr/share/man/man3/ERR_remove_state.3
/usr/share/man/man3/EVP_BytesToKey.3
/usr/share/man/man3/EVP_CIPHER_CTX_block_size.3
/usr/share/man/man3/EVP_CIPHER_CTX_cipher.3
/usr/share/man/man3/EVP_CIPHER_CTX_cleanup.3
/usr/share/man/man3/EVP_CIPHER_CTX_ctrl.3
/usr/share/man/man3/EVP_CIPHER_CTX_flags.3
/usr/share/man/man3/EVP_CIPHER_CTX_get_app_data.3
/usr/share/man/man3/EVP_CIPHER_CTX_init.3
/usr/share/man/man3/EVP_CIPHER_CTX_iv_length.3
/usr/share/man/man3/EVP_CIPHER_CTX_key_length.3
/usr/share/man/man3/EVP_CIPHER_CTX_mode.3
/usr/share/man/man3/EVP_CIPHER_CTX_nid.3
/usr/share/man/man3/EVP_CIPHER_CTX_set_app_data.3
/usr/share/man/man3/EVP_CIPHER_CTX_set_key_length.3
/usr/share/man/man3/EVP_CIPHER_CTX_set_padding.3
/usr/share/man/man3/EVP_CIPHER_CTX_type.3
/usr/share/man/man3/EVP_CIPHER_asn1_to_param.3
/usr/share/man/man3/EVP_CIPHER_block_size.3
/usr/share/man/man3/EVP_CIPHER_flags.3
/usr/share/man/man3/EVP_CIPHER_iv_length.3
/usr/share/man/man3/EVP_CIPHER_key_length.3
/usr/share/man/man3/EVP_CIPHER_mode.3
/usr/share/man/man3/EVP_CIPHER_nid.3
/usr/share/man/man3/EVP_CIPHER_param_to_asn1.3
/usr/share/man/man3/EVP_CIPHER_type.3
/usr/share/man/man3/EVP_CipherFinal.3
/usr/share/man/man3/EVP_CipherFinal_ex.3
/usr/share/man/man3/EVP_CipherInit.3
/usr/share/man/man3/EVP_CipherInit_ex.3
/usr/share/man/man3/EVP_CipherUpdate.3
/usr/share/man/man3/EVP_DecryptFinal.3
/usr/share/man/man3/EVP_DecryptFinal_ex.3
/usr/share/man/man3/EVP_DecryptInit.3
/usr/share/man/man3/EVP_DecryptInit_ex.3
/usr/share/man/man3/EVP_DecryptUpdate.3
/usr/share/man/man3/EVP_DigestFinal_ex.3
/usr/share/man/man3/EVP_DigestInit.3
/usr/share/man/man3/EVP_DigestInit_ex.3
/usr/share/man/man3/EVP_DigestUpdate.3
/usr/share/man/man3/EVP_EncryptFinal.3
/usr/share/man/man3/EVP_EncryptFinal_ex.3

```

```

/usr/share/man/man3/EVP_EncryptInit.3
/usr/share/man/man3/EVP_EncryptInit_ex.3
/usr/share/man/man3/EVP_EncryptUpdate.3
/usr/share/man/man3/EVP_MAX_MD_SIZE.3
/usr/share/man/man3/EVP_MD_CTX_block_size.3
/usr/share/man/man3/EVP_MD_CTX_cleanup.3
/usr/share/man/man3/EVP_MD_CTX_copy.3
/usr/share/man/man3/EVP_MD_CTX_copy_ex.3
/usr/share/man/man3/EVP_MD_CTX_create.3
/usr/share/man/man3/EVP_MD_CTX_destroy.3
/usr/share/man/man3/EVP_MD_CTX_init.3
/usr/share/man/man3/EVP_MD_CTX_md.3
/usr/share/man/man3/EVP_MD_CTX_size.3
/usr/share/man/man3/EVP_MD_CTX_type.3
/usr/share/man/man3/EVP_MD_block_size.3
/usr/share/man/man3/EVP_MD_pkey_type.3
/usr/share/man/man3/EVP_MD_size.3
/usr/share/man/man3/EVP_MD_type.3
/usr/share/man/man3/EVP_OpenFinal.3
/usr/share/man/man3/EVP_OpenInit.3
/usr/share/man/man3/EVP_OpenUpdate.3
/usr/share/man/man3/EVP_PKEY_assign_DH.3
/usr/share/man/man3/EVP_PKEY_assign_DSA.3
/usr/share/man/man3/EVP_PKEY_assign_EC_KEY.3
/usr/share/man/man3/EVP_PKEY_assign_RSA.3
/usr/share/man/man3/EVP_PKEY_free.3
/usr/share/man/man3/EVP_PKEY_get1_DH.3
/usr/share/man/man3/EVP_PKEY_get1_DSA.3
/usr/share/man/man3/EVP_PKEY_get1_EC_KEY.3
/usr/share/man/man3/EVP_PKEY_get1_RSA.3
/usr/share/man/man3/EVP_PKEY_new.3
/usr/share/man/man3/EVP_PKEY_set1_DH.3
/usr/share/man/man3/EVP_PKEY_set1_DSA.3
/usr/share/man/man3/EVP_PKEY_set1_EC_KEY.3
/usr/share/man/man3/EVP_PKEY_set1_RSA.3
/usr/share/man/man3/EVP_PKEY_type.3
/usr/share/man/man3/EVP_SealFinal.3
/usr/share/man/man3/EVP_SealInit.3
/usr/share/man/man3/EVP_SealUpdate.3
/usr/share/man/man3/EVP_SignFinal.3
/usr/share/man/man3/EVP_SignInit.3
/usr/share/man/man3/EVP_SignUpdate.3
/usr/share/man/man3/EVP_VerifyFinal.3
/usr/share/man/man3/EVP_VerifyInit.3
/usr/share/man/man3/EVP_VerifyUpdate.3
/usr/share/man/man3/EVP_dss.3
/usr/share/man/man3/EVP_dssl.3
/usr/share/man/man3/EVP_get_cipherbyname.3
/usr/share/man/man3/EVP_get_cipherbynid.3
/usr/share/man/man3/EVP_get_cipherbyobj.3
/usr/share/man/man3/EVP_get_digestbyname.3
/usr/share/man/man3/EVP_get_digestbynid.3
/usr/share/man/man3/EVP_get_digestbyobj.3
/usr/share/man/man3/EVP_md2.3
/usr/share/man/man3/EVP_md5.3
/usr/share/man/man3/EVP_md_null.3
/usr/share/man/man3/EVP_mdc2.3
/usr/share/man/man3/EVP_ripemd160.3
/usr/share/man/man3/EVP_sha.3
/usr/share/man/man3/EVP_shal.3
/usr/share/man/man3/HMAC.3
/usr/share/man/man3/HMAC_Final.3
/usr/share/man/man3/HMAC_Init.3
/usr/share/man/man3/HMAC_Update.3
/usr/share/man/man3/HMAC_cleanup.3
/usr/share/man/man3/MD2.3
/usr/share/man/man3/MD2_Final.3
/usr/share/man/man3/MD2_Init.3
/usr/share/man/man3/MD2_Update.3
/usr/share/man/man3/MD4.3
/usr/share/man/man3/MD4_Final.3
/usr/share/man/man3/MD4_Init.3
/usr/share/man/man3/MD4_Update.3
/usr/share/man/man3/MD5.3
/usr/share/man/man3/MD5_Final.3
/usr/share/man/man3/MD5_Init.3
/usr/share/man/man3/MD5_Update.3
/usr/share/man/man3/MDC2.3
/usr/share/man/man3/MDC2_Final.3
/usr/share/man/man3/MDC2_Init.3
/usr/share/man/man3/MDC2_Update.3
/usr/share/man/man3/OBJ_cleanup.3
/usr/share/man/man3/OBJ_cmp.3
/usr/share/man/man3/OBJ_create.3
/usr/share/man/man3/OBJ_dup.3
/usr/share/man/man3/OBJ_ln2nid.3
/usr/share/man/man3/OBJ_nid2ln.3
/usr/share/man/man3/OBJ_nid2obj.3
/usr/share/man/man3/OBJ_nid2sn.3
/usr/share/man/man3/OBJ_obj2nid.3
/usr/share/man/man3/OBJ_obj2txt.3
/usr/share/man/man3/OBJ_sn2nid.3
/usr/share/man/man3/OBJ_txt2nid.3
/usr/share/man/man3/OBJ_txt2obj.3

```

```

/usr/share/man/man3/OPENSSL_VERSION_NUMBER.3
/usr/share/man/man3/OPENSSL_config.3
/usr/share/man/man3/OPENSSL_load_builtin_modules.3
/usr/share/man/man3/OPENSSL_no_config.3
/usr/share/man/man3/OpenSSL_add_all_algorithms.3
/usr/share/man/man3/OpenSSL_add_all_ciphers.3
/usr/share/man/man3/OpenSSL_add_all_digests.3
/usr/share/man/man3/OpenSSL_add_ssl_algorithms.3
/usr/share/man/man3/PEM.3
/usr/share/man/man3/PKCS12_create.3
/usr/share/man/man3/PKCS12_parse.3
/usr/share/man/man3/PKCS7_decrypt.3
/usr/share/man/man3/PKCS7_encrypt.3
/usr/share/man/man3/PKCS7_sign.3
/usr/share/man/man3/PKCS7_verify.3
/usr/share/man/man3/RAND_SSLeay.3
/usr/share/man/man3/RAND_add.3
/usr/share/man/man3/RAND_bytes.3
/usr/share/man/man3/RAND_cleanup.3
/usr/share/man/man3/RAND_egd.3
/usr/share/man/man3/RAND_event.3
/usr/share/man/man3/RAND_file_name.3
/usr/share/man/man3/RAND_get_rand_method.3
/usr/share/man/man3/RAND_load_file.3
/usr/share/man/man3/RAND_pseudo_bytes.3
/usr/share/man/man3/RAND_screen.3
/usr/share/man/man3/RAND_seed.3
/usr/share/man/man3/RAND_set_rand_method.3
/usr/share/man/man3/RAND_status.3
/usr/share/man/man3/RAND_write_file.3
/usr/share/man/man3/RC4.3
/usr/share/man/man3/RC4_set_key.3
/usr/share/man/man3/RIPEMD160.3
/usr/share/man/man3/RIPEMD160_Final.3
/usr/share/man/man3/RIPEMD160_Init.3
/usr/share/man/man3/RIPEMD160_Update.3
/usr/share/man/man3/RSA_PKCS1_SSLeay.3
/usr/share/man/man3/RSA_blinding_off.3
/usr/share/man/man3/RSA_blinding_on.3
/usr/share/man/man3/RSA_check_key.3
/usr/share/man/man3/RSA_flags.3
/usr/share/man/man3/RSA_free.3
/usr/share/man/man3/RSA_generate_key.3
/usr/share/man/man3/RSA_get_default_method.3
/usr/share/man/man3/RSA_get_ex_data.3
/usr/share/man/man3/RSA_get_ex_new_index.3
/usr/share/man/man3/RSA_get_method.3
/usr/share/man/man3/RSA_new.3
/usr/share/man/man3/RSA_new_method.3
/usr/share/man/man3/RSA_null_method.3
/usr/share/man/man3/RSA_padding_add_PKCS1_OAEP.3
/usr/share/man/man3/RSA_padding_add_PKCS1_type_1.3
/usr/share/man/man3/RSA_padding_add_PKCS1_type_2.3
/usr/share/man/man3/RSA_padding_add_SSLv23.3
/usr/share/man/man3/RSA_padding_add_none.3
/usr/share/man/man3/RSA_padding_check_PKCS1_OAEP.3
/usr/share/man/man3/RSA_padding_check_PKCS1_type_1.3
/usr/share/man/man3/RSA_padding_check_PKCS1_type_2.3
/usr/share/man/man3/RSA_padding_check_SSLv23.3
/usr/share/man/man3/RSA_padding_check_none.3
/usr/share/man/man3/RSA_print.3
/usr/share/man/man3/RSA_print_fp.3
/usr/share/man/man3/RSA_private_decrypt.3
/usr/share/man/man3/RSA_private_encrypt.3
/usr/share/man/man3/RSA_public_decrypt.3
/usr/share/man/man3/RSA_public_encrypt.3
/usr/share/man/man3/RSA_set_default_method.3
/usr/share/man/man3/RSA_set_ex_data.3
/usr/share/man/man3/RSA_set_method.3
/usr/share/man/man3/RSA_sign.3
/usr/share/man/man3/RSA_sign_ASN1_OCTET_STRING.3
/usr/share/man/man3/RSA_size.3
/usr/share/man/man3/RSA_verify.3
/usr/share/man/man3/RSA_verify_ASN1_OCTET_STRING.3
/usr/share/man/man3/SHA1.3
/usr/share/man/man3/SHA1_Final.3
/usr/share/man/man3/SHA1_Init.3
/usr/share/man/man3/SHA1_Update.3
/usr/share/man/man3/SMIME_read_PKCS7.3
/usr/share/man/man3/SMIME_write_PKCS7.3
/usr/share/man/man3/SSL.3
/usr/share/man/man3/SSL_CIPHER_description.3
/usr/share/man/man3/SSL_CIPHER_get_bits.3
/usr/share/man/man3/SSL_CIPHER_get_name.3
/usr/share/man/man3/SSL_CIPHER_get_version.3
/usr/share/man/man3/SSL_COMP_add_compression_method.3
/usr/share/man/man3/SSL_CTX_add_client_CA.3
/usr/share/man/man3/SSL_CTX_add_extra_chain_cert.3
/usr/share/man/man3/SSL_CTX_add_session.3
/usr/share/man/man3/SSL_CTX_callback_ctrl.3
/usr/share/man/man3/SSL_CTX_check_private_key.3
/usr/share/man/man3/SSL_CTX_ctrl.3
/usr/share/man/man3/SSL_CTX_flush_sessions.3
/usr/share/man/man3/SSL_CTX_free.3

```

```

/usr/share/man/man3/SSL_CTX_get_cert_store.3
/usr/share/man/man3/SSL_CTX_get_client_CA_list.3
/usr/share/man/man3/SSL_CTX_get_client_cert_cb.3
/usr/share/man/man3/SSL_CTX_get_ex_data.3
/usr/share/man/man3/SSL_CTX_get_ex_new_index.3
/usr/share/man/man3/SSL_CTX_get_info_callback.3
/usr/share/man/man3/SSL_CTX_get_max_cert_list.3
/usr/share/man/man3/SSL_CTX_get_mode.3
/usr/share/man/man3/SSL_CTX_get_options.3
/usr/share/man/man3/SSL_CTX_get_quiet_shutdown.3
/usr/share/man/man3/SSL_CTX_get_session_cache_mode.3
/usr/share/man/man3/SSL_CTX_get_timeout.3
/usr/share/man/man3/SSL_CTX_get_verify_callback.3
/usr/share/man/man3/SSL_CTX_get_verify_depth.3
/usr/share/man/man3/SSL_CTX_get_verify_mode.3
/usr/share/man/man3/SSL_CTX_load_verify_locations.3
/usr/share/man/man3/SSL_CTX_need_tmp_rsa.3
/usr/share/man/man3/SSL_CTX_new.3
/usr/share/man/man3/SSL_CTX_remove_session.3
/usr/share/man/man3/SSL_CTX_sess_accept.3
/usr/share/man/man3/SSL_CTX_sess_accept_good.3
/usr/share/man/man3/SSL_CTX_sess_accept_renegotiate.3
/usr/share/man/man3/SSL_CTX_sess_cache_full.3
/usr/share/man/man3/SSL_CTX_sess_cb_hits.3
/usr/share/man/man3/SSL_CTX_sess_connect.3
/usr/share/man/man3/SSL_CTX_sess_connect_good.3
/usr/share/man/man3/SSL_CTX_sess_connect_renegotiate.3
/usr/share/man/man3/SSL_CTX_sess_get_cache_size.3
/usr/share/man/man3/SSL_CTX_sess_get_get_cb.3
/usr/share/man/man3/SSL_CTX_sess_get_new_cb.3
/usr/share/man/man3/SSL_CTX_sess_get_remove_cb.3
/usr/share/man/man3/SSL_CTX_sess_hits.3
/usr/share/man/man3/SSL_CTX_sess_misses.3
/usr/share/man/man3/SSL_CTX_sess_number.3
/usr/share/man/man3/SSL_CTX_sess_set_cache_size.3
/usr/share/man/man3/SSL_CTX_sess_set_get_cb.3
/usr/share/man/man3/SSL_CTX_sess_set_new_cb.3
/usr/share/man/man3/SSL_CTX_sess_set_remove_cb.3
/usr/share/man/man3/SSL_CTX_sess_timeouts.3
/usr/share/man/man3/SSL_CTX_sessions.3
/usr/share/man/man3/SSL_CTX_set_cert_store.3
/usr/share/man/man3/SSL_CTX_set_cert_verify_callback.3
/usr/share/man/man3/SSL_CTX_set_cipher_list.3
/usr/share/man/man3/SSL_CTX_set_client_CA_list.3
/usr/share/man/man3/SSL_CTX_set_client_cert_cb.3
/usr/share/man/man3/SSL_CTX_set_default_passwd_cb.3
/usr/share/man/man3/SSL_CTX_set_default_passwd_cb_userdata.3
/usr/share/man/man3/SSL_CTX_set_ex_data.3
/usr/share/man/man3/SSL_CTX_set_generate_session_id.3
/usr/share/man/man3/SSL_CTX_set_info_callback.3
/usr/share/man/man3/SSL_CTX_set_max_cert_list.3
/usr/share/man/man3/SSL_CTX_set_mode.3
/usr/share/man/man3/SSL_CTX_set_msg_callback.3
/usr/share/man/man3/SSL_CTX_set_msg_callback_arg.3
/usr/share/man/man3/SSL_CTX_set_options.3
/usr/share/man/man3/SSL_CTX_set_quiet_shutdown.3
/usr/share/man/man3/SSL_CTX_set_session_cache_mode.3
/usr/share/man/man3/SSL_CTX_set_session_id_context.3
/usr/share/man/man3/SSL_CTX_set_ssl_version.3
/usr/share/man/man3/SSL_CTX_set_timeout.3
/usr/share/man/man3/SSL_CTX_set_tmp_dh.3
/usr/share/man/man3/SSL_CTX_set_tmp_dh_callback.3
/usr/share/man/man3/SSL_CTX_set_tmp_rsa.3
/usr/share/man/man3/SSL_CTX_set_tmp_rsa_callback.3
/usr/share/man/man3/SSL_CTX_set_verify.3
/usr/share/man/man3/SSL_CTX_set_verify_depth.3
/usr/share/man/man3/SSL_CTX_use_PrivateKey.3
/usr/share/man/man3/SSL_CTX_use_PrivateKey_ASN1.3
/usr/share/man/man3/SSL_CTX_use_PrivateKey_file.3
/usr/share/man/man3/SSL_CTX_use_RSAPrivateKey.3
/usr/share/man/man3/SSL_CTX_use_RSAPrivateKey_ASN1.3
/usr/share/man/man3/SSL_CTX_use_RSAPrivateKey_file.3
/usr/share/man/man3/SSL_CTX_use_certificate.3
/usr/share/man/man3/SSL_CTX_use_certificate_ASN1.3
/usr/share/man/man3/SSL_CTX_use_certificate_chain_file.3
/usr/share/man/man3/SSL_CTX_use_certificate_file.3
/usr/share/man/man3/SSL_SESSION_free.3
/usr/share/man/man3/SSL_SESSION_get_ex_data.3
/usr/share/man/man3/SSL_SESSION_get_ex_new_index.3
/usr/share/man/man3/SSL_SESSION_get_time.3
/usr/share/man/man3/SSL_SESSION_get_timeout.3
/usr/share/man/man3/SSL_SESSION_set_ex_data.3
/usr/share/man/man3/SSL_SESSION_set_time.3
/usr/share/man/man3/SSL_accept.3
/usr/share/man/man3/SSL_add_client_CA.3
/usr/share/man/man3/SSL_add_session.3
/usr/share/man/man3/SSL_alert_desc_string.3
/usr/share/man/man3/SSL_alert_desc_string_long.3
/usr/share/man/man3/SSL_alert_type_string.3
/usr/share/man/man3/SSL_alert_type_string_long.3
/usr/share/man/man3/SSL_callback_ctrl.3
/usr/share/man/man3/SSL_check_private_key.3
/usr/share/man/man3/SSL_clear.3
/usr/share/man/man3/SSL_connect.3

```

```

/usr/share/man/man3/SSL_ctrl.3
/usr/share/man/man3/SSL_do_handshake.3
/usr/share/man/man3/SSL_flush_sessions.3
/usr/share/man/man3/SSL_free.3
/usr/share/man/man3/SSL_get_SSL_CTX.3
/usr/share/man/man3/SSL_get_accept_state.3
/usr/share/man/man3/SSL_get_cipher.3
/usr/share/man/man3/SSL_get_cipher_bits.3
/usr/share/man/man3/SSL_get_cipher_list.3
/usr/share/man/man3/SSL_get_cipher_name.3
/usr/share/man/man3/SSL_get_cipher_version.3
/usr/share/man/man3/SSL_get_ciphers.3
/usr/share/man/man3/SSL_get_client_CA_list.3
/usr/share/man/man3/SSL_get_current_cipher.3
/usr/share/man/man3/SSL_get_default_timeout.3
/usr/share/man/man3/SSL_get_error.3
/usr/share/man/man3/SSL_get_ex_data.3
/usr/share/man/man3/SSL_get_ex_data_X509_STORE_CTX_idx.3
/usr/share/man/man3/SSL_get_ex_new_index.3
/usr/share/man/man3/SSL_get_fd.3
/usr/share/man/man3/SSL_get_info_callback.3
/usr/share/man/man3/SSL_get_max_cert_list.3
/usr/share/man/man3/SSL_get_mode.3
/usr/share/man/man3/SSL_get_msg_callback_arg.3
/usr/share/man/man3/SSL_get_options.3
/usr/share/man/man3/SSL_get_peer_cert_chain.3
/usr/share/man/man3/SSL_get_peer_certificate.3
/usr/share/man/man3/SSL_get_quiet_shutdown.3
/usr/share/man/man3/SSL_get_rbio.3
/usr/share/man/man3/SSL_get_session.3
/usr/share/man/man3/SSL_get_shutdown.3
/usr/share/man/man3/SSL_get_ssl_method.3
/usr/share/man/man3/SSL_get_verify_callback.3
/usr/share/man/man3/SSL_get_verify_depth.3
/usr/share/man/man3/SSL_get_verify_mode.3
/usr/share/man/man3/SSL_get_verify_result.3
/usr/share/man/man3/SSL_get_version.3
/usr/share/man/man3/SSL_has_matching_session_id.3
/usr/share/man/man3/SSL_library_init.3
/usr/share/man/man3/SSL_load_client_CA_file.3
/usr/share/man/man3/SSL_load_error_strings.3
/usr/share/man/man3/SSL_need_tmp_rsa.3
/usr/share/man/man3/SSL_new.3
/usr/share/man/man3/SSL_pending.3
/usr/share/man/man3/SSL_read.3
/usr/share/man/man3/SSL_remove_session.3
/usr/share/man/man3/SSL_rstate_string.3
/usr/share/man/man3/SSL_rstate_string_long.3
/usr/share/man/man3/SSL_session_reused.3
/usr/share/man/man3/SSL_set_bio.3
/usr/share/man/man3/SSL_set_cipher_list.3
/usr/share/man/man3/SSL_set_client_CA_list.3
/usr/share/man/man3/SSL_set_connect_state.3
/usr/share/man/man3/SSL_set_ex_data.3
/usr/share/man/man3/SSL_set_fd.3
/usr/share/man/man3/SSL_set_generate_session_id.3
/usr/share/man/man3/SSL_set_info_callback.3
/usr/share/man/man3/SSL_set_max_cert_list.3
/usr/share/man/man3/SSL_set_mode.3
/usr/share/man/man3/SSL_set_msg_callback.3
/usr/share/man/man3/SSL_set_options.3
/usr/share/man/man3/SSL_set_quiet_shutdown.3
/usr/share/man/man3/SSL_set_session.3
/usr/share/man/man3/SSL_set_session_id_context.3
/usr/share/man/man3/SSL_set_shutdown.3
/usr/share/man/man3/SSL_set_ssl_method.3
/usr/share/man/man3/SSL_set_tmp_dh.3
/usr/share/man/man3/SSL_set_tmp_dh_callback.3
/usr/share/man/man3/SSL_set_tmp_rsa.3
/usr/share/man/man3/SSL_set_tmp_rsa_callback.3
/usr/share/man/man3/SSL_set_verify.3
/usr/share/man/man3/SSL_set_verify_depth.3
/usr/share/man/man3/SSL_set_verify_result.3
/usr/share/man/man3/SSL_shutdown.3
/usr/share/man/man3/SSL_state_string.3
/usr/share/man/man3/SSL_state_string_long.3
/usr/share/man/man3/SSL_use_PrivateKey.3
/usr/share/man/man3/SSL_use_PrivateKey_ASN1.3
/usr/share/man/man3/SSL_use_PrivateKey_file.3
/usr/share/man/man3/SSL_use_RSAPrivateKey.3
/usr/share/man/man3/SSL_use_RSAPrivateKey_ASN1.3
/usr/share/man/man3/SSL_use_RSAPrivateKey_file.3
/usr/share/man/man3/SSL_use_certificate.3
/usr/share/man/man3/SSL_use_certificate_ASN1.3
/usr/share/man/man3/SSL_use_certificate_file.3
/usr/share/man/man3/SSL_want.3
/usr/share/man/man3/SSL_want_nothing.3
/usr/share/man/man3/SSL_want_read.3
/usr/share/man/man3/SSL_want_write.3
/usr/share/man/man3/SSL_want_x509_lookup.3
/usr/share/man/man3/SSL_write.3
/usr/share/man/man3/SSLey.3
/usr/share/man/man3/SSLey_add_ssl_algorithms.3
/usr/share/man/man3/SSLey_version.3

```

```

/usr/share/man/man3/UI_OpenSSL.3
/usr/share/man/man3/UI_add_error_string.3
/usr/share/man/man3/UI_add_info_string.3
/usr/share/man/man3/UI_add_input_boolean.3
/usr/share/man/man3/UI_add_input_string.3
/usr/share/man/man3/UI_add_user_data.3
/usr/share/man/man3/UI_add_verify_string.3
/usr/share/man/man3/UI_construct_prompt.3
/usr/share/man/man3/UI_ctrl.3
/usr/share/man/man3/UI_dup_error_string.3
/usr/share/man/man3/UI_dup_info_string.3
/usr/share/man/man3/UI_dup_input_boolean.3
/usr/share/man/man3/UI_dup_input_string.3
/usr/share/man/man3/UI_dup_verify_string.3
/usr/share/man/man3/UI_free.3
/usr/share/man/man3/UI_get0_result.3
/usr/share/man/man3/UI_get0_user_data.3
/usr/share/man/man3/UI_get_default_method.3
/usr/share/man/man3/UI_get_method.3
/usr/share/man/man3/UI_new.3
/usr/share/man/man3/UI_new_method.3
/usr/share/man/man3/UI_process.3
/usr/share/man/man3/UI_set_default_method.3
/usr/share/man/man3/UI_set_method.3
/usr/share/man/man3/X509_NAME_ENTRY_create_by_NID.3
/usr/share/man/man3/X509_NAME_ENTRY_create_by_OBJ.3
/usr/share/man/man3/X509_NAME_ENTRY_create_by_txt.3
/usr/share/man/man3/X509_NAME_ENTRY_get_data.3
/usr/share/man/man3/X509_NAME_ENTRY_get_object.3
/usr/share/man/man3/X509_NAME_ENTRY_set_data.3
/usr/share/man/man3/X509_NAME_ENTRY_set_object.3
/usr/share/man/man3/X509_NAME_add_entry.3
/usr/share/man/man3/X509_NAME_add_entry_by_NID.3
/usr/share/man/man3/X509_NAME_add_entry_by_OBJ.3
/usr/share/man/man3/X509_NAME_add_entry_by_txt.3
/usr/share/man/man3/X509_NAME_delete_entry.3
/usr/share/man/man3/X509_NAME_entry_count.3
/usr/share/man/man3/X509_NAME_get_entry.3
/usr/share/man/man3/X509_NAME_get_index_by_NID.3
/usr/share/man/man3/X509_NAME_get_index_by_OBJ.3
/usr/share/man/man3/X509_NAME_get_text_by_NID.3
/usr/share/man/man3/X509_NAME_get_text_by_OBJ.3
/usr/share/man/man3/X509_NAME_oneline.3
/usr/share/man/man3/X509_NAME_print.3
/usr/share/man/man3/X509_NAME_print_ex.3
/usr/share/man/man3/X509_NAME_print_ex_fp.3
/usr/share/man/man3/X509_free.3
/usr/share/man/man3/X509_new.3
/usr/share/man/man3/bio.3
/usr/share/man/man3/blowfish.3
/usr/share/man/man3/bn.3
/usr/share/man/man3/bn_add_words.3
/usr/share/man/man3/bn_check_top.3
/usr/share/man/man3/bn_cmp_words.3
/usr/share/man/man3/bn_div_words.3
/usr/share/man/man3/bn_dump.3
/usr/share/man/man3/bn_expand.3
/usr/share/man/man3/bn_expand2.3
/usr/share/man/man3/bn_fix_top.3
/usr/share/man/man3/bn_internal.3
/usr/share/man/man3/bn_mul_add_words.3
/usr/share/man/man3/bn_mul_comba4.3
/usr/share/man/man3/bn_mul_comba8.3
/usr/share/man/man3/bn_mul_high.3
/usr/share/man/man3/bn_mul_low_normal.3
/usr/share/man/man3/bn_mul_low_recursive.3
/usr/share/man/man3/bn_mul_normal.3
/usr/share/man/man3/bn_mul_part_recursive.3
/usr/share/man/man3/bn_mul_recursive.3
/usr/share/man/man3/bn_mul_words.3
/usr/share/man/man3/bn_print.3
/usr/share/man/man3/bn_set_high.3
/usr/share/man/man3/bn_set_low.3
/usr/share/man/man3/bn_set_max.3
/usr/share/man/man3/bn_sqr_comba4.3
/usr/share/man/man3/bn_sqr_comba8.3
/usr/share/man/man3/bn_sqr_normal.3
/usr/share/man/man3/bn_sqr_recursive.3
/usr/share/man/man3/bn_sqr_words.3
/usr/share/man/man3/bn_sub_words.3
/usr/share/man/man3/bn_wexpand.3
/usr/share/man/man3/buffer.3
/usr/share/man/man3/crypto.3
/usr/share/man/man3/d2i_509_CRL_fp.3
/usr/share/man/man3/d2i_ASN1_OBJECT.3
/usr/share/man/man3/d2i_DHparams.3
/usr/share/man/man3/d2i_DSAPrivateKey.3
/usr/share/man/man3/d2i_DSAPublicKey.3
/usr/share/man/man3/d2i_DSA_PUBKEY.3
/usr/share/man/man3/d2i_DSA_SIG.3
/usr/share/man/man3/d2i_Netscape_RSA.3
/usr/share/man/man3/d2i_PKCS8PrivateKey.3
/usr/share/man/man3/d2i_PKCS8PrivateKey_bio.3
/usr/share/man/man3/d2i_PKCS8PrivateKey_fp.3

```

```

/usr/share/man/man3/d2i_RSAPrivateKey.3
/usr/share/man/man3/d2i_RSAPublicKey.3
/usr/share/man/man3/d2i_RSA_PUBKEY.3
/usr/share/man/man3/d2i_SSL_SESSION.3
/usr/share/man/man3/d2i_X509.3
/usr/share/man/man3/d2i_X509_ALGOR.3
/usr/share/man/man3/d2i_X509_CRL.3
/usr/share/man/man3/d2i_X509_CRL_bio.3
/usr/share/man/man3/d2i_X509_NAME.3
/usr/share/man/man3/d2i_X509_REQ.3
/usr/share/man/man3/d2i_X509_REQ_bio.3
/usr/share/man/man3/d2i_X509_REQ_fp.3
/usr/share/man/man3/d2i_X509_SIG.3
/usr/share/man/man3/d2i_X509_bio.3
/usr/share/man/man3/d2i_X509_fp.3
/usr/share/man/man3/des.3
/usr/share/man/man3/des_read_2passwords.3
/usr/share/man/man3/des_read_password.3
/usr/share/man/man3/des_read_pw.3
/usr/share/man/man3/des_read_pw_string.3
/usr/share/man/man3/dh.3
/usr/share/man/man3/dsa.3
/usr/share/man/man3/engine.3
/usr/share/man/man3/err.3
/usr/share/man/man3/evp.3
/usr/share/man/man3/hmac.3
/usr/share/man/man3/i2d_ASN1_OBJECT.3
/usr/share/man/man3/i2d_DHparams.3
/usr/share/man/man3/i2d_DSAPrivateKey.3
/usr/share/man/man3/i2d_DSAPublicKey.3
/usr/share/man/man3/i2d_DSA_PUBKEY.3
/usr/share/man/man3/i2d_DSA_SIG.3
/usr/share/man/man3/i2d_Netscape_RSA.3
/usr/share/man/man3/i2d_PKCS8PrivateKey_bio.3
/usr/share/man/man3/i2d_PKCS8PrivateKey_fp.3
/usr/share/man/man3/i2d_PKCS8PrivateKey_nid_bio.3
/usr/share/man/man3/i2d_PKCS8PrivateKey_nid_fp.3
/usr/share/man/man3/i2d_RSAPrivateKey.3
/usr/share/man/man3/i2d_RSAPublicKey.3
/usr/share/man/man3/i2d_RSA_PUBKEY.3
/usr/share/man/man3/i2d_SSL_SESSION.3
/usr/share/man/man3/i2d_X509.3
/usr/share/man/man3/i2d_X509_ALGOR.3
/usr/share/man/man3/i2d_X509_CRL.3
/usr/share/man/man3/i2d_X509_CRL_bio.3
/usr/share/man/man3/i2d_X509_CRL_fp.3
/usr/share/man/man3/i2d_X509_NAME.3
/usr/share/man/man3/i2d_X509_REQ.3
/usr/share/man/man3/i2d_X509_REQ_bio.3
/usr/share/man/man3/i2d_X509_REQ_fp.3
/usr/share/man/man3/i2d_X509_SIG.3
/usr/share/man/man3/i2d_X509_bio.3
/usr/share/man/man3/i2d_X509_fp.3
/usr/share/man/man3/lh_delete.3
/usr/share/man/man3/lh_doall.3
/usr/share/man/man3/lh_doall_arg.3
/usr/share/man/man3/lh_error.3
/usr/share/man/man3/lh_free.3
/usr/share/man/man3/lh_insert.3
/usr/share/man/man3/lh_new.3
/usr/share/man/man3/lh_node_stats.3
/usr/share/man/man3/lh_node_stats_bio.3
/usr/share/man/man3/lh_node_usage_stats.3
/usr/share/man/man3/lh_node_usage_stats_bio.3
/usr/share/man/man3/lh_retrieve.3
/usr/share/man/man3/lh_stats.3
/usr/share/man/man3/lh_stats_bio.3
/usr/share/man/man3/lhash.3
/usr/share/man/man3/md5.3
/usr/share/man/man3/mdc2.3
/usr/share/man/man3/pem.3
/usr/share/man/man3/rand.3
/usr/share/man/man3/rc4.3
/usr/share/man/man3/ripemd.3
/usr/share/man/man3/rsa.3
/usr/share/man/man3/sha.3
/usr/share/man/man3/ssl.3
/usr/share/man/man3/threads.3
/usr/share/man/man3/ui.3
/usr/share/man/man3/ui_compat.3
/usr/share/man/man5/config.5
/usr/share/man/man7/Modes_of_DES.7
/usr/share/man/man7/des_modes.7
SEC.6.1 PKI Support for Applications
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for SEC.6
SEC.6.2 SSL/TLS Support for Applications
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for SEC.4
SEC.6.3 PKI Certificate Authority CA
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for SEC.4

```

SEC. 7

Resource Management

```

RPM PACKAGE:    rpm-4.4.2-1
Name           : rpm                               Relocations: (not relocatable)
Version      : 4.4.2                               Vendor: Wind River Systems
Release     : 1                                   Build Date: Sat May 13 07:59:18 2006
Install Date: Tue Jun 13 12:14:01 2006           Build Host: lpgbuild04
Group       : System Environment/Base            Source RPM: rpm-4.4.2-1.src.rpm
Size        : 4549570                             License: GPL, LGPL
Signature   : DSA/SHA1, Sun May 14 04:28:51 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : ftp://wraptastic.org/pub/rpm-4.4.x/rpm-4.4.2.tar.gz
Summary     : The RPM package management system.
Description  :
The RPM Package Manager (RPM) is a powerful command line driven package management system capable of
/bin
/bin/rpm
/usr
/usr/bin
/usr/bin/gendiff
/usr/bin/rpm2cpio
/usr/bin/rpmbuild
/usr/bin/rpmdb
/usr/bin/rpme
/usr/bin/rpmgraph
/usr/bin/rpmi
/usr/bin/rpmquery
/usr/bin/rpmsign
/usr/bin/rpmu
/usr/bin/rpmverify
/usr/lib
/usr/lib/librpm-4.4.so
/usr/lib/librpm.so
/usr/lib/librpmbuild-4.4.so
/usr/lib/librpmbuild.so
/usr/lib/librpmdb-4.4.so
/usr/lib/librpmdb.so
/usr/lib/librpmio-4.4.so
/usr/lib/librpmio.so
/usr/lib/rpm
/usr/lib/rpm/-
/usr/lib/rpm/-/macros
/usr/lib/rpm/brp-compress
/usr/lib/rpm/brp-java-gcjcompile
/usr/lib/rpm/brp-python-bytecompile
/usr/lib/rpm/brp-redhat
/usr/lib/rpm/brp-sparc64-linux
/usr/lib/rpm/brp-strip
/usr/lib/rpm/brp-strip-comment-note
/usr/lib/rpm/brp-strip-shared
/usr/lib/rpm/brp-strip-static-archive
/usr/lib/rpm/check-files
/usr/lib/rpm/check-prereqs
/usr/lib/rpm/config.guess
/usr/lib/rpm/config.site
/usr/lib/rpm/config.sub
/usr/lib/rpm/convertrpmrc.sh
/usr/lib/rpm/cpanflute
/usr/lib/rpm/cpanflute2
/usr/lib/rpm/cross-build
/usr/lib/rpm/debugedit
/usr/lib/rpm/find-debuginfo.sh
/usr/lib/rpm/find-lang.sh
/usr/lib/rpm/find-prov.pl
/usr/lib/rpm/find-provides
/usr/lib/rpm/find-provides.perl
/usr/lib/rpm/find-req.pl
/usr/lib/rpm/find-requires
/usr/lib/rpm/find-requires.perl
/usr/lib/rpm/freshen.sh
/usr/lib/rpm/get_magic.pl
/usr/lib/rpm/getpo.sh
/usr/lib/rpm/http.req
/usr/lib/rpm/javadeps
/usr/lib/rpm/macros
/usr/lib/rpm/magic
/usr/lib/rpm/magic.mgc
/usr/lib/rpm/magic.mime
/usr/lib/rpm/magic.mime.mgc
/usr/lib/rpm/magic.prov
/usr/lib/rpm/magic.req
/usr/lib/rpm/mkinstalldirs
/usr/lib/rpm/noarch-
/usr/lib/rpm/noarch-/macros
/usr/lib/rpm/perl.prov
/usr/lib/rpm/perl.req
/usr/lib/rpm/perldeps.pl
/usr/lib/rpm/pythondeps.sh
/usr/lib/rpm/rpm.daily
/usr/lib/rpm/rpm.log
/usr/lib/rpm/rpm.xinetd
/usr/lib/rpm/rpm2cpio.sh
/usr/lib/rpm/rpmb
/usr/lib/rpm/rpmcache
/usr/lib/rpm/rpmd

```

```

/usr/lib/rpm/rpmdb_archive
/usr/lib/rpm/rpmdb_checkpoint
/usr/lib/rpm/rpmdb_deadlock
/usr/lib/rpm/rpmdb_dump
/usr/lib/rpm/rpmdb_load
/usr/lib/rpm/rpmdb_loadcvt
/usr/lib/rpm/rpmdb_printlog
/usr/lib/rpm/rpmdb_recover
/usr/lib/rpm/rpmdb_stat
/usr/lib/rpm/rpmdb_svc
/usr/lib/rpm/rpmdb_upgrade
/usr/lib/rpm/rpmdb_verify
/usr/lib/rpm/rpmddeps
/usr/lib/rpm/rpmdiff
/usr/lib/rpm/rpmdiff.cgi
/usr/lib/rpm/rpme
/usr/lib/rpm/rpmfile
/usr/lib/rpm/rpmi
/usr/lib/rpm/rpmk
/usr/lib/rpm/rpmpopt-4.4.2
/usr/lib/rpm/rpmq
/usr/lib/rpm/rpmrc
/usr/lib/rpm/rpmt
/usr/lib/rpm/rpmu
/usr/lib/rpm/rpmv
/usr/lib/rpm/sql.prov
/usr/lib/rpm/sql.req
/usr/lib/rpm/tcl.req
/usr/lib/rpm/tgpg
/usr/lib/rpm/trpm
/usr/lib/rpm/u_pkg.sh
/usr/lib/rpm/vpkg-provides.sh
/usr/lib/rpm/vpkg-provides2.sh
/usr/lib/rpmpopt
/usr/lib/rpmrc
/usr/share
/usr/src
/usr/src/wrs
/usr/src/wrs/BUILD
/usr/src/wrs/RPMS
/usr/src/wrs/RPMS/athlon
/usr/src/wrs/RPMS/i386
/usr/src/wrs/RPMS/i486
/usr/src/wrs/RPMS/i586
/usr/src/wrs/RPMS/i686
/usr/src/wrs/RPMS/noarch
/usr/src/wrs/SOURCES
/usr/src/wrs/SPECS
/usr/src/wrs/SRPMS
/var
/var/lib
/var/lib/rpm
/var/tmp

```

SEC.7.1 Memory Limits

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SEC.7.2 File System Quotas

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SEC.7.3 Process Quotas

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SEC.7.4 Execution Quotas

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SEC.8 Trusted Platform Module [TPM] Support

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

HARDWARE

PLT.1.0 Blade Architecture Support

DETAILS RELATED TO THE REQUIREMENT

Windriver supports blade architecture in its distribution BSP support validates that

PLT.1.1 Management Interfaces Support

RPM PACKAGE: net-snmp-5.3.0.1-1

```

Name       : net-snmp                               Relocations: (not relocatable)
Version    : 5.3.0.1                               Vendor: Wind River Systems
Release    : 1                                       Build Date: Sat May 13 06:36:40 2006
Install Date: Tue Jun 13 12:13:42 2006             Build Host: lpgbuild04
Group      : System Environment/Daemons           Source RPM: net-snmp-5.3.0.1-1.src.rpm
Size       : 4622468                                License: BSD
Signature  : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://aleron.dl.sourceforge.net/sourceforge/net-snmp/net-snmp-5.3.0.1.tar.gz
Summary    : A collection of SNMP protocol tools and libraries.
Description:
SNMP (Simple Network Management Protocol) is a protocol used for network management. The NET-SNMP pr
/etc

```



```

/usr/share/man/man3/netsnmp_mib_handler_methods.3
/usr/share/man/man3/netsnmp_mib_utilities.3
/usr/share/man/man3/netsnmp_mode_end_call.3
/usr/share/man/man3/netsnmp_multiplexer.3
/usr/share/man/man3/netsnmp_old_api.3
/usr/share/man/man3/netsnmp_read_only.3
/usr/share/man/man3/netsnmp_row_merge.3
/usr/share/man/man3/netsnmp_scalar.3
/usr/share/man/man3/netsnmp_scalar_group_group.3
/usr/share/man/man3/netsnmp_serialize.3
/usr/share/man/man3/netsnmp_stash_cache.3
/usr/share/man/man3/netsnmp_table.3
/usr/share/man/man3/netsnmp_table_array.3
/usr/share/man/man3/netsnmp_table_data.3
/usr/share/man/man3/netsnmp_table_dataset.3
/usr/share/man/man3/netsnmp_table_iterator.3
/usr/share/man/man3/netsnmp_utilities.3
/usr/share/man/man3/netsnmp_watcher.3
/usr/share/man/man3/print_description.3
/usr/share/man/man3/print_mib.3
/usr/share/man/man3/print_objid.3
/usr/share/man/man3/print_value.3
/usr/share/man/man3/print_variable.3
/usr/share/man/man3/read_all_mibs.3
/usr/share/man/man3/read_config.3
/usr/share/man/man3/read_mib.3
/usr/share/man/man3/read_module.3
/usr/share/man/man3/read_module_node.3
/usr/share/man/man3/read_objid.3
/usr/share/man/man3/shutdown_mib.3
/usr/share/man/man3/snmp_agent_api.3
/usr/share/man/man3/snmp_alarm.3
/usr/share/man/man3/snmp_api.3
/usr/share/man/man3/snmp_api_errstring.3
/usr/share/man/man3/snmp_close.3
/usr/share/man/man3/snmp_error.3
/usr/share/man/man3/snmp_free_pdu.3
/usr/share/man/man3/snmp_open.3
/usr/share/man/man3/snmp_perror.3
/usr/share/man/man3/snmp_read.3
/usr/share/man/man3/snmp_select_info.3
/usr/share/man/man3/snmp_send.3
/usr/share/man/man3/snmp_sess_api.3
/usr/share/man/man3/snmp_sess_async_send.3
/usr/share/man/man3/snmp_sess_close.3
/usr/share/man/man3/snmp_sess_error.3
/usr/share/man/man3/snmp_sess_init.3
/usr/share/man/man3/snmp_sess_open.3
/usr/share/man/man3/snmp_sess_perror.3
/usr/share/man/man3/snmp_sess_read.3
/usr/share/man/man3/snmp_sess_select_info.3
/usr/share/man/man3/snmp_sess_send.3
/usr/share/man/man3/snmp_sess_session.3
/usr/share/man/man3/snmp_sess_timeout.3
/usr/share/man/man3/snmp_set_mib_warnings.3
/usr/share/man/man3/snmp_set_save_descriptions.3
/usr/share/man/man3/snmp_timeout.3
/usr/share/man/man3/snmp_trap_api.3
/usr/share/man/man5/mib2c.conf.5
/usr/share/man/man5/snmp.conf.5
/usr/share/man/man5/snmp_config.5
/usr/share/man/man5/snmpd.conf.5
/usr/share/man/man5/snmpd.examples.5
/usr/share/man/man5/snmpd.internal.5
/usr/share/man/man5/snmptrapd.conf.5
/usr/share/man/man5/variables.5
/usr/share/man/man8/snmpd.8
/usr/share/man/man8/snmptrapd.8
/usr/share/snmp
/usr/share/snmp/mib2c-data
/usr/share/snmp/mib2c-data/default-mfd-top.m2c
/usr/share/snmp/mib2c-data/details-enums.m2i
/usr/share/snmp/mib2c-data/details-node.m2i
/usr/share/snmp/mib2c-data/details-table.m2i
/usr/share/snmp/mib2c-data/generic-ctx-copy.m2i
/usr/share/snmp/mib2c-data/generic-ctx-get.m2i
/usr/share/snmp/mib2c-data/generic-ctx-set.m2i
/usr/share/snmp/mib2c-data/generic-data-allocate.m2i
/usr/share/snmp/mib2c-data/generic-data-context.m2i
/usr/share/snmp/mib2c-data/generic-get-char.m2i
/usr/share/snmp/mib2c-data/generic-get-decl-bot.m2i
/usr/share/snmp/mib2c-data/generic-get-decl.m2i
/usr/share/snmp/mib2c-data/generic-get-long.m2i
/usr/share/snmp/mib2c-data/generic-get-oid.m2i
/usr/share/snmp/mib2c-data/generic-header-bottom.m2i
/usr/share/snmp/mib2c-data/generic-header-top.m2i
/usr/share/snmp/mib2c-data/generic-source-includes.m2i
/usr/share/snmp/mib2c-data/generic-table-constants.m2c
/usr/share/snmp/mib2c-data/generic-table-enums.m2c
/usr/share/snmp/mib2c-data/generic-table-indexes-from-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-set.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-to-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-varbind-setup.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes.m2i

```

```

/usr/share/snmp/mib2c-data/generic-table-oids.m2c
/usr/share/snmp/mib2c-data/generic-value-map-func.m2i
/usr/share/snmp/mib2c-data/generic-value-map-reverse.m2i
/usr/share/snmp/mib2c-data/generic-value-map.m2i
/usr/share/snmp/mib2c-data/m2c-internal-warning.m2i
/usr/share/snmp/mib2c-data/m2c_setup_enum.m2i
/usr/share/snmp/mib2c-data/m2c_setup_node.m2i
/usr/share/snmp/mib2c-data/m2c_setup_table.m2i
/usr/share/snmp/mib2c-data/m2c_table_save_defaults.m2i
/usr/share/snmp/mib2c-data/mfd-access-container-cached-defines.m2i
/usr/share/snmp/mib2c-data/mfd-access-unsorted-external-defines.m2i
/usr/share/snmp/mib2c-data/mfd-data-access.m2c
/usr/share/snmp/mib2c-data/mfd-data-get.m2c
/usr/share/snmp/mib2c-data/mfd-data-set.m2c
/usr/share/snmp/mib2c-data/mfd-doxygen.m2c
/usr/share/snmp/mib2c-data/mfd-interactive-setup.m2c
/usr/share/snmp/mib2c-data/mfd-interface.m2c
/usr/share/snmp/mib2c-data/mfd-makefile.m2m
/usr/share/snmp/mib2c-data/mfd-persistence.m2i
/usr/share/snmp/mib2c-data/mfd-readme.m2c
/usr/share/snmp/mib2c-data/mfd-top.m2c
/usr/share/snmp/mib2c-data/node-get.m2i
/usr/share/snmp/mib2c-data/node-set.m2i
/usr/share/snmp/mib2c-data/node-storage.m2i
/usr/share/snmp/mib2c-data/node-validate.m2i
/usr/share/snmp/mib2c-data/node-varbind-validate.m2i
/usr/share/snmp/mib2c-data/parent-dependencies.m2i
/usr/share/snmp/mib2c-data/parent-set.m2i
/usr/share/snmp/mib2c-data/subagent.m2c
/usr/share/snmp/mib2c-data/syntax-COUNTER64-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2d
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-readme.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-set.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-set.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-get.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-varbind-validate.m2i
/usr/share/snmp/mib2c-data/syntax-StorageType-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-TestAndIncr-get.m2i
/usr/share/snmp/mib2c.access_functions.conf
/usr/share/snmp/mib2c.array-user.conf
/usr/share/snmp/mib2c.check_values.conf
/usr/share/snmp/mib2c.check_values_local.conf
/usr/share/snmp/mib2c.column_defines.conf
/usr/share/snmp/mib2c.column_enums.conf
/usr/share/snmp/mib2c.column_storage.conf
/usr/share/snmp/mib2c.conf
/usr/share/snmp/mib2c.container.conf
/usr/share/snmp/mib2c.create-dataset.conf
/usr/share/snmp/mib2c.genhtml.conf
/usr/share/snmp/mib2c.int_watch.conf
/usr/share/snmp/mib2c.iterate.conf
/usr/share/snmp/mib2c.iterate_access.conf
/usr/share/snmp/mib2c.mfd.conf
/usr/share/snmp/mib2c.notify.conf
/usr/share/snmp/mib2c.old-api.conf
/usr/share/snmp/mib2c.scalar.conf
/usr/share/snmp/mib2c.table_data.conf
/usr/share/snmp/mibs
/usr/share/snmp/mibs/AGENTX-MIB.txt
/usr/share/snmp/mibs/DISMAN-EVENT-MIB.txt
/usr/share/snmp/mibs/DISMAN-SCHEDULE-MIB.txt
/usr/share/snmp/mibs/DISMAN-SCRIPT-MIB.txt
/usr/share/snmp/mibs/EtherLike-MIB.txt
/usr/share/snmp/mibs/HENUM-TC.txt
/usr/share/snmp/mibs/HOST-RESOURCES-MIB.txt
/usr/share/snmp/mibs/HOST-RESOURCES-TYPES.txt
/usr/share/snmp/mibs/IANA-ADDRESS-FAMILY-NUMBERS-MIB.txt
/usr/share/snmp/mibs/IANA-LANGUAGE-MIB.txt
/usr/share/snmp/mibs/IANA-RTPROTO-MIB.txt
/usr/share/snmp/mibs/IANAifType-MIB.txt
/usr/share/snmp/mibs/IF-INVERTED-STACK-MIB.txt
/usr/share/snmp/mibs/IF-MIB.txt
/usr/share/snmp/mibs/INET-ADDRESS-MIB.txt
/usr/share/snmp/mibs/IP-FORWARD-MIB.txt
/usr/share/snmp/mibs/IP-MIB.txt
/usr/share/snmp/mibs/IPV6-ICMP-MIB.txt
/usr/share/snmp/mibs/IPV6-MIB.txt
/usr/share/snmp/mibs/IPV6-TC.txt
/usr/share/snmp/mibs/IPV6-TCP-MIB.txt
/usr/share/snmp/mibs/IPV6-UDP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-AGENT-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXAMPLES-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXTEND-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-TC.txt
/usr/share/snmp/mibs/NOTIFICATION-LOG-MIB.txt
/usr/share/snmp/mibs/RFC-1215.txt
/usr/share/snmp/mibs/RFC1155-SMI.txt
/usr/share/snmp/mibs/RFC1213-MIB.txt
/usr/share/snmp/mibs/RMON-MIB.txt

```

```

/usr/share/snmp/mibs/SMUX-MIB.txt
/usr/share/snmp/mibs/SNMP-COMMUNITY-MIB.txt
/usr/share/snmp/mibs/SNMP-FRAMEWORK-MIB.txt
/usr/share/snmp/mibs/SNMP-MPD-MIB.txt
/usr/share/snmp/mibs/SNMP-NOTIFICATION-MIB.txt
/usr/share/snmp/mibs/SNMP-PROXY-MIB.txt
/usr/share/snmp/mibs/SNMP-TARGET-MIB.txt
/usr/share/snmp/mibs/SNMP-USER-BASED-SM-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-AES-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-DH-OBJECTS-MIB.txt
/usr/share/snmp/mibs/SNMP-VIEW-BASED-ACM-MIB.txt
/usr/share/snmp/mibs/SNMPv2-CONF.txt
/usr/share/snmp/mibs/SNMPv2-MIB.txt
/usr/share/snmp/mibs/SNMPv2-SMI.txt
/usr/share/snmp/mibs/SNMPv2-TC.txt
/usr/share/snmp/mibs/SNMPv2-TM.txt
/usr/share/snmp/mibs/TCP-MIB.txt
/usr/share/snmp/mibs/TRANSPORT-ADDRESS-MIB.txt
/usr/share/snmp/mibs/UCD-DEMO-MIB.txt
/usr/share/snmp/mibs/UCD-DISKIO-MIB.txt
/usr/share/snmp/mibs/UCD-DLMOD-MIB.txt
/usr/share/snmp/mibs/UCD-IPFWACC-MIB.txt
/usr/share/snmp/mibs/UCD-SNMP-MIB.txt
/usr/share/snmp/mibs/UDP-MIB.txt
/usr/share/snmp/snmp_perl_trapd.pl
/usr/share/snmp/snmpconf-data
/usr/share/snmp/snmpconf-data/snmp-data
/usr/share/snmp/snmpconf-data/snmp-data/authopts
/usr/share/snmp/snmpconf-data/snmp-data/debugging
/usr/share/snmp/snmpconf-data/snmp-data/mibs
/usr/share/snmp/snmpconf-data/snmp-data/output
/usr/share/snmp/snmpconf-data/snmp-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmpd-data
/usr/share/snmp/snmpconf-data/snmpd-data/acl
/usr/share/snmp/snmpconf-data/snmpd-data/basic_setup
/usr/share/snmp/snmpconf-data/snmpd-data/extending
/usr/share/snmp/snmpconf-data/snmpd-data/monitor
/usr/share/snmp/snmpconf-data/snmpd-data/operation
/usr/share/snmp/snmpconf-data/snmpd-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmpd-data/system
/usr/share/snmp/snmpconf-data/snmpd-data/trapsinks
/usr/share/snmp/snmpconf-data/snmptrapd-data
/usr/share/snmp/snmpconf-data/snmptrapd-data/authentication
/usr/share/snmp/snmpconf-data/snmptrapd-data/formatting
/usr/share/snmp/snmpconf-data/snmptrapd-data/logging
/usr/share/snmp/snmpconf-data/snmptrapd-data/runtime
/usr/share/snmp/snmpconf-data/snmptrapd-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmptrapd-data/traphandle

```

RPM PACKAGE: openipmi-1.4.21-1

```

Name       : openipmi                Relocations: (not relocatable)
Version    : 1.4.21                  Vendor: Wind River Systems
Release    : 1                       Build Date: Sat May 13 06:45:22 2006
Install Date: Tue Jun 13 12:13:44 2006 Build Host: lpgbuild04
Group      : Libraries               Source RPM: openipmi-1.4.21-1.src.rpm
Size       : 1207528                  License: GPL, LGPL
Signature  : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://voxel.dl.sourceforge.net/sourceforge/openipmi/OpenIPMI-1.4.21.tar.gz
Summary    : IPMI abstraction layer

```

Description :

OpenIPMI project aims to develop an open code base to allow access to platform information using Int

```

/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ipmi
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K85ipmi
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K85ipmi
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S25ipmi
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S25ipmi
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S25ipmi
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S25ipmi
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K85ipmi
/usr
/usr/bin
/usr/bin/ipmi_ui
/usr/bin/ipmicmd
/usr/bin/ipmilan
/usr/bin/ipmish
/usr/lib
/usr/lib/libIPMILanserv.so
/usr/lib/libIPMILanserv.so.0
/usr/lib/libIPMILanserv.so.0.0.1
/usr/lib/libOpenIPMI.so
/usr/lib/libOpenIPMI.so.0
/usr/lib/libOpenIPMI.so.0.0.5
/usr/lib/libOpenIPMIcmdlang.so
/usr/lib/libOpenIPMIcmdlang.so.0

```

```

/usr/lib/libOpenIPMIcmdlang.so.0.0.5
/usr/lib/libOpenIPMIglib.so
/usr/lib/libOpenIPMIglib.so.0
/usr/lib/libOpenIPMIglib.so.0.0.1
/usr/lib/libOpenIPMIposix.so
/usr/lib/libOpenIPMIposix.so.0
/usr/lib/libOpenIPMIposix.so.0.0.1
/usr/lib/libOpenIPMIpthread.so
/usr/lib/libOpenIPMIpthread.so.0
/usr/lib/libOpenIPMIpthread.so.0.0.1
/usr/lib/libOpenIPMIui.so
/usr/lib/libOpenIPMIui.so.1
/usr/lib/libOpenIPMIui.so.1.0.1
/usr/lib/libOpenIPMIutils.so
/usr/lib/libOpenIPMIutils.so.0
/usr/lib/libOpenIPMIutils.so.0.0.1
/usr/share
/usr/share/man/man1/ipmi_ui.1
/usr/share/man/man1/ipmicmd.1
/usr/share/man/man1/ipmish.1
/usr/share/man/man7/ipmi_cmdlang.7
/usr/share/man/man8/ipmilan.8

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PLT.1.2 Shutdown Integrated with Shelf Management Interface

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for PLT.1.1

PLT.1.3 CPU Blade Hot Swap Event Message

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for PLT.1.1

PMT.1.0 IPMI Support

RPM PACKAGE: openipmi-1.4.21-1

```

Name      : openipmi                      Relocations: (not relocatable)
Version   : 1.4.21                       Vendor: Wind River Systems
Release   : 1                            Build Date: Sat May 13 06:45:22 2006
Install Date: Tue Jun 13 12:13:44 2006   Build Host: lpgbuild04
Group     : Libraries                    Source RPM: openipmi-1.4.21-1.src.rpm
Size      : 1207528                      License: GPL, LGPL
Signature : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : http://voxel.dl.sourceforge.net/sourceforge/openipmi/OpenIPMI-1.4.21.tar.gz
Summary   : IPMI abstraction layer

```

Description :

OpenIPMI project aims to develop an open code base to allow access to platform information using Int

```

/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ipmi
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K85ipmi
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K85ipmi
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S25ipmi
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S25ipmi
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S25ipmi
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S25ipmi
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K85ipmi
/usr
/usr/bin
/usr/bin/ipmi_ui
/usr/bin/ipmicmd
/usr/bin/ipmilan
/usr/bin/ipmish
/usr/lib
/usr/lib/libIPMIlanserv.so
/usr/lib/libIPMIlanserv.so.0
/usr/lib/libIPMIlanserv.so.0.0.1
/usr/lib/libOpenIPMI.so
/usr/lib/libOpenIPMI.so.0
/usr/lib/libOpenIPMI.so.0.0.5
/usr/lib/libOpenIPMIcmdlang.so
/usr/lib/libOpenIPMIcmdlang.so.0
/usr/lib/libOpenIPMIcmdlang.so.0.0.5
/usr/lib/libOpenIPMIglib.so
/usr/lib/libOpenIPMIglib.so.0
/usr/lib/libOpenIPMIglib.so.0.0.1
/usr/lib/libOpenIPMIposix.so
/usr/lib/libOpenIPMIposix.so.0
/usr/lib/libOpenIPMIposix.so.0.0.1
/usr/lib/libOpenIPMIpthread.so
/usr/lib/libOpenIPMIpthread.so.0
/usr/lib/libOpenIPMIpthread.so.0.0.1
/usr/lib/libOpenIPMIui.so
/usr/lib/libOpenIPMIui.so.1
/usr/lib/libOpenIPMIui.so.1.0.1
/usr/lib/libOpenIPMIutils.so
/usr/lib/libOpenIPMIutils.so.0

```

```

/usr/lib/libOpenIPMIutils.so.0.0.1
/usr/share
/usr/share/man/man1/ipmi_ui.1
/usr/share/man/man1/ipmicmd.1
/usr/share/man/man1/ipmish.1
/usr/share/man/man7/ipmi_cmdlang.7
/usr/share/man/man8/ipmilan.8
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
TEST DETAILS : IPMI_GENERIC_TEST_RESULT
PMT.1.1 IPMI v1.5 support
RPM PACKAGE: openipmi-1.4.21-1
Name : openipmi Relocations: (not relocatable)
Version : 1.4.21 Vendor: Wind River Systems
Release : 1 Build Date: Sat May 13 06:45:22 2006
Install Date: Tue Jun 13 12:13:44 2006 Build Host: lpgbuild04
Group : Libraries Source RPM: openipmi-1.4.21-1.src.rpm
Size : 1207528 License: GPL, LGPL
Signature : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager : Wind River
URL : http://voxel.dl.sourceforge.net/sourceforge/openipmi/OpenIPMI-1.4.21.tar.gz
Summary : IPMI abstraction layer
Description :
OpenIPMI project aims to develop an open code base to allow access to platform information using Int
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ipmi
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K85ipmi
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K85ipmi
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S25ipmi
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S25ipmi
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S25ipmi
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S25ipmi
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K85ipmi
/usr
/usr/bin
/usr/bin/ipmi_ui
/usr/bin/ipmicmd
/usr/bin/ipmilan
/usr/bin/ipmish
/usr/lib
/usr/lib/libIPMIlanserv.so
/usr/lib/libIPMIlanserv.so.0
/usr/lib/libIPMIlanserv.so.0.0.1
/usr/lib/libOpenIPMI.so
/usr/lib/libOpenIPMI.so.0
/usr/lib/libOpenIPMI.so.0.0.5
/usr/lib/libOpenIPMIcmdlang.so
/usr/lib/libOpenIPMIcmdlang.so.0
/usr/lib/libOpenIPMIcmdlang.so.0.0.5
/usr/lib/libOpenIPMIglib.so
/usr/lib/libOpenIPMIglib.so.0
/usr/lib/libOpenIPMIglib.so.0.0.1
/usr/lib/libOpenIPMIposix.so
/usr/lib/libOpenIPMIposix.so.0
/usr/lib/libOpenIPMIposix.so.0.0.1
/usr/lib/libOpenIPMIpthread.so
/usr/lib/libOpenIPMIpthread.so.0
/usr/lib/libOpenIPMIpthread.so.0.0.1
/usr/lib/libOpenIPMIui.so
/usr/lib/libOpenIPMIui.so.1
/usr/lib/libOpenIPMIui.so.1.0.1
/usr/lib/libOpenIPMIutils.so
/usr/lib/libOpenIPMIutils.so.0
/usr/lib/libOpenIPMIutils.so.0.0.1
/usr/share
/usr/share/man/man1/ipmi_ui.1
/usr/share/man/man1/ipmicmd.1
/usr/share/man/man1/ipmish.1
/usr/share/man/man7/ipmi_cmdlang.7
/usr/share/man/man8/ipmilan.8
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
PMT.1.2 IPMI v2.0 support
RPM PACKAGE: openipmi-1.4.21-1
Name : openipmi Relocations: (not relocatable)
Version : 1.4.21 Vendor: Wind River Systems
Release : 1 Build Date: Sat May 13 06:45:22 2006
Install Date: Tue Jun 13 12:13:44 2006 Build Host: lpgbuild04
Group : Libraries Source RPM: openipmi-1.4.21-1.src.rpm
Size : 1207528 License: GPL, LGPL
Signature : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager : Wind River
URL : http://voxel.dl.sourceforge.net/sourceforge/openipmi/OpenIPMI-1.4.21.tar.gz

```

```

Summary      : IPMI abstraction layer
Description  :
OpenIPMI project aims to develop an open code base to allow access to platform information using Int
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ipmi
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K85ipmi
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K85ipmi
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S25ipmi
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S25ipmi
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S25ipmi
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S25ipmi
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K85ipmi
/usr
/usr/bin
/usr/bin/ipmi_ui
/usr/bin/ipmicmd
/usr/bin/ipmilan
/usr/bin/ipmish
/usr/lib
/usr/lib/libIPMILanserv.so
/usr/lib/libIPMILanserv.so.0
/usr/lib/libIPMILanserv.so.0.0.1
/usr/lib/libOpenIPMI.so
/usr/lib/libOpenIPMI.so.0
/usr/lib/libOpenIPMI.so.0.0.5
/usr/lib/libOpenIPMIcmdlang.so
/usr/lib/libOpenIPMIcmdlang.so.0
/usr/lib/libOpenIPMIcmdlang.so.0.0.5
/usr/lib/libOpenIPMIglib.so
/usr/lib/libOpenIPMIglib.so.0
/usr/lib/libOpenIPMIglib.so.0.0.1
/usr/lib/libOpenIPMIposix.so
/usr/lib/libOpenIPMIposix.so.0
/usr/lib/libOpenIPMIposix.so.0.0.1
/usr/lib/libOpenIPMIpthread.so
/usr/lib/libOpenIPMIpthread.so.0
/usr/lib/libOpenIPMIpthread.so.0.0.1
/usr/lib/libOpenIPMIui.so
/usr/lib/libOpenIPMIui.so.1
/usr/lib/libOpenIPMIui.so.1.0.1
/usr/lib/libOpenIPMIutils.so
/usr/lib/libOpenIPMIutils.so.0
/usr/lib/libOpenIPMIutils.so.0.0.1
/usr/share
/usr/share/man/man1/ipmi_ui.1
/usr/share/man/man1/ipmicmd.1
/usr/share/man/man1/ipmish.1
/usr/share/man/man7/ipmi_cmdlang.7
/usr/share/man/man8/ipmilan.8

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PMT.1.3 IPMI Accessibility

```

RPM PACKAGE:   openipmi-1.4.21-1
Name           : openipmi                               Relocations: (not relocatable)
Version        : 1.4.21                                 Vendor: Wind River Systems
Release        : 1                                       Build Date: Sat May 13 06:45:22 2006
Install Date:  Tue Jun 13 12:13:44 2006                 Build Host: lpgbuild04
Group          : Libraries                               Source RPM: openipmi-1.4.21-1.src.rpm
Size           : 1207528                                 License: GPL, LGPL
Signature      : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://voxel.dl.sourceforge.net/sourceforge/openipmi/OpenIPMI-1.4.21.tar.gz
Summary       : IPMI abstraction layer
Description    :
OpenIPMI project aims to develop an open code base to allow access to platform information using Int
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ipmi
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K85ipmi
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K85ipmi
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S25ipmi
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S25ipmi
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S25ipmi
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S25ipmi
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K85ipmi
/usr

```

```

/usr/bin
/usr/bin/ipmi_ui
/usr/bin/ipmicmd
/usr/bin/ipmilan
/usr/bin/ipmish
/usr/lib
/usr/lib/libIPMILanserv.so
/usr/lib/libIPMILanserv.so.0
/usr/lib/libIPMILanserv.so.0.0.1
/usr/lib/libOpenIPMI.so
/usr/lib/libOpenIPMI.so.0
/usr/lib/libOpenIPMI.so.0.0.5
/usr/lib/libOpenIPMIcmdlang.so
/usr/lib/libOpenIPMIcmdlang.so.0
/usr/lib/libOpenIPMIcmdlang.so.0.0.5
/usr/lib/libOpenIPMIglib.so
/usr/lib/libOpenIPMIglib.so.0
/usr/lib/libOpenIPMIglib.so.0.0.1
/usr/lib/libOpenIPMIposix.so
/usr/lib/libOpenIPMIposix.so.0
/usr/lib/libOpenIPMIposix.so.0.0.1
/usr/lib/libOpenIPMIpthread.so
/usr/lib/libOpenIPMIpthread.so.0
/usr/lib/libOpenIPMIpthread.so.0.0.1
/usr/lib/libOpenIPMIui.so
/usr/lib/libOpenIPMIui.so.1
/usr/lib/libOpenIPMIui.so.1.0.1
/usr/lib/libOpenIPMIutils.so
/usr/lib/libOpenIPMIutils.so.0
/usr/lib/libOpenIPMIutils.so.0.0.1
/usr/share
/usr/share/man/man1/ipmi_ui.1
/usr/share/man/man1/ipmicmd.1
/usr/share/man/man1/ipmish.1
/usr/share/man/man7/ipmi_cmdlang.7
/usr/share/man/man8/ipmilan.8

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PMT.1.4 IPMI System Interfaces Support

```

RPM PACKAGE:  openipmi-1.4.21-1
Name          :  openipmi                Relocations: (not relocatable)
Version      :  1.4.21                  Vendor: Wind River Systems
Release      :  1                        Build Date: Sat May 13 06:45:22 2006
Install Date: Tue Jun 13 12:13:44 2006  Build Host: lpgbuild04
Group        :  Libraries                Source RPM: openipmi-1.4.21-1.src.rpm
Size         :  1207528                  License: GPL, LGPL
Signature    :  DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager     :  Wind River
URL          :  http://voxel.dl.sourceforge.net/sourceforge/openipmi/OpenIPMI-1.4.21.tar.gz
Summary      :  IPMI abstraction layer
Description  :

```

OpenIPMI project aims to develop an open code base to allow access to platform information using Int

```

/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ipmi
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K85ipmi
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K85ipmi
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S25ipmi
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S25ipmi
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S25ipmi
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S25ipmi
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K85ipmi
/usr
/usr/bin
/usr/bin/ipmi_ui
/usr/bin/ipmicmd
/usr/bin/ipmilan
/usr/bin/ipmish
/usr/lib
/usr/lib/libIPMILanserv.so
/usr/lib/libIPMILanserv.so.0
/usr/lib/libIPMILanserv.so.0.0.1
/usr/lib/libOpenIPMI.so
/usr/lib/libOpenIPMI.so.0
/usr/lib/libOpenIPMI.so.0.0.5
/usr/lib/libOpenIPMIcmdlang.so
/usr/lib/libOpenIPMIcmdlang.so.0
/usr/lib/libOpenIPMIcmdlang.so.0.0.5
/usr/lib/libOpenIPMIglib.so
/usr/lib/libOpenIPMIglib.so.0
/usr/lib/libOpenIPMIglib.so.0.0.1
/usr/lib/libOpenIPMIposix.so
/usr/lib/libOpenIPMIposix.so.0
/usr/lib/libOpenIPMIposix.so.0.0.1
/usr/lib/libOpenIPMIpthread.so

```

```

/usr/lib/libOpenIPMIpthread.so.0
/usr/lib/libOpenIPMIpthread.so.0.0.1
/usr/lib/libOpenIPMIui.so
/usr/lib/libOpenIPMIui.so.1
/usr/lib/libOpenIPMIui.so.1.0.1
/usr/lib/libOpenIPMIutils.so
/usr/lib/libOpenIPMIutils.so.0
/usr/lib/libOpenIPMIutils.so.0.0.1
/usr/share
/usr/share/man/man1/ipmi_ui.1
/usr/share/man/man1/ipmicmd.1
/usr/share/man/man1/ipmish.1
/usr/share/man/man7/ipmi_cmdlang.7
/usr/share/man/man8/ipmilan.8

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PMT.2.0 Remote Boot Support

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for PMS.4

PIC.1.0 PCI Express Support

RPM PACKAGE: pciutils-2.2.1-1

```

Name      : pciutils                Relocations: (not relocatable)
Version   : 2.2.1                  Vendor: Wind River Systems
Release   : 1                      Build Date: Sat May 13 07:33:47 2006
Install Date: Tue Jun 13 12:13:46 2006  Build Host: lpgbuild04
Group     : Applications/System     Source RPM: pciutils-2.2.1-1.src.rpm
Size      : 431647                  License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:47 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : http://ftp.kernel.org/pub/software/utils/pciutils/pciutils-2.2.1.tar.bz2
Summary   : PCI bus related utilities.

```

Description :

The pciutils package contains various utilities for inspecting and setting devices connected to the

```

/bin
/bin/lspci
/bin/setpci
/bin/update-pciids
/usr
/usr/man/man8/lspci.8
/usr/man/man8/setpci.8
/usr/man/man8/update-pciids.8
/usr/share
/usr/share/misc
/usr/share/misc/pci.ids

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PIC.1.1 Enhanced Configuration Mechanism Support

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for PIC.1.0

PIC.1.2 Message Signal Interrupt Support

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PIC.1.3 PCI Express Device Hot Plug

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for PIC.1.0

PMS.1.0 CPU Throttle

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PMS. Name is not Mentioned

PMS.: is not supported in wrlinux-1.3 distribution

2.0 Remote Boot Support

DETAILS RELATED TO THE REQUIREMENT

See requirement satisfaction data for PMS.4

PMS.3.0 Trusted Platform Module [TPM] Support

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PMS.3.1 Boot-Loader Integrity Checking

PMS.3.1: is not supported in wrlinux-1.3 distribution

PMS.3.1 Boot-Loader Integrity Checking

PMS.3.1: is not supported in wrlinux-1.3 distribution

PMS.4.0 Diskless Systems

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

RPM PACKAGE: nfs-utils-1.0.7-1

```

Name      : nfs-utils                Relocations: (not relocatable)
Version   : 1.0.7                  Vendor: Wind River Systems
Release   : 1                      Build Date: Sat May 13 07:23:48 2006
Install Date: Tue Jun 13 12:13:43 2006  Build Host: lpgbuild04
Group     : iSystem Environment/Daemons  Source RPM: nfs-utils-1.0.7-1.src.rpm
Size      : 265410                  License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : http://ftp.kernel.org/pub/linux/utils/nfs/nfs-utils-1.0.7.tar.gz
Summary   : NFS utilities and supporting daemons for the kernel NFS server.

```

Description :

```

The nfs-utils package provides a daemon for the kernel NFS server and related tools, providing a muc
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/nfs
/etc/rc.d/init.d/nfslock
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K20nfs
/etc/rc.d/rc0.d/K86nfslock
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K20nfs
/etc/rc.d/rc1.d/K86nfslock
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/K20nfs
/etc/rc.d/rc2.d/K86nfslock
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/K20nfs
/etc/rc.d/rc3.d/S60nfslock
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/K20nfs
/etc/rc.d/rc4.d/S60nfslock
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/K20nfs
/etc/rc.d/rc5.d/S60nfslock
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K20nfs
/etc/rc.d/rc6.d/K86nfslock
/usr
/usr/sbin
/usr/sbin/exportfs
/usr/sbin/nfsstat
/usr/sbin/nhfsgraph
/usr/sbin/nhfsnums
/usr/sbin/nhfsrun
/usr/sbin/nhfsstone
/usr/sbin/rpc.lockd
/usr/sbin/rpc.mountd
/usr/sbin/rpc.nfsd
/usr/sbin/rpc.rquotad
/usr/sbin/rpc.statd
/usr/sbin/showmount
/usr/share
/usr/share/man/man5/exports.5
/usr/share/man/man7/nfsd.7
/usr/share/man/man8/exportfs.8
/usr/share/man/man8/lockd.8
/usr/share/man/man8/mountd.8
/usr/share/man/man8/nfsd.8
/usr/share/man/man8/nfsstat.8
/usr/share/man/man8/nhfsgraph.8
/usr/share/man/man8/nhfsnums.8
/usr/share/man/man8/nhfsrun.8
/usr/share/man/man8/nhfsstone.8
/usr/share/man/man8/rpc.lockd.8
/usr/share/man/man8/rpc.mountd.8
/usr/share/man/man8/rpc.nfsd.8
/usr/share/man/man8/rpc.rquotad.8
/usr/share/man/man8/rpc.statd.8
/usr/share/man/man8/rquotad.8
/usr/share/man/man8/showmount.8
/usr/share/man/man8/statd.8
/var
/var/lib
/var/lib/nfs
/var/lib/nfs/etab
/var/lib/nfs/rmtab
/var/lib/nfs/sm
/var/lib/nfs/sm.bak
/var/lib/nfs/state
/var/lib/nfs/xtab

```

SERVICEABILITY

SMM.1.0 Remote Management Standards

DETAILS RELATED TO THE REQUIREMENT

Requirement satisfied by STD.7 and STD.12

SMM.2.0 Local Management API Standards

DETAILS RELATED TO THE REQUIREMENT

Requirement satisfied by STD.9 and STD.8.8

SMM.3 Remote Console

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.3.1 Serial Console Operation

RPM PACKAGE: mingetty-1.06-1

Name : mingetty

Version : 1.06

Release : 1

Install Date: Tue Jun 13 12:13:32 2006

Group : System Environment/Base

Size : 12622

Relocations: (not relocatable)

Vendor: Wind River Systems

Build Date: Sat May 13 06:59:59 2006

Build Host: lpgbuild04

Source RPM: mingetty-1.06-1.src.rpm

License: GPL

```

Signature   : DSA/SHA1, Sun May 14 04:28:45 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : http://aleron dl.sourceforge.net/sourceforge/mingetty/mingetty-1.06.tar.gz
Summary     : A compact getty program for virtual consoles only.
Description :
The mingetty program is a lightweight, minimalist getty program for use only on virtual consoles. Mi
/sbin
/sbin/mingetty
/usr
/usr/share
/usr/share/man/man8/mingetty.8
RPM PACKAGE: setserial-2.17-1
Name        : setserial                      Relocations: (not relocatable)
Version     : 2.17                          Vendor: Wind River Systems
Release     : 1                              Build Date: Sat May 13 08:02:59 2006
Install Date: Tue Jun 13 12:14:05 2006      Build Host: lpgbuild04
Group       : Applications/System           Source RPM: setserial-2.17-1.src.rpm
Size        : 34290                          License: GPL
Signature   : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : http://aleron dl.sourceforge.net/sourceforge/setserial/setserial-2.17.tar.gz
Summary     : A utility for configuring serial ports.
Description :
Setserial is a basic system utility for displaying or setting serial port information. Setserial can
/bin
/bin/setserial
/usr
/usr/share
/usr/share/man/man8/setserial.8
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
SMM.3.2                      Network Console Operation
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
SMM.4.0                      Persistent Device Naming

RPM PACKAGE: udev-079-1
Name        : udev                          Relocations: (not relocatable)
Version     : 079                          Vendor: Wind River Systems
Release     : 1                              Build Date: Sat May 13 08:06:17 2006
Install Date: Tue Jun 13 12:14:13 2006      Build Host: lpgbuild04
Group       : System/Configuration/Hardware Source RPM: udev-079-1.src.rpm
Size        : 375077                          License: GPL
Signature   : DSA/SHA1, Sun May 14 04:28:53 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev-079.tar.gz
Summary     : A userspace implementation of devfs
Description :
Udev is an implementation of devfs/devfsd in userspace using sysfs and /sbin/hotplug. It requires a
/dev
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/udev
/etc/udev
/etc/udev/cd-aliases.rules
/etc/udev/cdsymlinks.conf
/etc/udev/compat-full.rules
/etc/udev/compat.rules
/etc/udev/devfs.rules
/etc/udev/permission.rules
/etc/udev/rules.d
/etc/udev/rules.d/cd-aliases.rules
/etc/udev/rules.d/compat-full.rules
/etc/udev/rules.d/compat.rules
/etc/udev/rules.d/devfs.rules
/etc/udev/rules.d/permission.rules
/etc/udev/rules.d/simple-cd-aliases.rules
/etc/udev/scripts
/etc/udev/scripts/cdsymlinks.sh
/etc/udev/scripts/dvb.sh
/etc/udev/scripts/ide-devfs.sh
/etc/udev/scripts/inputdev.sh
/etc/udev/scripts/scsi-devfs.sh
/etc/udev/simple-cd-aliases.rules
/etc/udev/udev.conf
/etc/udev/udev.rules
/sbin
/sbin/scsi_id
/sbin/udev
/sbin/udevcontrol
/sbin/udevdev
/sbin/udevsend
/sbin/udevstart
/sbin/usb_id
/sbin/vol_id
/usr
/usr/bin
/usr/bin/udevinfo
/usr/bin/udevtest
/usr/sbin
/usr/sbin/udevmonitor
/usr/share

```

```

/usr/share/man/man8/scsi_id.8
/usr/share/man/man8/udev.8
/usr/share/man/man8/udevcontrol.8
/usr/share/man/man8/udev.8
/usr/share/man/man8/udevinfo.8
/usr/share/man/man8/udevmonitor.8
/usr/share/man/man8/udevsend.8
/usr/share/man/man8/udevstart.8
/usr/share/man/man8/udevtest.8
/usr/share/man/man8/vol_id.8

```

SMM.5.0 Kernel and Application Profiling

DETAILS RELATED TO THE REQUIREMENT

This feautr is supported as part of Windriver wrokbench scopetools support

SMM.7 Diagnostics and Monitoring Framework

RPM PACKAGE: scopetools-5.5

```

Name      : scopetools           Relocations: (not relocatable)
Version   : 5.5                 Vendor: Wind River Systems
Release   : 1                   Build Date: Thu May 11 05:21:46 2006
Install Date: Tue Jun 13 12:14:04 2006   Build Host: svl-st-linuxbuild.wrs.com
Group     : Workbench/ScopeTools        Source RPM: scopetools-5.5-1.src.rpm
Size      : 2683399              License: Wind River
Signature : (none)
Packager  : Wind River
URL       : WINDRIVER_INTERNAL
Summary   : ScopeTools provide files for StethScope, MemScope, and ProfileScope.
Description :

```

The scopetools package contains binary files and KAL source for Workbench Scopetools system.

```

/usr
/usr/scopetools-5.5
/usr/scopetools-5.5/kal
/usr/scopetools-5.5/kal/KAL.c
/usr/scopetools-5.5/kal/Makefile
/usr/scopetools-5.5/kal/buildKAL.sh
/usr/scopetools-5.5/kal/configs
/usr/scopetools-5.5/kal/configs/config-2.4.20
/usr/scopetools-5.5/kal/configs/config-2.4.21-RHEL3
/usr/scopetools-5.5/kal/configs/config-2.4.26
/usr/scopetools-5.5/kal/configs/config-2.6.10
/usr/scopetools-5.5/kal/configs/config-2.6.14
/usr/scopetools-5.5/kal/configs/config-2.6.8.1
/usr/scopetools-5.5/kal/configs/config-2.6.9-RHEL4
/usr/scopetools-5.5/kal/configs/config-2.6.9-RHEL4.1
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemAgent
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemScope.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemScopeModule.ko
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemScopeModule.ko_no_kgdb
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/ProfileAgent
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libscope79tcp.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libscope79tcpz.a
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libutilsip.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libutilsipz.a
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libxmlparse.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libxmlparsez.a
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/memrun
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/memscopedemo
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/processsampler
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/profileModule.ko
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/profileModule.ko_no_kgdb
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/profiledemo
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/scopedemo

```

SMM.7.1 Temperature Monitoring Diagnostic

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.7.2 Fan Monitoring Diagnostic

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.7.3 Power Monitoring Diagnostic

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.7.4 Media Monitoring Diagnostic

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.7.5 Network Monitoring Diagnostic

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.7.6 CPU Monitoring Diagnostic

RPM PACKAGE: sysstat-5.1.5-1

```

Name      : sysstat           Relocations: (not relocatable)
Version   : 5.1.5            Vendor: Wind River Systems
Release   : 1                 Build Date: Sat May 13 08:04:38 2006
Install Date: Tue Jun 13 12:14:07 2006   Build Host: lpgbuild04
Group     : admin             Source RPM: sysstat-5.1.5-1.src.rpm
Size      : 465353            License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : http://perso.wanadoo.fr/sebastien.godard/sysstat-5.1.5.tar.bz2
Summary   : The sysstat package contains the sar, mpstat, iostat sadf and sa system performance to

```

Description :

The sar command collects and reports system activity information. The iostat command reports CPU uti

```

/etc
/etc/sysconfig
/etc/sysconfig/sysstat.ioconf
/usr
/usr/bin
/usr/bin/iostat
/usr/bin/mpstat
/usr/bin/sadf
/usr/bin/sar
/usr/doc
/usr/doc/sysstat-5.1.5
/usr/doc/sysstat-5.1.5/CHANGES
/usr/doc/sysstat-5.1.5/COPYING
/usr/doc/sysstat-5.1.5/CREDITS
/usr/doc/sysstat-5.1.5/FAQ
/usr/doc/sysstat-5.1.5/README
/usr/doc/sysstat-5.1.5/sysstat-5.1.5.lsm
/usr/lib
/usr/lib/sa
/usr/lib/sa/sa1
/usr/lib/sa/sa2
/usr/lib/sa/sadc
/usr/man/man1/iostat.1
/usr/man/man1/mpstat.1
/usr/man/man1/sadf.1
/usr/man/man1/sar.1
/usr/man/man8/sa1.8
/usr/man/man8/sa2.8
/usr/man/man8/sadc.8
/var
/var/log
/var/log/sa

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.7.7 Memory Monitoring Diagnostic

```

RPM PACKAGE:   scopetools-5.5
Name           : scopetools           Relocations: (not relocatable)
Version        : 5.5                 Vendor: Wind River Systems
Release        : 1                   Build Date: Thu May 11 05:21:46 2006
Install Date:  Tue Jun 13 12:14:04 2006 Build Host: svl-st-linuxbuild.wrs.com
Group          : Workbench/ScopeTools Source RPM: scopetools-5.5-1.src.rpm
Size           : 2683399              License: Wind River
Signature      : (none)
Packager       : Wind River
URL            : WINDRIVER_INTERNAL
Summary        : ScopeTools provide files for StethScope, MemScope, and ProfileScope.
Description    :

```

The scopetools package contains binary files and KAL source for Workbench Scopetools system.

```

/usr
/usr/scopetools-5.5
/usr/scopetools-5.5/kal
/usr/scopetools-5.5/kal/KAL.c
/usr/scopetools-5.5/kal/Makefile
/usr/scopetools-5.5/kal/buildKAL.sh
/usr/scopetools-5.5/kal/configs
/usr/scopetools-5.5/kal/configs/config-2.4.20
/usr/scopetools-5.5/kal/configs/config-2.4.21-RHEL3
/usr/scopetools-5.5/kal/configs/config-2.4.26
/usr/scopetools-5.5/kal/configs/config-2.6.10
/usr/scopetools-5.5/kal/configs/config-2.6.14
/usr/scopetools-5.5/kal/configs/config-2.6.8.1
/usr/scopetools-5.5/kal/configs/config-2.6.9-RHEL4
/usr/scopetools-5.5/kal/configs/config-2.6.9-RHEL4.1
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemAgent
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemScope.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemScopeModule.ko
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/MemScopeModule.ko_no_kgdb
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/ProfileAgent
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libscope79tcp.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libscope79tcpz.a
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libutilsip.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libutilsipz.a
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libxmlparse.so
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/libxmlparsez.a
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/memrun
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/memscopedemo
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/processsampler
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/profileModule.ko
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/profileModule.ko_no_kgdb
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/profiledemo
/usr/scopetools-5.5/pentium4CGL1.3gcc3.4.4/scopedemo

```

```

RPM PACKAGE:   sysstat-5.1.5-1
Name           : sysstat           Relocations: (not relocatable)
Version        : 5.1.5             Vendor: Wind River Systems
Release        : 1                 Build Date: Sat May 13 08:04:38 2006
Install Date:  Tue Jun 13 12:14:07 2006 Build Host: lpgbuild04
Group          : admin             Source RPM: sysstat-5.1.5-1.src.rpm
Size           : 465353            License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River

```

URL : <http://perso.wanadoo.fr/sebastien.godard/sysstat-5.1.5.tar.bz2>
 Summary : The sysstat package contains the sar, mpstat, iostat sadf and sa system performance to
 Description :
 The sar command collects and reports system activity information. The iostat command reports CPU uti
 /etc
 /etc/sysconfig
 /etc/sysconfig/sysstat.ioconf
 /usr
 /usr/bin
 /usr/bin/iostat
 /usr/bin/mpstat
 /usr/bin/sadf
 /usr/bin/sar
 /usr/doc
 /usr/doc/sysstat-5.1.5
 /usr/doc/sysstat-5.1.5/CHANGES
 /usr/doc/sysstat-5.1.5/COPYING
 /usr/doc/sysstat-5.1.5/CREDITS
 /usr/doc/sysstat-5.1.5/FAQ
 /usr/doc/sysstat-5.1.5/README
 /usr/doc/sysstat-5.1.5/sysstat-5.1.5.lsm
 /usr/lib
 /usr/lib/sa
 /usr/lib/sa/sa1
 /usr/lib/sa/sa2
 /usr/lib/sa/sadc
 /usr/man/man1/iostat.1
 /usr/man/man1/mpstat.1
 /usr/man/man1/sadf.1
 /usr/man/man1/sar.1
 /usr/man/man8/sa1.8
 /usr/man/man8/sa2.8
 /usr/man/man8/sadc.8
 /var
 /var/log
 /var/log/sa

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SMM.8 Logging

RPM PACKAGE: sysklogd-1.4.1-1
 Name : sysklogd Relocations: (not relocatable)
 Version : 1.4.1 Vendor: Wind River Systems
 Release : 1 Build Date: Sat May 13 06:42:26 2006
 Install Date: Tue Jun 13 12:14:07 2006 Build Host: lpgbuild04
 Group : System Environment/Daemons Source RPM: sysklogd-1.4.1-1.src.rpm
 Size : 95007 License: GPL, BSD
 Signature : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
 Packager : Wind River
 URL : <http://www.infodrom.org/projects/sysklogd/download/sysklogd-1.4.1.tar.gz>
 Summary : System logging and kernel message trapping daemons.
 Description :
 The sysklogd package contains two system utilities (syslogd and klogd) that provide support for syst
 /etc
 /etc/rc.d
 /etc/rc.d/init.d
 /etc/rc.d/init.d/syslog
 /etc/rc.d/rc0.d
 /etc/rc.d/rc0.d/K88syslog
 /etc/rc.d/rc1.d
 /etc/rc.d/rc1.d/K88syslog
 /etc/rc.d/rc2.d
 /etc/rc.d/rc2.d/S12syslog
 /etc/rc.d/rc3.d
 /etc/rc.d/rc3.d/S12syslog
 /etc/rc.d/rc4.d
 /etc/rc.d/rc4.d/S12syslog
 /etc/rc.d/rc5.d
 /etc/rc.d/rc5.d/S12syslog
 /etc/rc.d/rc6.d
 /etc/rc.d/rc6.d/K88syslog
 /etc/syslog.conf
 /sbin
 /sbin/klogd
 /sbin/syslogd
 /usr
 /usr/share
 /usr/share/man/man5/syslog.conf.5
 /usr/share/man/man8/klogd.8
 /usr/share/man/man8/sysklogd.8
 /usr/share/man/man8/syslogd.8

SMM.8.1 Kernel Message Structuring

RPM PACKAGE: evlog-1.6.1-1
 Name : evlog Relocations: (not relocatable)
 Version : 1.6.1 Vendor: Wind River Systems
 Release : 1 Build Date: Sat May 13 06:23:13 2006
 Install Date: Tue Jun 13 12:13:15 2006 Build Host: lpgbuild04
 Group : System Environment/Administration Source RPM: evlog-1.6.1-1.src.rpm
 Size : 3823101 License: GPL
 Signature : DSA/SHA1, Sun May 14 04:28:37 2006, Key ID 6dfc21e3b0c7d54f
 Packager : Wind River
 URL : <http://aleron.dl.sourceforge.net/sourceforge/evlog/evlog-1.6.1.tar.gz>
 Summary : Event Logging
 Description :

Provides an open-source, platform-independent Event Logging facility for the Linux Operating system

```

/etc
/etc/cron.d
/etc/cron.d/evlogmgr.cron
/etc/evlog.d
/etc/evlog.d/action_profile
/etc/evlog.d/action_registry
/etc/evlog.d/evlhosts
/etc/evlog.d/evlog.conf
/etc/evlog.d/evlogrmt.conf
/etc/evlog.d/facility_registry
/etc/evlog.d/libevlsyslog.conf
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/evlaction
/etc/rc.d/init.d/evlnotify
/etc/rc.d/init.d/evlog
/etc/rc.d/init.d/evlogrmt
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K40evlaction
/etc/rc.d/rc0.d/K50evlnotify
/etc/rc.d/rc0.d/K90evlog
/etc/rc.d/rc0.d/K90evlogrmt
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K40evlaction
/etc/rc.d/rc1.d/K50evlnotify
/etc/rc.d/rc1.d/K90evlog
/etc/rc.d/rc1.d/K90evlogrmt
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/K40evlaction
/etc/rc.d/rc2.d/K50evlnotify
/etc/rc.d/rc2.d/K90evlog
/etc/rc.d/rc2.d/K90evlogrmt
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S09evlog
/etc/rc.d/rc3.d/S09evlogrmt
/etc/rc.d/rc3.d/S80evlnotify
/etc/rc.d/rc3.d/S90evlaction
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/K40evlaction
/etc/rc.d/rc4.d/K50evlnotify
/etc/rc.d/rc4.d/K90evlog
/etc/rc.d/rc4.d/K90evlogrmt
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S09evlog
/etc/rc.d/rc5.d/S09evlogrmt
/etc/rc.d/rc5.d/S80evlnotify
/etc/rc.d/rc5.d/S90evlaction
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K40evlaction
/etc/rc.d/rc6.d/K50evlnotify
/etc/rc.d/rc6.d/K90evlog
/etc/rc.d/rc6.d/K90evlogrmt
/lib
/lib/libevlsyslog.so
/lib/libevlsyslog.so.0
/lib/libevlsyslog.so.0.0.0
/sbin
/sbin/ela_add
/sbin/ela_get_atts
/sbin/ela_remove
/sbin/ela_remove_all
/sbin/ela_show
/sbin/ela_show_all
/sbin/ela_sig_send
/sbin/evlactiond
/sbin/evlconfig
/sbin/evlfacility
/sbin/evlnotify
/sbin/evlnotifyd
/sbin/evlogd
/sbin/evlogmgr
/sbin/evlogrmt
/sbin/evlsend
/sbin/evltc
/sbin/evlview
/sbin/slog_fwd
/usr
/usr/lib
/usr/lib/libevl.so
/usr/lib/libevl.so.0
/usr/lib/libevl.so.0.0.0
/usr/share
/usr/share/doc
/usr/share/doc/packages
/usr/share/doc/packages/evlog
/usr/share/doc/packages/evlog/templates
/usr/share/doc/packages/evlog/templates/README
/usr/share/doc/packages/evlog/templates/bcm5700
/usr/share/doc/packages/evlog/templates/bcm5700/Makefile
/usr/share/doc/packages/evlog/templates/bcm5700/bcm5700.pt
/usr/share/doc/packages/evlog/templates/e100
/usr/share/doc/packages/evlog/templates/e100/Makefile
/usr/share/doc/packages/evlog/templates/e100/e100.pt

```

```

/usr/share/doc/packages/evlog/templates/e100/template.awk
/usr/share/doc/packages/evlog/templates/e1000
/usr/share/doc/packages/evlog/templates/e1000/Makefile
/usr/share/doc/packages/evlog/templates/e1000/e1000.pt
/usr/share/doc/packages/evlog/templates/e1000/template.awk
/usr/share/doc/packages/evlog/templates/ela.h
/usr/share/doc/packages/evlog/templates/emulex
/usr/share/doc/packages/evlog/templates/emulex/Makefile
/usr/share/doc/packages/evlog/templates/emulex/elx.pt
/usr/share/doc/packages/evlog/templates/emulex/elx_opaque.t
/usr/share/doc/packages/evlog/templates/emulex/elx_template.awk
/usr/share/doc/packages/evlog/templates/evlog_env
/usr/share/doc/packages/evlog/templates/ipr
/usr/share/doc/packages/evlog/templates/ipr/Makefile
/usr/share/doc/packages/evlog/templates/ipr/ela_entry.t
/usr/share/doc/packages/evlog/templates/ipr/ipr.pt
/usr/share/doc/packages/evlog/templates/ipr/ipr_ela.h
/usr/share/doc/packages/evlog/templates/ipr/ipr_opaque.t
/usr/share/doc/packages/evlog/templates/ipr/ipr_rtable.awk
/usr/share/doc/packages/evlog/templates/ipr/ipr_table.awk
/usr/share/doc/packages/evlog/templates/ipr/ipr_table.pt
/usr/share/doc/packages/evlog/templates/ipr/ipr_template.awk
/usr/share/doc/packages/evlog/templates/olympic
/usr/share/doc/packages/evlog/templates/olympic/Makefile
/usr/share/doc/packages/evlog/templates/olympic/olympic.pt
/usr/share/doc/packages/evlog/templates/pci
/usr/share/doc/packages/evlog/templates/pci/Makefile
/usr/share/doc/packages/evlog/templates/pci/pci.pt
/usr/share/doc/packages/evlog/templates/pcnet32
/usr/share/doc/packages/evlog/templates/pcnet32/Makefile
/usr/share/doc/packages/evlog/templates/pcnet32/pcnet32.pt
/usr/share/doc/packages/evlog/templates/template.awk
/usr/share/doc/packages/evlog/templates/test_target.sh
/usr/share/evlog
/usr/share/evlog/ela
/usr/share/evlog/ela_console
/usr/share/evlog/ela crt_rpt
/usr/share/evlog/ela_fake_event
/usr/share/evlog/ela_funcs
/usr/share/evlog/ela_hw_alert
/usr/share/evlog/ela_sig
/usr/share/evlog/ela_vpd_funcs
/usr/share/evlog/ipr_opaque_alert
/usr/share/evlog/load_ela_rules.sh
/usr/share/man/man1/evlconfig.1
/usr/share/man/man1/evlfacility.1
/usr/share/man/man1/evlgentmpls.1
/usr/share/man/man1/evlnotify.1
/usr/share/man/man1/evlog.1
/usr/share/man/man1/evlogmgr.1
/usr/share/man/man1/evlquery.1
/usr/share/man/man1/evlremote.1
/usr/share/man/man1/evlsend.1
/usr/share/man/man1/evltc.1
/usr/share/man/man1/evlview.1
/var
/var/evlog
/var/evlog/templates
/var/evlog/templates/Makefile
/var/evlog/templates/Makefile.mk
/var/evlog/templates/kern
/var/evlog/templates/kern/kern.t
/var/evlog/templates/logmgmt
/var/evlog/templates/logmgmt/Makefile
/var/evlog/templates/logmgmt/logmgmt.t
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
SMM.8.2 Platform Signal Handler
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
SMM.8.3 Remote Access to Event Log
RPM PACKAGE: evlog-1.6.1-1
Name : evlog Relocations: (not relocatable)
Version : 1.6.1 Vendor: Wind River Systems
Release : 1 Build Date: Sat May 13 06:23:13 2006
Install Date: Tue Jun 13 12:13:15 2006 Build Host: lpgbuild04
Group : System Environment/Administration Source RPM: evlog-1.6.1-1.src.rpm
Size : 3823101 License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:37 2006, Key ID 6dfc21e3b0c7d54f
Packager : Wind River
URL : http://aleron.dl.sourceforge.net/sourceforge/evlog/evlog-1.6.1.tar.gz
Summary : Event Logging
Description :
Provides an open-source, platform-independent Event Logging facility for the Linux Operating system
/etc
/etc/cron.d
/etc/cron.d/evlogmgr.cron
/etc/evlog.d
/etc/evlog.d/action_profile
/etc/evlog.d/action_registry
/etc/evlog.d/evlhosts
/etc/evlog.d/evlog.conf
/etc/evlog.d/evlogrmt.d.conf

```

```

/etc/evlog.d/facility_registry
/etc/evlog.d/libevlsyslog.conf
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/evlaction
/etc/rc.d/init.d/evlnotify
/etc/rc.d/init.d/evlog
/etc/rc.d/init.d/evlogrmt
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K40evlaction
/etc/rc.d/rc0.d/K50evlnotify
/etc/rc.d/rc0.d/K90evlog
/etc/rc.d/rc0.d/K90evlogrmt
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K40evlaction
/etc/rc.d/rc1.d/K50evlnotify
/etc/rc.d/rc1.d/K90evlog
/etc/rc.d/rc1.d/K90evlogrmt
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/K40evlaction
/etc/rc.d/rc2.d/K50evlnotify
/etc/rc.d/rc2.d/K90evlog
/etc/rc.d/rc2.d/K90evlogrmt
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S09evlog
/etc/rc.d/rc3.d/S09evlogrmt
/etc/rc.d/rc3.d/S80evlnotify
/etc/rc.d/rc3.d/S90evlaction
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/K40evlaction
/etc/rc.d/rc4.d/K50evlnotify
/etc/rc.d/rc4.d/K90evlog
/etc/rc.d/rc4.d/K90evlogrmt
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S09evlog
/etc/rc.d/rc5.d/S09evlogrmt
/etc/rc.d/rc5.d/S80evlnotify
/etc/rc.d/rc5.d/S90evlaction
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K40evlaction
/etc/rc.d/rc6.d/K50evlnotify
/etc/rc.d/rc6.d/K90evlog
/etc/rc.d/rc6.d/K90evlogrmt
/lib
/lib/libevlsyslog.so
/lib/libevlsyslog.so.0
/lib/libevlsyslog.so.0.0.0
/sbin
/sbin/ela_add
/sbin/ela_get_atts
/sbin/ela_remove
/sbin/ela_remove_all
/sbin/ela_show
/sbin/ela_show_all
/sbin/ela_sig_send
/sbin/evlactiond
/sbin/evlconfig
/sbin/evlfacility
/sbin/evlnotify
/sbin/evlnotifyd
/sbin/evlogd
/sbin/evlogmgr
/sbin/evlogrmt
/sbin/evlsend
/sbin/evltc
/sbin/evlview
/sbin/slog_fwd
/usr
/usr/lib
/usr/lib/libevl.so
/usr/lib/libevl.so.0
/usr/lib/libevl.so.0.0.0
/usr/share
/usr/share/doc
/usr/share/doc/packages
/usr/share/doc/packages/evlog
/usr/share/doc/packages/evlog/templates
/usr/share/doc/packages/evlog/templates/README
/usr/share/doc/packages/evlog/templates/bcm5700
/usr/share/doc/packages/evlog/templates/bcm5700/Makefile
/usr/share/doc/packages/evlog/templates/bcm5700/bcm5700.pt
/usr/share/doc/packages/evlog/templates/e100
/usr/share/doc/packages/evlog/templates/e100/Makefile
/usr/share/doc/packages/evlog/templates/e100/e100.pt
/usr/share/doc/packages/evlog/templates/e100/template.awk
/usr/share/doc/packages/evlog/templates/e1000
/usr/share/doc/packages/evlog/templates/e1000/Makefile
/usr/share/doc/packages/evlog/templates/e1000/e1000.pt
/usr/share/doc/packages/evlog/templates/e1000/template.awk
/usr/share/doc/packages/evlog/templates/ela.h
/usr/share/doc/packages/evlog/templates/emulex
/usr/share/doc/packages/evlog/templates/emulex/Makefile
/usr/share/doc/packages/evlog/templates/emulex/elx.pt
/usr/share/doc/packages/evlog/templates/emulex/elx_opaque.t

```

```

/usr/share/doc/packages/evlog/templates/emulex/elx_template.awk
/usr/share/doc/packages/evlog/templates/evlog_env
/usr/share/doc/packages/evlog/templates/ipr
/usr/share/doc/packages/evlog/templates/ipr/Makefile
/usr/share/doc/packages/evlog/templates/ipr/ela_entry.t
/usr/share/doc/packages/evlog/templates/ipr/ipr.pt
/usr/share/doc/packages/evlog/templates/ipr/ipr_ela.h
/usr/share/doc/packages/evlog/templates/ipr/ipr_opaque.t
/usr/share/doc/packages/evlog/templates/ipr/ipr_rtable.awk
/usr/share/doc/packages/evlog/templates/ipr/ipr_table.awk
/usr/share/doc/packages/evlog/templates/ipr/ipr_table.pt
/usr/share/doc/packages/evlog/templates/ipr/ipr_template.awk
/usr/share/doc/packages/evlog/templates/olympic
/usr/share/doc/packages/evlog/templates/olympic/Makefile
/usr/share/doc/packages/evlog/templates/olympic/olympic.pt
/usr/share/doc/packages/evlog/templates/pci
/usr/share/doc/packages/evlog/templates/pci/Makefile
/usr/share/doc/packages/evlog/templates/pci/pci.pt
/usr/share/doc/packages/evlog/templates/pcnet32
/usr/share/doc/packages/evlog/templates/pcnet32/Makefile
/usr/share/doc/packages/evlog/templates/pcnet32/pcnet32.pt
/usr/share/doc/packages/evlog/templates/template.awk
/usr/share/doc/packages/evlog/templates/test_target.sh
/usr/share/evlog
/usr/share/evlog/ela
/usr/share/evlog/ela_console
/usr/share/evlog/ela crt_rpt
/usr/share/evlog/ela_fake_event
/usr/share/evlog/ela_funcs
/usr/share/evlog/ela_hw_alert
/usr/share/evlog/ela_sig
/usr/share/evlog/ela_vpd_funcs
/usr/share/evlog/ipr_opaque_alert
/usr/share/evlog/load_ela_rules.sh
/usr/share/man/man1/evlconfig.1
/usr/share/man/man1/evlfacility.1
/usr/share/man/man1/evlgentmpls.1
/usr/share/man/man1/evlnotify.1
/usr/share/man/man1/evlog.1
/usr/share/man/man1/evlogmgr.1
/usr/share/man/man1/evlquery.1
/usr/share/man/man1/evlremote.1
/usr/share/man/man1/evlsend.1
/usr/share/man/man1/evltc.1
/usr/share/man/man1/evlview.1
/var
/var/evlog
/var/evlog/templates
/var/evlog/templates/Makefile
/var/evlog/templates/Makefile.mk
/var/evlog/templates/kern
/var/evlog/templates/kern/kern.t
/var/evlog/templates/logmgmt
/var/evlog/templates/logmgmt/Makefile
/var/evlog/templates/logmgmt/logmgmt.t
SMM. Name is not Mentioned
SMM.: is not supported in wrlinux-1.3 distribution
9.0 Disk and Volume Management
RPM PACKAGE: lvm2-2.00.32-1
Name : lvm2 Relocations: (not relocatable)
Version : 2.00.32 Vendor: Wind River Systems
Release : 1 Build Date: Sat May 13 06:59:07 2006
Install Date: Tue Jun 13 12:13:31 2006 Build Host: lpgbuild04
Group : System/Base Source RPM: lvm2-2.00.32-1.src.rpm
Size : 486244 License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:45 2006, Key ID 6dfc21e3b0c7d54f
Packager : Wind River
URL : ftp://sources.redhat.com/pub/lvm2/LVM2.2.00.32.tgz
Summary : LVM2 tools
Description :
Programs and man pages for configuring and using the LVM2 Logical Volume Manager.
/etc
/etc/lvm
/etc/lvm/lvm.conf
/usr
/usr/sbin
/usr/sbin/lvchange
/usr/sbin/lvcreate
/usr/sbin/lvdisplay
/usr/sbin/lvextend
/usr/sbin/lvm
/usr/sbin/lvmchange
/usr/sbin/lvmdiskscan
/usr/sbin/lvmsadc
/usr/sbin/lvmsar
/usr/sbin/lvreduce
/usr/sbin/lvremove
/usr/sbin/lvrename
/usr/sbin/lvresize
/usr/sbin/lvs
/usr/sbin/lvscan
/usr/sbin/pvchange
/usr/sbin/pvcreate

```

```

/usr/sbin/pvdisplay
/usr/sbin/pvmove
/usr/sbin/pvremove
/usr/sbin/pvresize
/usr/sbin/pvs
/usr/sbin/pvscan
/usr/sbin/vgcfgbackup
/usr/sbin/vgcfgrestore
/usr/sbin/vgchange
/usr/sbin/vgck
/usr/sbin/vgconvert
/usr/sbin/vgcreate
/usr/sbin/vgdisplay
/usr/sbin/vgexport
/usr/sbin/vgextend
/usr/sbin/vgimport
/usr/sbin/vgmerge
/usr/sbin/vgmknodes
/usr/sbin/vgreduce
/usr/sbin/vgremove
/usr/sbin/vgrename
/usr/sbin/vgs
/usr/sbin/vgscan
/usr/sbin/vgsplit
/usr/share
/usr/share/man/man5/lvm.conf.5
/usr/share/man/man8/lvchange.8
/usr/share/man/man8/lvcreate.8
/usr/share/man/man8/lvdisplay.8
/usr/share/man/man8/lvextend.8
/usr/share/man/man8/lvm.8
/usr/share/man/man8/lvmchange.8
/usr/share/man/man8/lvmdiskscan.8
/usr/share/man/man8/lvreduce.8
/usr/share/man/man8/lvremove.8
/usr/share/man/man8/lvrename.8
/usr/share/man/man8/lvresize.8
/usr/share/man/man8/lvs.8
/usr/share/man/man8/lvscan.8
/usr/share/man/man8/pvchange.8
/usr/share/man/man8/pvcreate.8
/usr/share/man/man8/pvdisplay.8
/usr/share/man/man8/pvmove.8
/usr/share/man/man8/pvremove.8
/usr/share/man/man8/pvs.8
/usr/share/man/man8/pvscan.8
/usr/share/man/man8/vgcfgbackup.8
/usr/share/man/man8/vgcfgrestore.8
/usr/share/man/man8/vgchange.8
/usr/share/man/man8/vgck.8
/usr/share/man/man8/vgconvert.8
/usr/share/man/man8/vgcreate.8
/usr/share/man/man8/vgdisplay.8
/usr/share/man/man8/vgexport.8
/usr/share/man/man8/vgextend.8
/usr/share/man/man8/vgimport.8
/usr/share/man/man8/vgmerge.8
/usr/share/man/man8/vgmknodes.8
/usr/share/man/man8/vgreduce.8
/usr/share/man/man8/vgremove.8
/usr/share/man/man8/vgrename.8
/usr/share/man/man8/vgs.8
/usr/share/man/man8/vgscan.8
/usr/share/man/man8/vgsplit.8

```

SPM.1.0 Remote Package Update and Installation

```

RPM PACKAGE: rpm-4.4.2-1
Name          : rpm                      Relocations: (not relocatable)
Version       : 4.4.2                    Vendor: Wind River Systems
Release       : 1                        Build Date: Sat May 13 07:59:18 2006
Install Date: Tue Jun 13 12:14:01 2006  Build Host: lpgbuild04
Group         : System Environment/Base   Source RPM: rpm-4.4.2-1.src.rpm
Size          : 4549570                   License: GPL, LGPL
Signature     : DSA/SHA1, Sun May 14 04:28:51 2006, Key ID 6dfc21e3b0c7d54f
Packager      : Wind River
URL           : ftp://wraptastic.org/pub/rpm-4.4.x/rpm-4.4.2.tar.gz
Summary      : The RPM package management system.
Description  :

```

The RPM Package Manager (RPM) is a powerful command line driven package management system capable of

```

/bin
/bin/rpm
/usr
/usr/bin
/usr/bin/gendiff
/usr/bin/rpm2cpio
/usr/bin/rpmbuild
/usr/bin/rpmdb
/usr/bin/rpme
/usr/bin/rpmgraph
/usr/bin/rpmi
/usr/bin/rpmquery
/usr/bin/rpmsign
/usr/bin/rpmu
/usr/bin/rpmverify
/usr/lib

```

```
/usr/lib/librpm-4.4.so
/usr/lib/librpm.so
/usr/lib/librpmbuild-4.4.so
/usr/lib/librpmbuild.so
/usr/lib/librpmdb-4.4.so
/usr/lib/librpmdb.so
/usr/lib/librpmio-4.4.so
/usr/lib/librpmio.so
/usr/lib/rpm
/usr/lib/rpm/-
/usr/lib/rpm/-/macros
/usr/lib/rpm/brp-compress
/usr/lib/rpm/brp-java-gcjcompile
/usr/lib/rpm/brp-python-bytecompile
/usr/lib/rpm/brp-redhat
/usr/lib/rpm/brp-sparc64-linux
/usr/lib/rpm/brp-strip
/usr/lib/rpm/brp-strip-comment-note
/usr/lib/rpm/brp-strip-shared
/usr/lib/rpm/brp-strip-static-archive
/usr/lib/rpm/check-files
/usr/lib/rpm/check-prereqs
/usr/lib/rpm/config.guess
/usr/lib/rpm/config.site
/usr/lib/rpm/config.sub
/usr/lib/rpm/convertrpmrc.sh
/usr/lib/rpm/cpanflute
/usr/lib/rpm/cpanflute2
/usr/lib/rpm/cross-build
/usr/lib/rpm/debugedit
/usr/lib/rpm/find-debuginfo.sh
/usr/lib/rpm/find-lang.sh
/usr/lib/rpm/find-prov.pl
/usr/lib/rpm/find-provides
/usr/lib/rpm/find-provides.perl
/usr/lib/rpm/find-req.pl
/usr/lib/rpm/find-requires
/usr/lib/rpm/find-requires.perl
/usr/lib/rpm/freshen.sh
/usr/lib/rpm/get_magic.pl
/usr/lib/rpm/getpo.sh
/usr/lib/rpm/http.req
/usr/lib/rpm/javadeps
/usr/lib/rpm/macros
/usr/lib/rpm/magic
/usr/lib/rpm/magic.mgc
/usr/lib/rpm/magic.mime
/usr/lib/rpm/magic.mime.mgc
/usr/lib/rpm/magic.prov
/usr/lib/rpm/magic.req
/usr/lib/rpm/mkinstalldirs
/usr/lib/rpm/noarch-
/usr/lib/rpm/noarch-/macros
/usr/lib/rpm/perl.prov
/usr/lib/rpm/perl.req
/usr/lib/rpm/perldeps.pl
/usr/lib/rpm/pythondeps.sh
/usr/lib/rpm/rpm.daily
/usr/lib/rpm/rpm.log
/usr/lib/rpm/rpm.xinetd
/usr/lib/rpm/rpm2cpio.sh
/usr/lib/rpm/rpmb
/usr/lib/rpm/rpmcache
/usr/lib/rpm/rpmd
/usr/lib/rpm/rpmdb_archive
/usr/lib/rpm/rpmdb_checkpoint
/usr/lib/rpm/rpmdb_deadlock
/usr/lib/rpm/rpmdb_dump
/usr/lib/rpm/rpmdb_load
/usr/lib/rpm/rpmdb_loadcvt
/usr/lib/rpm/rpmdb_printlog
/usr/lib/rpm/rpmdb_recover
/usr/lib/rpm/rpmdb_stat
/usr/lib/rpm/rpmdb_svc
/usr/lib/rpm/rpmdb_upgrade
/usr/lib/rpm/rpmdb_verify
/usr/lib/rpm/rpmddeps
/usr/lib/rpm/rpmdiff
/usr/lib/rpm/rpmdiff.cgi
/usr/lib/rpm/rpme
/usr/lib/rpm/rpmfile
/usr/lib/rpm/rpmi
/usr/lib/rpm/rpmk
/usr/lib/rpm/rpmpopt-4.4.2
/usr/lib/rpm/rpmq
/usr/lib/rpm/rpmrc
/usr/lib/rpm/rpmt
/usr/lib/rpm/rpmu
/usr/lib/rpm/rpmv
/usr/lib/rpm/sql.prov
/usr/lib/rpm/sql.req
/usr/lib/rpm/tcl.req
/usr/lib/rpm/tgpg
/usr/lib/rpm/trpm
```

```

/usr/lib/rpm/u_pkg.sh
/usr/lib/rpm/vpkg-provides.sh
/usr/lib/rpm/vpkg-provides2.sh
/usr/lib/rpmpopt
/usr/lib/rpmrc
/usr/share
/usr/src
/usr/src/wrs
/usr/src/wrs/BUILD
/usr/src/wrs/RPMS
/usr/src/wrs/RPMS/athlon
/usr/src/wrs/RPMS/i386
/usr/src/wrs/RPMS/i486
/usr/src/wrs/RPMS/i586
/usr/src/wrs/RPMS/i686
/usr/src/wrs/RPMS/noarch
/usr/src/wrs/SOURCES
/usr/src/wrs/SPECS
/usr/src/wrs/SRPMS
/var
/var/lib
/var/lib/rpm
/var/tmp

```

SPM.2.0 No System Reboot

SPM.2.0: is not supported in wrlinux-1.3 distribution

SPM.3.0 Version and Dependency Checking via RPM

```

RPM PACKAGE: rpm-4.4.2-1
Name          : rpm                      Relocations: (not relocatable)
Version       : 4.4.2                    Vendor: Wind River Systems
Release       : 1                        Build Date: Sat May 13 07:59:18 2006
Install Date: Tue Jun 13 12:14:01 2006   Build Host: lpgbuild04
Group         : System Environment/Base   Source RPM: rpm-4.4.2-1.src.rpm
Size          : 4549570                   License: GPL, LGPL
Signature     : DSA/SHA1, Sun May 14 04:28:51 2006, Key ID 6dfc21e3b0c7d54f
Packager      : Wind River
URL           : ftp://wraptastic.org/pub/rpm-4.4.x/rpm-4.4.2.tar.gz
Summary       : The RPM package management system.

```

Description :

The RPM Package Manager (RPM) is a powerful command line driven package management system capable of

```

/bin
/bin/rpm
/usr
/usr/bin
/usr/bin/gendiff
/usr/bin/rpm2cpio
/usr/bin/rpmbuild
/usr/bin/rpmdb
/usr/bin/rpme
/usr/bin/rpmgraph
/usr/bin/rpmi
/usr/bin/rpmquery
/usr/bin/rpmsign
/usr/bin/rpmu
/usr/bin/rpmverify
/usr/lib
/usr/lib/librpm-4.4.so
/usr/lib/librpm.so
/usr/lib/librpmbuild-4.4.so
/usr/lib/librpmbuild.so
/usr/lib/librpmdb-4.4.so
/usr/lib/librpmdb.so
/usr/lib/librpmio-4.4.so
/usr/lib/librpmio.so
/usr/lib/rpm
/usr/lib/rpm/-
/usr/lib/rpm/-/macros
/usr/lib/rpm/brp-compress
/usr/lib/rpm/brp-java-gcjcompile
/usr/lib/rpm/brp-python-bytecompile
/usr/lib/rpm/brp-redhat
/usr/lib/rpm/brp-sparc64-linux
/usr/lib/rpm/brp-strip
/usr/lib/rpm/brp-strip-comment-note
/usr/lib/rpm/brp-strip-shared
/usr/lib/rpm/brp-strip-static-archive
/usr/lib/rpm/check-files
/usr/lib/rpm/check-prereqs
/usr/lib/rpm/config.guess
/usr/lib/rpm/config.site
/usr/lib/rpm/config.sub
/usr/lib/rpm/convertrpmrc.sh
/usr/lib/rpm/cpanflute
/usr/lib/rpm/cpanflute2
/usr/lib/rpm/cross-build
/usr/lib/rpm/debugedit
/usr/lib/rpm/find-debuginfo.sh
/usr/lib/rpm/find-lang.sh
/usr/lib/rpm/find-prov.pl
/usr/lib/rpm/find-provides
/usr/lib/rpm/find-provides.perl
/usr/lib/rpm/find-req.pl
/usr/lib/rpm/find-requires
/usr/lib/rpm/find-requires.perl

```

```

/usr/lib/rpm/freshen.sh
/usr/lib/rpm/get_magic.pl
/usr/lib/rpm/getpo.sh
/usr/lib/rpm/http.req
/usr/lib/rpm/javadeps
/usr/lib/rpm/macros
/usr/lib/rpm/magic
/usr/lib/rpm/magic.mgc
/usr/lib/rpm/magic.mime
/usr/lib/rpm/magic.mime.mgc
/usr/lib/rpm/magic.prov
/usr/lib/rpm/magic.req
/usr/lib/rpm/mkinstalldirs
/usr/lib/rpm/noarch-
/usr/lib/rpm/noarch-/macros
/usr/lib/rpm/perl.prov
/usr/lib/rpm/perl.req
/usr/lib/rpm/perldeps.pl
/usr/lib/rpm/pythondeps.sh
/usr/lib/rpm/rpm.daily
/usr/lib/rpm/rpm.log
/usr/lib/rpm/rpm.xinetd
/usr/lib/rpm/rpm2cpio.sh
/usr/lib/rpm/rpmb
/usr/lib/rpm/rpmbcache
/usr/lib/rpm/rpmd
/usr/lib/rpm/rpmdb_archive
/usr/lib/rpm/rpmdb_checkpoint
/usr/lib/rpm/rpmdb_deadlock
/usr/lib/rpm/rpmdb_dump
/usr/lib/rpm/rpmdb_load
/usr/lib/rpm/rpmdb_loadcvt
/usr/lib/rpm/rpmdb_printlog
/usr/lib/rpm/rpmdb_recover
/usr/lib/rpm/rpmdb_stat
/usr/lib/rpm/rpmdb_svc
/usr/lib/rpm/rpmdb_upgrade
/usr/lib/rpm/rpmdb_verify
/usr/lib/rpm/rpmddeps
/usr/lib/rpm/rpmdiff
/usr/lib/rpm/rpmdiff.cgi
/usr/lib/rpm/rpme
/usr/lib/rpm/rpmfile
/usr/lib/rpm/rpmi
/usr/lib/rpm/rpmk
/usr/lib/rpm/rpmpopt-4.4.2
/usr/lib/rpm/rpmq
/usr/lib/rpm/rpmrc
/usr/lib/rpm/rpmt
/usr/lib/rpm/rpmu
/usr/lib/rpm/rpmv
/usr/lib/rpm/sql.prov
/usr/lib/rpm/sql.req
/usr/lib/rpm/tcl.req
/usr/lib/rpm/tgpg
/usr/lib/rpm/trpm
/usr/lib/rpm/u_pkg.sh
/usr/lib/rpm/vpkg-provides.sh
/usr/lib/rpm/vpkg-provides2.sh
/usr/lib/rpmpopt
/usr/lib/rpmrc
/usr/share
/usr/src
/usr/src/wrs
/usr/src/wrs/BUILD
/usr/src/wrs/RPMS
/usr/src/wrs/RPMS/athlon
/usr/src/wrs/RPMS/i386
/usr/src/wrs/RPMS/i486
/usr/src/wrs/RPMS/i586
/usr/src/wrs/RPMS/i686
/usr/src/wrs/RPMS/noarch
/usr/src/wrs/SOURCES
/usr/src/wrs/SPECS
/usr/src/wrs/SRPMS
/var
/var/lib
/var/lib/rpm
/var/tmp

```

SPM.4.0

Upgrade Log

RPM PACKAGE: rpm-4.4.2-1

```

Name      : rpm                      Relocations: (not relocatable)
Version   : 4.4.2                    Vendor: Wind River Systems
Release   : 1                       Build Date: Sat May 13 07:59:18 2006
Install Date: Tue Jun 13 12:14:01 2006 Build Host: lpgbuild04
Group     : System Environment/Base  Source RPM: rpm-4.4.2-1.src.rpm
Size      : 4549570                 License: GPL, LGPL
Signature : DSA/SHA1, Sun May 14 04:28:51 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : ftp://wraptastic.org/pub/rpm-4.4.x/rpm-4.4.2.tar.gz
Summary   : The RPM package management system.
Description :

```

The RPM Package Manager (RPM) is a powerful command line driven package management system capable of /bin

```

/bin/rpm
/usr
/usr/bin
/usr/bin/gendiff
/usr/bin/rpm2cpio
/usr/bin/rpmbuild
/usr/bin/rpmdb
/usr/bin/rpme
/usr/bin/rpmgraph
/usr/bin/rpmi
/usr/bin/rpmquery
/usr/bin/rpmsign
/usr/bin/rpmu
/usr/bin/rpmverify
/usr/lib
/usr/lib/librpm-4.4.so
/usr/lib/librpm.so
/usr/lib/librpmbuild-4.4.so
/usr/lib/librpmbuild.so
/usr/lib/librpmdb-4.4.so
/usr/lib/librpmdb.so
/usr/lib/librpmio-4.4.so
/usr/lib/librpmio.so
/usr/lib/rpm
/usr/lib/rpm/-
/usr/lib/rpm/-/macros
/usr/lib/rpm/brp-compress
/usr/lib/rpm/brp-java-gcjcompile
/usr/lib/rpm/brp-python-bytecompile
/usr/lib/rpm/brp-redhat
/usr/lib/rpm/brp-sparc64-linux
/usr/lib/rpm/brp-strip
/usr/lib/rpm/brp-strip-comment-note
/usr/lib/rpm/brp-strip-shared
/usr/lib/rpm/brp-strip-static-archive
/usr/lib/rpm/check-files
/usr/lib/rpm/check-prereqs
/usr/lib/rpm/config.guess
/usr/lib/rpm/config.site
/usr/lib/rpm/config.sub
/usr/lib/rpm/convertrpmrc.sh
/usr/lib/rpm/cpanflute
/usr/lib/rpm/cpanflute2
/usr/lib/rpm/cross-build
/usr/lib/rpm/debugedit
/usr/lib/rpm/find-debuginfo.sh
/usr/lib/rpm/find-lang.sh
/usr/lib/rpm/find-prov.pl
/usr/lib/rpm/find-provides
/usr/lib/rpm/find-provides.perl
/usr/lib/rpm/find-req.pl
/usr/lib/rpm/find-requires
/usr/lib/rpm/find-requires.perl
/usr/lib/rpm/freshen.sh
/usr/lib/rpm/get_magic.pl
/usr/lib/rpm/getpo.sh
/usr/lib/rpm/http.req
/usr/lib/rpm/javadeps
/usr/lib/rpm/macros
/usr/lib/rpm/magic
/usr/lib/rpm/magic.mgc
/usr/lib/rpm/magic.mime
/usr/lib/rpm/magic.mime.mgc
/usr/lib/rpm/magic.prov
/usr/lib/rpm/magic.req
/usr/lib/rpm/mkinstalldirs
/usr/lib/rpm/noarch-
/usr/lib/rpm/noarch-/macros
/usr/lib/rpm/perl.prov
/usr/lib/rpm/perl.req
/usr/lib/rpm/perldeps.pl
/usr/lib/rpm/pythondeps.sh
/usr/lib/rpm/rpm.daily
/usr/lib/rpm/rpm.log
/usr/lib/rpm/rpm.xinetd
/usr/lib/rpm/rpm2cpio.sh
/usr/lib/rpm/rpmb
/usr/lib/rpm/rpmcache
/usr/lib/rpm/rpmd
/usr/lib/rpm/rpmdb_archive
/usr/lib/rpm/rpmdb_checkpoint
/usr/lib/rpm/rpmdb_deadlock
/usr/lib/rpm/rpmdb_dump
/usr/lib/rpm/rpmdb_load
/usr/lib/rpm/rpmdb_loadcvt
/usr/lib/rpm/rpmdb_printlog
/usr/lib/rpm/rpmdb_recover
/usr/lib/rpm/rpmdb_stat
/usr/lib/rpm/rpmdb_svc
/usr/lib/rpm/rpmdb_upgrade
/usr/lib/rpm/rpmdb_verify
/usr/lib/rpm/rpmdeps
/usr/lib/rpm/rpmdiff
/usr/lib/rpm/rpmdiff.cgi

```

```

/usr/lib/rpm/rpme
/usr/lib/rpm/rpmfile
/usr/lib/rpm/rpmi
/usr/lib/rpm/rpmk
/usr/lib/rpm/rpmpopt-4.4.2
/usr/lib/rpm/rpmq
/usr/lib/rpm/rpmrc
/usr/lib/rpm/rpmt
/usr/lib/rpm/rpmu
/usr/lib/rpm/rpmv
/usr/lib/rpm/sql.prov
/usr/lib/rpm/sql.req
/usr/lib/rpm/tcl.req
/usr/lib/rpm/tgpg
/usr/lib/rpm/trpm
/usr/lib/rpm/u_pkg.sh
/usr/lib/rpm/vpkg-provides.sh
/usr/lib/rpm/vpkg-provides2.sh
/usr/lib/rpmpopt
/usr/lib/rpmrc
/usr/share
/usr/src
/usr/src/wrs
/usr/src/wrs/BUILD
/usr/src/wrs/RPMS
/usr/src/wrs/RPMS/athlon
/usr/src/wrs/RPMS/i386
/usr/src/wrs/RPMS/i486
/usr/src/wrs/RPMS/i586
/usr/src/wrs/RPMS/i686
/usr/src/wrs/RPMS/noarch
/usr/src/wrs/SOURCES
/usr/src/wrs/SPECS
/usr/src/wrs/SRPMS
/var
/var/lib
/var/lib/rpm
/var/tmp

```

SFA.1.0 Kernel Panic Handler Enhancements

```

RPM PACKAGE:   panicsel-1.4.8-1
Name           : panicsel                Relocations: (not relocatable)
Version        : 1.4.8                  Vendor: Wind River Systems
Release        : 1                      Build Date: Sat May 13 07:32:44 2006
Install Date:  Tue Jun 13 12:13:46 2006  Build Host: lpgbuild04
Group          : System/Monitoring      Source RPM: panicsel-1.4.8-1.src.rpm
Size           : 261044                  License: BSD
Signature      : DSA/SHA1, Sun May 14 04:28:47 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://voxel.dl.sourceforge.net/sourceforge/panicsel/panicsel-1.4.8.tar.gz
Summary        : Utils to configure SysEventLog and Panic Alerts via IPMI/BMC
Description    :

```

The panicsel package adds additional features to the Linux Panic - turn on the Critical Alarm LED on

```

/usr
/usr/sbin
/usr/sbin/alarms
/usr/sbin/fruconfig
/usr/sbin/hwreset
/usr/sbin/icmd
/usr/sbin/pefconfig
/usr/sbin/sensor
/usr/sbin/showsel
/usr/sbin/tmconfig
/usr/sbin/wdt
/usr/share
/usr/share/man/man8/alarms.8
/usr/share/man/man8/fruconfig.8
/usr/share/man/man8/hwreset.8
/usr/share/man/man8/icmd.8
/usr/share/man/man8/pefconfig.8
/usr/share/man/man8/sensor.8
/usr/share/man/man8/showsel.8
/usr/share/man/man8/tmconfig.8
/usr/share/man/man8/wdt.8

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

SFA.2 Debugger Support

```

RPM PACKAGE:   strace-4.5.14-1
Name           : strace                Relocations: (not relocatable)
Version        : 4.5.14                Vendor: Wind River Systems
Release        : 1                      Build Date: Sat May 13 08:04:11 2006
Install Date:  Tue Jun 13 12:14:07 2006  Build Host: lpgbuild04
Group          : Development/Debuggers  Source RPM: strace-4.5.14-1.src.rpm
Size           : 201310                  License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://voxel.dl.sourceforge.net/sourceforge/strace/strace-4.5.14.tar.bz2
Summary        : Tracks and displays system calls associated with a running process.
Description    :

```

The strace program intercepts and records the system calls called and received by a running process.

```

/usr
/usr/bin
/usr/bin/strace
/usr/bin/strace-graph

```

```

/usr/share
/usr/share/man/man1/strace.1
RPM PACKAGE:   wdbagent-pttrace-1.1-1
Name          : wdbagent-pttrace           Relocations: (not relocatable)
Version      : 1.1                        Vendor: Wind River Systems
Release     : 1                          Build Date: Sat May 13 08:10:08 2006
Install Date: Tue Jun 13 12:14:19 2006    Build Host: lpgbuild04
Group       : Development/Debuggers      Source RPM: wdbagent-pttrace-1.1-1.src.rpm
Size        : 154047                     License: Wind River
Signature   : DSA/SHA1, Sun May 14 04:28:53 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : WINDRIVER_INTERNAL
Summary     : Wind River workbench agent
Description :
The wdbagent-pttrace package contains the debugger agent for the Wind River workbench IDE.
/usr
/usr/bin
/usr/bin/usermode-agent
SFA.2.1      Live Kernel Remote Debugger
KERNEL PATCH: http://kgdb.linsyssoft.com/downloads.htm
              http://kgdb.linsyssoft.com/downloads.htm
SFA.2.2      Dynamic Debug/Probe Insertion
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
SFA.2.3      User Space Debug Support for Threads
RPM PACKAGE:   gdbm-1.8.3-1
Name          : gdbm                     Relocations: (not relocatable)
Version      : 1.8.3                    Vendor: Wind River Systems
Release     : 1                          Build Date: Sat May 13 06:03:21 2006
Install Date: Tue Jun 13 12:13:17 2006    Build Host: lpgbuild04
Group       : System Environment/Libraries Source RPM: gdbm-1.8.3-1.src.rpm
Size        : 91978                     License: GPL
Signature   : DSA/SHA1, Sun May 14 04:28:37 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : ftp://ftp.gnu.org/gnu/gdbm/gdbm-1.8.3.tar.gz
Summary     : A GNU set of database routines which use extensible hashing.
Description :
Gdbm is a GNU database indexing library, including routines which use extensible hashing. Gdbm works
/usr
/usr/lib
/usr/lib/libgdbm.so
/usr/lib/libgdbm.so.3
/usr/lib/libgdbm.so.3.0.0
/usr/lib/libgdbm_compat.so
/usr/lib/libgdbm_compat.so.3
/usr/lib/libgdbm_compat.so.3.0.0
/usr/share
/usr/share/info
/usr/share/info/gdbm.info
/usr/share/man/man3/gdbm.3
SFA.2.4      Multithreaded Core Dump Support for Threaded Applications
RPM PACKAGE:   gdbm-1.8.3-1
Name          : gdbm                     Relocations: (not relocatable)
Version      : 1.8.3                    Vendor: Wind River Systems
Release     : 1                          Build Date: Sat May 13 06:03:21 2006
Install Date: Tue Jun 13 12:13:17 2006    Build Host: lpgbuild04
Group       : System Environment/Libraries Source RPM: gdbm-1.8.3-1.src.rpm
Size        : 91978                     License: GPL
Signature   : DSA/SHA1, Sun May 14 04:28:37 2006, Key ID 6dfc21e3b0c7d54f
Packager    : Wind River
URL         : ftp://ftp.gnu.org/gnu/gdbm/gdbm-1.8.3.tar.gz
Summary     : A GNU set of database routines which use extensible hashing.
Description :
Gdbm is a GNU database indexing library, including routines which use extensible hashing. Gdbm works
/usr
/usr/lib
/usr/lib/libgdbm.so
/usr/lib/libgdbm.so.3
/usr/lib/libgdbm.so.3.0.0
/usr/lib/libgdbm_compat.so
/usr/lib/libgdbm_compat.so.3
/usr/lib/libgdbm_compat.so.3.0.0
/usr/share
/usr/share/info
/usr/share/info/gdbm.info
/usr/share/man/man3/gdbm.3
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
SFA.3.0      Kernel Dump
SFA.5.0      Live Application Dump Trigger
SFA.5.0: is not supported in wrlinux-1.3 distribution

```

PERFORMANCE

```

PRF.1      Real-Time Support Enhancements
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
PRF.1.1    Low Scheduling Latency

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.1.2 Configurable Scheduler Quantum For Round Robin Scheduling Policy

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.1.3 1 ms Tick Support

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.1.4 High-Resolution Timers

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.1.5 POSIX Real-Time Features

RPM PACKAGE: glibc-2.3.6-1

```
Name       : glibc                               Relocations: (not relocatable)
Version    : 2.3.6                               Vendor: Wind River Systems
Release    : 1                                   Build Date: Sat May 13 05:33:28 2006
Install Date: Tue Jun 13 12:13:18 2006         Build Host: lpgbuild04
Group      : System Environment/Libraries       Source RPM: glibc-2.3.6-1.src.rpm
Size       : 20093681                            License: GPL, LGPL
Signature  : DSA/SHA1, Sun May 14 04:28:38 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : ftp://sources.redhat.com/pub/glibc/releases/glibc-2.3.6.tar.bz2
Summary    : The GNU libc libraries.
```

Description :

The glibc package contains standard libraries which are used by multiple programs on the system. In

```
/etc
/etc/rpc
/lib
/lib/ld-2.3.6.so
/lib/ld-linux.so.2
/lib/libBrokenLocale-2.3.6.so
/lib/libBrokenLocale.so.1
/lib/libSegFault.so
/lib/libanl-2.3.6.so
/lib/libanl.so.1
/lib/libc-2.3.6.so
/lib/libc.so.6
/lib/libcrypt-2.3.6.so
/lib/libcrypt.so.1
/lib/libdl-2.3.6.so
/lib/libdl.so.2
/lib/libm-2.3.6.so
/lib/libm.so.6
/lib/libmemusage.so
/lib/libnsl-2.3.6.so
/lib/libnsl.so.1
/lib/libnss_compat-2.3.6.so
/lib/libnss_compat.so.2
/lib/libnss_dns-2.3.6.so
/lib/libnss_dns.so.2
/lib/libnss_files-2.3.6.so
/lib/libnss_files.so.2
/lib/libnss_hesiod-2.3.6.so
/lib/libnss_hesiod.so.2
/lib/libnss_nis-2.3.6.so
/lib/libnss_nis.so.2
/lib/libnss_nisplus-2.3.6.so
/lib/libnss_nisplus.so.2
/lib/libpcprofile.so
/lib/libpthread-2.3.6.so
/lib/libpthread.so.0
/lib/libresolv-2.3.6.so
/lib/libresolv.so.2
/lib/librt-2.3.6.so
/lib/librt.so.1
/lib/libthread_db-1.0.so
/lib/libthread_db.so.1
/lib/libutil-2.3.6.so
/lib/libutil.so.1
/sbin
/sbin/ldconfig
/sbin/sln
/usr
/usr/bin
/usr/bin/catchsegv
/usr/bin/gencat
/usr/bin/getconf
/usr/bin/getent
/usr/bin/iconv
/usr/bin/ldd
/usr/bin/lddlibc4
/usr/bin/locale
/usr/bin/localedef
/usr/bin/pcprofiledump
/usr/bin/rpcgen
/usr/bin/sprof
/usr/bin/tzselect
/usr/bin/xtrace
/usr/lib
/usr/lib/gconv
```

```
/usr/lib/gconv/ANSI_X3.110.so
/usr/lib/gconv/ARMScii-8.so
/usr/lib/gconv/ASMO_449.so
/usr/lib/gconv/BIG5.so
/usr/lib/gconv/BIG5HKSCS.so
/usr/lib/gconv/CP10007.so
/usr/lib/gconv/CP1125.so
/usr/lib/gconv/CP1250.so
/usr/lib/gconv/CP1251.so
/usr/lib/gconv/CP1252.so
/usr/lib/gconv/CP1253.so
/usr/lib/gconv/CP1254.so
/usr/lib/gconv/CP1255.so
/usr/lib/gconv/CP1256.so
/usr/lib/gconv/CP1257.so
/usr/lib/gconv/CP1258.so
/usr/lib/gconv/CP737.so
/usr/lib/gconv/CP775.so
/usr/lib/gconv/CP932.so
/usr/lib/gconv/CSN_369103.so
/usr/lib/gconv/CWI.so
/usr/lib/gconv/DEC-MCS.so
/usr/lib/gconv/EBCDIC-AT-DE-A.so
/usr/lib/gconv/EBCDIC-AT-DE.so
/usr/lib/gconv/EBCDIC-CA-FR.so
/usr/lib/gconv/EBCDIC-DK-NO-A.so
/usr/lib/gconv/EBCDIC-DK-NO.so
/usr/lib/gconv/EBCDIC-ES-A.so
/usr/lib/gconv/EBCDIC-ES-S.so
/usr/lib/gconv/EBCDIC-ES.so
/usr/lib/gconv/EBCDIC-FI-SE-A.so
/usr/lib/gconv/EBCDIC-FI-SE.so
/usr/lib/gconv/EBCDIC-FR.so
/usr/lib/gconv/EBCDIC-IS-FRISS.so
/usr/lib/gconv/EBCDIC-IT.so
/usr/lib/gconv/EBCDIC-PT.so
/usr/lib/gconv/EBCDIC-UK.so
/usr/lib/gconv/EBCDIC-US.so
/usr/lib/gconv/ECMA-CYRILLIC.so
/usr/lib/gconv/EUC-CN.so
/usr/lib/gconv/EUC-JISX0213.so
/usr/lib/gconv/EUC-JP-MS.so
/usr/lib/gconv/EUC-JP.so
/usr/lib/gconv/EUC-KR.so
/usr/lib/gconv/EUC-TW.so
/usr/lib/gconv/GB18030.so
/usr/lib/gconv/GBBIG5.so
/usr/lib/gconv/GBGBK.so
/usr/lib/gconv/GBK.so
/usr/lib/gconv/GEORGIAN-ACADEMY.so
/usr/lib/gconv/GEORGIAN-PS.so
/usr/lib/gconv/GOST_19768-74.so
/usr/lib/gconv/GREEK-CCITT.so
/usr/lib/gconv/GREEK7-OLD.so
/usr/lib/gconv/GREEK7.so
/usr/lib/gconv/HP-ROMAN8.so
/usr/lib/gconv/IBM037.so
/usr/lib/gconv/IBM038.so
/usr/lib/gconv/IBM1004.so
/usr/lib/gconv/IBM1026.so
/usr/lib/gconv/IBM1046.so
/usr/lib/gconv/IBM1047.so
/usr/lib/gconv/IBM1124.so
/usr/lib/gconv/IBM1129.so
/usr/lib/gconv/IBM1132.so
/usr/lib/gconv/IBM1133.so
/usr/lib/gconv/IBM1160.so
/usr/lib/gconv/IBM1161.so
/usr/lib/gconv/IBM1162.so
/usr/lib/gconv/IBM1163.so
/usr/lib/gconv/IBM1164.so
/usr/lib/gconv/IBM256.so
/usr/lib/gconv/IBM273.so
/usr/lib/gconv/IBM274.so
/usr/lib/gconv/IBM275.so
/usr/lib/gconv/IBM277.so
/usr/lib/gconv/IBM278.so
/usr/lib/gconv/IBM280.so
/usr/lib/gconv/IBM281.so
/usr/lib/gconv/IBM284.so
/usr/lib/gconv/IBM285.so
/usr/lib/gconv/IBM290.so
/usr/lib/gconv/IBM297.so
/usr/lib/gconv/IBM420.so
/usr/lib/gconv/IBM423.so
/usr/lib/gconv/IBM424.so
/usr/lib/gconv/IBM437.so
/usr/lib/gconv/IBM500.so
/usr/lib/gconv/IBM850.so
/usr/lib/gconv/IBM851.so
/usr/lib/gconv/IBM852.so
/usr/lib/gconv/IBM855.so
/usr/lib/gconv/IBM856.so
/usr/lib/gconv/IBM857.so
```

```
/usr/lib/gconv/IBM860.so
/usr/lib/gconv/IBM861.so
/usr/lib/gconv/IBM862.so
/usr/lib/gconv/IBM863.so
/usr/lib/gconv/IBM864.so
/usr/lib/gconv/IBM865.so
/usr/lib/gconv/IBM866.so
/usr/lib/gconv/IBM866NAV.so
/usr/lib/gconv/IBM868.so
/usr/lib/gconv/IBM869.so
/usr/lib/gconv/IBM870.so
/usr/lib/gconv/IBM871.so
/usr/lib/gconv/IBM874.so
/usr/lib/gconv/IBM875.so
/usr/lib/gconv/IBM880.so
/usr/lib/gconv/IBM891.so
/usr/lib/gconv/IBM903.so
/usr/lib/gconv/IBM904.so
/usr/lib/gconv/IBM905.so
/usr/lib/gconv/IBM918.so
/usr/lib/gconv/IBM922.so
/usr/lib/gconv/IBM930.so
/usr/lib/gconv/IBM932.so
/usr/lib/gconv/IBM933.so
/usr/lib/gconv/IBM935.so
/usr/lib/gconv/IBM937.so
/usr/lib/gconv/IBM939.so
/usr/lib/gconv/IBM943.so
/usr/lib/gconv/IEC_P27-1.so
/usr/lib/gconv/INIS-8.so
/usr/lib/gconv/INIS-CYRILLIC.so
/usr/lib/gconv/INIS.so
/usr/lib/gconv/ISIRI-3342.so
/usr/lib/gconv/ISO-2022-CN-EXT.so
/usr/lib/gconv/ISO-2022-CN.so
/usr/lib/gconv/ISO-2022-JP-3.so
/usr/lib/gconv/ISO-2022-JP.so
/usr/lib/gconv/ISO-2022-KR.so
/usr/lib/gconv/ISO-IR-197.so
/usr/lib/gconv/ISO-IR-209.so
/usr/lib/gconv/ISO646.so
/usr/lib/gconv/ISO8859-1.so
/usr/lib/gconv/ISO8859-10.so
/usr/lib/gconv/ISO8859-11.so
/usr/lib/gconv/ISO8859-13.so
/usr/lib/gconv/ISO8859-14.so
/usr/lib/gconv/ISO8859-15.so
/usr/lib/gconv/ISO8859-16.so
/usr/lib/gconv/ISO8859-2.so
/usr/lib/gconv/ISO8859-3.so
/usr/lib/gconv/ISO8859-4.so
/usr/lib/gconv/ISO8859-5.so
/usr/lib/gconv/ISO8859-6.so
/usr/lib/gconv/ISO8859-7.so
/usr/lib/gconv/ISO8859-8.so
/usr/lib/gconv/ISO8859-9.so
/usr/lib/gconv/ISO_10367-BOX.so
/usr/lib/gconv/ISO_2033.so
/usr/lib/gconv/ISO_5427-EXT.so
/usr/lib/gconv/ISO_5427.so
/usr/lib/gconv/ISO_5428.so
/usr/lib/gconv/ISO_6937-2.so
/usr/lib/gconv/ISO_6937.so
/usr/lib/gconv/JOHAB.so
/usr/lib/gconv/KOI-8.so
/usr/lib/gconv/KOI8-R.so
/usr/lib/gconv/KOI8-T.so
/usr/lib/gconv/KOI8-U.so
/usr/lib/gconv/LATIN-GREEK-1.so
/usr/lib/gconv/LATIN-GREEK.so
/usr/lib/gconv/MAC-IS.so
/usr/lib/gconv/MAC-SAMI.so
/usr/lib/gconv/MAC-UK.so
/usr/lib/gconv/MACINTOSH.so
/usr/lib/gconv/NATS-DANO.so
/usr/lib/gconv/NATS-SEFI.so
/usr/lib/gconv/PT154.so
/usr/lib/gconv/RK1048.so
/usr/lib/gconv/SAMI-WS2.so
/usr/lib/gconv/SHIFT_JISX0213.so
/usr/lib/gconv/SJIS.so
/usr/lib/gconv/T.61.so
/usr/lib/gconv/TCVN5712-1.so
/usr/lib/gconv/TIS-620.so
/usr/lib/gconv/TSCII.so
/usr/lib/gconv/UHC.so
/usr/lib/gconv/UNICODE.so
/usr/lib/gconv/UTF-16.so
/usr/lib/gconv/UTF-32.so
/usr/lib/gconv/UTF-7.so
/usr/lib/gconv/VISCII.so
/usr/lib/gconv/gconv-modules
/usr/lib/gconv/libCNS.so
/usr/lib/gconv/libGB.so
```

```

/usr/lib/gconv/libISOIR165.so
/usr/lib/gconv/libJIS.so
/usr/lib/gconv/libJISX0213.so
/usr/lib/gconv/libKSC.so
/usr/lib/getconf
/usr/lib/libBrokenLocale.so
/usr/lib/libanl.so
/usr/lib/libc.so
/usr/lib/libcrypt.so
/usr/lib/libdl.so
/usr/lib/libm.so
/usr/lib/libnsl.so
/usr/lib/libnss_compat.so
/usr/lib/libnss_dns.so
/usr/lib/libnss_files.so
/usr/lib/libnss_hesiod.so
/usr/lib/libnss_nis.so
/usr/lib/libnss_nisplus.so
/usr/lib/libpthread.so
/usr/lib/libresolv.so
/usr/lib/librt.so
/usr/lib/libthread_db.so
/usr/lib/libutil.so
/usr/lib/pt_chown
/usr/sbin
/usr/sbin/iconvconfig
/usr/sbin/nscd
/usr/sbin/nscd_nischeck
/usr/sbin/rpcinfo
/usr/sbin/zdump
/usr/sbin/zic
/usr/share
/usr/share/info
/usr/share/info/libc.info
/usr/share/info/libc.info-1
/usr/share/info/libc.info-10
/usr/share/info/libc.info-11
/usr/share/info/libc.info-2
/usr/share/info/libc.info-3
/usr/share/info/libc.info-4
/usr/share/info/libc.info-5
/usr/share/info/libc.info-6
/usr/share/info/libc.info-7
/usr/share/info/libc.info-8
/usr/share/info/libc.info-9
/usr/share/zoneinfo
/usr/share/zoneinfo/iso3166.tab
/usr/share/zoneinfo/zone.tab

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.1.6 Protecting Against Priority Inversion On Mutex

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.1.7 Handling Interrupts As Threads

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.2 SMP Performances

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.2.1 Enabling Process Affinity

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.2.2 Enabling Interrupt Top-Half Affinity

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.2.3 Hyper-Threading Support.

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.3 Memory usage

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.3.1 Dynamic allocation with low space loss

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.3.2 Support More Than 4 Gigabyte Physical Memory.

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.4 Communication Services Performances

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.4.2 Support of Gigabit Ethernet Jumbo MTU

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

PRF.5.0 Efficient Low-Level Asynchronous Events

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel
 PRF.6.0 Managing Transient Data
 DETAILS RELATED TO THE REQUIREMENT
 This feature is supported in stock 2.6 kernel
 PRF.7.0 Interruptless Ethernet Delivery
 DETAILS RELATED TO THE REQUIREMENT
 This feature is supported in stock 2.6 kernel
 PRF.14 RAID 0 Support
 DETAILS RELATED TO THE REQUIREMENT
 This feature is supported in stock 2.6 kernel

STANDARD

STD.1.0 LSB COMPLIANCE
 STD.1.0: is not supported in wrlinux-1.3 distribution
 STD.2 POSIX Compliance

```
RPM PACKAGE:  glibc-2.3.6-1
Name          :  glibc                      Relocations: (not relocatable)
Version      :  2.3.6                      Vendor: Wind River Systems
Release      :  1                          Build Date: Sat May 13 05:33:28 2006
Install Date: Tue Jun 13 12:13:18 2006     Build Host: lpgbuild04
Group        :  System Environment/Libraries Source RPM: glibc-2.3.6-1.src.rpm
Size         :  20093681                    License: GPL, LGPL
Signature    :  DSA/SHA1, Sun May 14 04:28:38 2006, Key ID 6dfc21e3b0c7d54f
Packager     :  Wind River
URL          :  ftp://sources.redhat.com/pub/glibc/releases/glibc-2.3.6.tar.bz2
Summary      :  The GNU libc libraries.
Description  :
The glibc package contains standard libraries which are used by multiple programs on the system. In
/etc
/etc/rpc
/lib
/lib/ld-2.3.6.so
/lib/ld-linux.so.2
/lib/libBrokenLocale-2.3.6.so
/lib/libBrokenLocale.so.1
/lib/libSegFault.so
/lib/libanl-2.3.6.so
/lib/libanl.so.1
/lib/libc-2.3.6.so
/lib/libc.so.6
/lib/libcrypt-2.3.6.so
/lib/libcrypt.so.1
/lib/libdl-2.3.6.so
/lib/libdl.so.2
/lib/libm-2.3.6.so
/lib/libm.so.6
/lib/libmemusage.so
/lib/libnsl-2.3.6.so
/lib/libnsl.so.1
/lib/libnss_compat-2.3.6.so
/lib/libnss_compat.so.2
/lib/libnss_dns-2.3.6.so
/lib/libnss_dns.so.2
/lib/libnss_files-2.3.6.so
/lib/libnss_files.so.2
/lib/libnss_hesiod-2.3.6.so
/lib/libnss_hesiod.so.2
/lib/libnss_nis-2.3.6.so
/lib/libnss_nis.so.2
/lib/libnss_nisplus-2.3.6.so
/lib/libnss_nisplus.so.2
/lib/libpcprofile.so
/lib/libpthread-2.3.6.so
/lib/libpthread.so.0
/lib/libresolv-2.3.6.so
/lib/libresolv.so.2
/lib/librt-2.3.6.so
/lib/librt.so.1
/lib/libthread_db-1.0.so
/lib/libthread_db.so.1
/lib/libutil-2.3.6.so
/lib/libutil.so.1
/sbin
/sbin/ldconfig
/sbin/sln
/usr
/usr/bin
/usr/bin/catchsegv
/usr/bin/genccat
/usr/bin/getconf
/usr/bin/getent
/usr/bin/iconv
/usr/bin/ldd
/usr/bin/lddlibc4
/usr/bin/locale
/usr/bin/localedef
/usr/bin/pcprofiledump
/usr/bin/rpcgen
/usr/bin/sprof
```

```
/usr/bin/tzselect
/usr/bin/xtrace
/usr/lib
/usr/lib/gconv
/usr/lib/gconv/ANSI_X3.110.so
/usr/lib/gconv/ARMScii-8.so
/usr/lib/gconv/ASMO_449.so
/usr/lib/gconv/BIG5.so
/usr/lib/gconv/BIG5HKSCS.so
/usr/lib/gconv/CP10007.so
/usr/lib/gconv/CP1125.so
/usr/lib/gconv/CP1250.so
/usr/lib/gconv/CP1251.so
/usr/lib/gconv/CP1252.so
/usr/lib/gconv/CP1253.so
/usr/lib/gconv/CP1254.so
/usr/lib/gconv/CP1255.so
/usr/lib/gconv/CP1256.so
/usr/lib/gconv/CP1257.so
/usr/lib/gconv/CP1258.so
/usr/lib/gconv/CP737.so
/usr/lib/gconv/CP775.so
/usr/lib/gconv/CP932.so
/usr/lib/gconv/CSN_369103.so
/usr/lib/gconv/CWI.so
/usr/lib/gconv/DEC-MCS.so
/usr/lib/gconv/EBCDIC-AT-DE-A.so
/usr/lib/gconv/EBCDIC-AT-DE.so
/usr/lib/gconv/EBCDIC-CA-FR.so
/usr/lib/gconv/EBCDIC-DK-NO-A.so
/usr/lib/gconv/EBCDIC-DK-NO.so
/usr/lib/gconv/EBCDIC-ES-A.so
/usr/lib/gconv/EBCDIC-ES-S.so
/usr/lib/gconv/EBCDIC-ES.so
/usr/lib/gconv/EBCDIC-FI-SE-A.so
/usr/lib/gconv/EBCDIC-FI-SE.so
/usr/lib/gconv/EBCDIC-FR.so
/usr/lib/gconv/EBCDIC-IS-FRISS.so
/usr/lib/gconv/EBCDIC-IT.so
/usr/lib/gconv/EBCDIC-PT.so
/usr/lib/gconv/EBCDIC-UK.so
/usr/lib/gconv/EBCDIC-US.so
/usr/lib/gconv/ECMA-CYRILLIC.so
/usr/lib/gconv/EUC-CN.so
/usr/lib/gconv/EUC-JISX0213.so
/usr/lib/gconv/EUC-JP-MS.so
/usr/lib/gconv/EUC-JP.so
/usr/lib/gconv/EUC-KR.so
/usr/lib/gconv/EUC-TW.so
/usr/lib/gconv/GB18030.so
/usr/lib/gconv/GBBIG5.so
/usr/lib/gconv/GBGBK.so
/usr/lib/gconv/GBK.so
/usr/lib/gconv/GEORGIAN-ACADEMY.so
/usr/lib/gconv/GEORGIAN-PS.so
/usr/lib/gconv/GOST_19768-74.so
/usr/lib/gconv/GREEK-CCITT.so
/usr/lib/gconv/GREEK7-OLD.so
/usr/lib/gconv/GREEK7.so
/usr/lib/gconv/HP-ROMAN8.so
/usr/lib/gconv/IBM037.so
/usr/lib/gconv/IBM038.so
/usr/lib/gconv/IBM1004.so
/usr/lib/gconv/IBM1026.so
/usr/lib/gconv/IBM1046.so
/usr/lib/gconv/IBM1047.so
/usr/lib/gconv/IBM1124.so
/usr/lib/gconv/IBM1129.so
/usr/lib/gconv/IBM1132.so
/usr/lib/gconv/IBM1133.so
/usr/lib/gconv/IBM1160.so
/usr/lib/gconv/IBM1161.so
/usr/lib/gconv/IBM1162.so
/usr/lib/gconv/IBM1163.so
/usr/lib/gconv/IBM1164.so
/usr/lib/gconv/IBM256.so
/usr/lib/gconv/IBM273.so
/usr/lib/gconv/IBM274.so
/usr/lib/gconv/IBM275.so
/usr/lib/gconv/IBM277.so
/usr/lib/gconv/IBM278.so
/usr/lib/gconv/IBM280.so
/usr/lib/gconv/IBM281.so
/usr/lib/gconv/IBM284.so
/usr/lib/gconv/IBM285.so
/usr/lib/gconv/IBM290.so
/usr/lib/gconv/IBM297.so
/usr/lib/gconv/IBM420.so
/usr/lib/gconv/IBM423.so
/usr/lib/gconv/IBM424.so
/usr/lib/gconv/IBM437.so
/usr/lib/gconv/IBM500.so
/usr/lib/gconv/IBM850.so
/usr/lib/gconv/IBM851.so
```

/usr/lib/gconv/IBM852.so
/usr/lib/gconv/IBM855.so
/usr/lib/gconv/IBM856.so
/usr/lib/gconv/IBM857.so
/usr/lib/gconv/IBM860.so
/usr/lib/gconv/IBM861.so
/usr/lib/gconv/IBM862.so
/usr/lib/gconv/IBM863.so
/usr/lib/gconv/IBM864.so
/usr/lib/gconv/IBM865.so
/usr/lib/gconv/IBM866.so
/usr/lib/gconv/IBM866NAV.so
/usr/lib/gconv/IBM868.so
/usr/lib/gconv/IBM869.so
/usr/lib/gconv/IBM870.so
/usr/lib/gconv/IBM871.so
/usr/lib/gconv/IBM874.so
/usr/lib/gconv/IBM875.so
/usr/lib/gconv/IBM880.so
/usr/lib/gconv/IBM891.so
/usr/lib/gconv/IBM903.so
/usr/lib/gconv/IBM904.so
/usr/lib/gconv/IBM905.so
/usr/lib/gconv/IBM918.so
/usr/lib/gconv/IBM922.so
/usr/lib/gconv/IBM930.so
/usr/lib/gconv/IBM932.so
/usr/lib/gconv/IBM933.so
/usr/lib/gconv/IBM935.so
/usr/lib/gconv/IBM937.so
/usr/lib/gconv/IBM939.so
/usr/lib/gconv/IBM943.so
/usr/lib/gconv/IEC_P27-1.so
/usr/lib/gconv/INIS-8.so
/usr/lib/gconv/INIS-CYRILLIC.so
/usr/lib/gconv/INIS.so
/usr/lib/gconv/ISIRI-3342.so
/usr/lib/gconv/ISO-2022-CN-EXT.so
/usr/lib/gconv/ISO-2022-CN.so
/usr/lib/gconv/ISO-2022-JP-3.so
/usr/lib/gconv/ISO-2022-JP.so
/usr/lib/gconv/ISO-2022-KR.so
/usr/lib/gconv/ISO-IR-197.so
/usr/lib/gconv/ISO-IR-209.so
/usr/lib/gconv/ISO646.so
/usr/lib/gconv/ISO8859-1.so
/usr/lib/gconv/ISO8859-10.so
/usr/lib/gconv/ISO8859-11.so
/usr/lib/gconv/ISO8859-13.so
/usr/lib/gconv/ISO8859-14.so
/usr/lib/gconv/ISO8859-15.so
/usr/lib/gconv/ISO8859-16.so
/usr/lib/gconv/ISO8859-2.so
/usr/lib/gconv/ISO8859-3.so
/usr/lib/gconv/ISO8859-4.so
/usr/lib/gconv/ISO8859-5.so
/usr/lib/gconv/ISO8859-6.so
/usr/lib/gconv/ISO8859-7.so
/usr/lib/gconv/ISO8859-8.so
/usr/lib/gconv/ISO8859-9.so
/usr/lib/gconv/ISO_10367-BOX.so
/usr/lib/gconv/ISO_2033.so
/usr/lib/gconv/ISO_5427-EXT.so
/usr/lib/gconv/ISO_5427.so
/usr/lib/gconv/ISO_5428.so
/usr/lib/gconv/ISO_6937-2.so
/usr/lib/gconv/ISO_6937.so
/usr/lib/gconv/JOHAB.so
/usr/lib/gconv/KOI-8.so
/usr/lib/gconv/KOI8-R.so
/usr/lib/gconv/KOI8-T.so
/usr/lib/gconv/KOI8-U.so
/usr/lib/gconv/LATIN-GREEK-1.so
/usr/lib/gconv/LATIN-GREEK.so
/usr/lib/gconv/MAC-IS.so
/usr/lib/gconv/MAC-SAMI.so
/usr/lib/gconv/MAC-UK.so
/usr/lib/gconv/MACINTOSH.so
/usr/lib/gconv/NATS-DANO.so
/usr/lib/gconv/NATS-SEFI.so
/usr/lib/gconv/PT154.so
/usr/lib/gconv/RK1048.so
/usr/lib/gconv/SAMI-WS2.so
/usr/lib/gconv/SHIFT_JISX0213.so
/usr/lib/gconv/SJIS.so
/usr/lib/gconv/T.61.so
/usr/lib/gconv/TCVN5712-1.so
/usr/lib/gconv/TIS-620.so
/usr/lib/gconv/TSCII.so
/usr/lib/gconv/UHC.so
/usr/lib/gconv/UNICODE.so
/usr/lib/gconv/UTF-16.so
/usr/lib/gconv/UTF-32.so
/usr/lib/gconv/UTF-7.so

```

/usr/lib/gconv/VISCI11.so
/usr/lib/gconv/gconv-modules
/usr/lib/gconv/libCNS.so
/usr/lib/gconv/libGB.so
/usr/lib/gconv/libISOIR165.so
/usr/lib/gconv/libJIS.so
/usr/lib/gconv/libJISX0213.so
/usr/lib/gconv/libKSC.so
/usr/lib/getconf
/usr/lib/libBrokenLocale.so
/usr/lib/libanl.so
/usr/lib/libc.so
/usr/lib/libcrypt.so
/usr/lib/libdl.so
/usr/lib/libm.so
/usr/lib/libnsl.so
/usr/lib/libnss_compat.so
/usr/lib/libnss_dns.so
/usr/lib/libnss_files.so
/usr/lib/libnss_hesiod.so
/usr/lib/libnss_nis.so
/usr/lib/libnss_nisplus.so
/usr/lib/libpthread.so
/usr/lib/libresolv.so
/usr/lib/librt.so
/usr/lib/libthread_db.so
/usr/lib/libutil.so
/usr/lib/pt_chown
/usr/sbin
/usr/sbin/iconvconfig
/usr/sbin/nscd
/usr/sbin/nscd_nischeck
/usr/sbin/rpcinfo
/usr/sbin/zdump
/usr/sbin/zic
/usr/share
/usr/share/info
/usr/share/info/libc.info
/usr/share/info/libc.info-1
/usr/share/info/libc.info-10
/usr/share/info/libc.info-11
/usr/share/info/libc.info-2
/usr/share/info/libc.info-3
/usr/share/info/libc.info-4
/usr/share/info/libc.info-5
/usr/share/info/libc.info-6
/usr/share/info/libc.info-7
/usr/share/info/libc.info-8
/usr/share/info/libc.info-9
/usr/share/zoneinfo
/usr/share/zoneinfo/iso3166.tab
/usr/share/zoneinfo/zone.tab

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

TEST DETAILS : [OPEN_POSIX_TEST_RESULT](#)

STD.2.1 POSIX Compliance . Major CGL Features

RPM PACKAGE: glibc-2.3.6-1

```

Name      : glibc                      Relocations: (not relocatable)
Version   : 2.3.6                      Vendor: Wind River Systems
Release   : 1                          Build Date: Sat May 13 05:33:28 2006
Install Date: Tue Jun 13 12:13:18 2006  Build Host: lpgbuild04
Group     : System Environment/Libraries Source RPM: glibc-2.3.6-1.src.rpm
Size      : 20093681                   License: GPL, LGPL
Signature : DSA/SHA1, Sun May 14 04:28:38 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : ftp://sources.redhat.com/pub/glibc/releases/glibc-2.3.6.tar.bz2
Summary   : The GNU libc libraries.

```

Description :

The glibc package contains standard libraries which are used by multiple programs on the system. In

```

/etc
/etc/rpc
/lib
/lib/ld-2.3.6.so
/lib/ld-linux.so.2
/lib/libBrokenLocale-2.3.6.so
/lib/libBrokenLocale.so.1
/lib/libSegFault.so
/lib/libanl-2.3.6.so
/lib/libanl.so.1
/lib/libc-2.3.6.so
/lib/libc.so.6
/lib/libcrypt-2.3.6.so
/lib/libcrypt.so.1
/lib/libdl-2.3.6.so
/lib/libdl.so.2
/lib/libm-2.3.6.so
/lib/libm.so.6
/lib/libmemusage.so
/lib/libnsl-2.3.6.so
/lib/libnsl.so.1
/lib/libnss_compat-2.3.6.so
/lib/libnss_compat.so.2
/lib/libnss_dns-2.3.6.so

```

```
/lib/libnss_dns.so.2
/lib/libnss_files-2.3.6.so
/lib/libnss_files.so.2
/lib/libnss_hesiod-2.3.6.so
/lib/libnss_hesiod.so.2
/lib/libnss_nis-2.3.6.so
/lib/libnss_nis.so.2
/lib/libnss_nisplus-2.3.6.so
/lib/libnss_nisplus.so.2
/lib/libpcprofile.so
/lib/libpthread-2.3.6.so
/lib/libpthread.so.0
/lib/libresolv-2.3.6.so
/lib/libresolv.so.2
/lib/librt-2.3.6.so
/lib/librt.so.1
/lib/libthread_db-1.0.so
/lib/libthread_db.so.1
/lib/libutil-2.3.6.so
/lib/libutil.so.1
/sbin
/sbin/ldconfig
/sbin/sln
/usr
/usr/bin
/usr/bin/catchsegv
/usr/bin/gencat
/usr/bin/getconf
/usr/bin/getent
/usr/bin/iconv
/usr/bin/ldd
/usr/bin/lddlibc4
/usr/bin/locale
/usr/bin/localedef
/usr/bin/pcprofiledump
/usr/bin/rpcgen
/usr/bin/sprof
/usr/bin/tzselect
/usr/bin/xtrace
/usr/lib
/usr/lib/gconv
/usr/lib/gconv/ANSI_X3.110.so
/usr/lib/gconv/ARMScii-8.so
/usr/lib/gconv/ASMO_449.so
/usr/lib/gconv/BIG5.so
/usr/lib/gconv/BIG5HKSCS.so
/usr/lib/gconv/CP10007.so
/usr/lib/gconv/CP1125.so
/usr/lib/gconv/CP1250.so
/usr/lib/gconv/CP1251.so
/usr/lib/gconv/CP1252.so
/usr/lib/gconv/CP1253.so
/usr/lib/gconv/CP1254.so
/usr/lib/gconv/CP1255.so
/usr/lib/gconv/CP1256.so
/usr/lib/gconv/CP1257.so
/usr/lib/gconv/CP1258.so
/usr/lib/gconv/CP737.so
/usr/lib/gconv/CP775.so
/usr/lib/gconv/CP932.so
/usr/lib/gconv/CSN_369103.so
/usr/lib/gconv/CWI.so
/usr/lib/gconv/DEC-MCS.so
/usr/lib/gconv/EBCDIC-AT-DE-A.so
/usr/lib/gconv/EBCDIC-AT-DE.so
/usr/lib/gconv/EBCDIC-CA-FR.so
/usr/lib/gconv/EBCDIC-DK-NO-A.so
/usr/lib/gconv/EBCDIC-DK-NO.so
/usr/lib/gconv/EBCDIC-ES-A.so
/usr/lib/gconv/EBCDIC-ES-S.so
/usr/lib/gconv/EBCDIC-ES.so
/usr/lib/gconv/EBCDIC-FI-SE-A.so
/usr/lib/gconv/EBCDIC-FI-SE.so
/usr/lib/gconv/EBCDIC-FR.so
/usr/lib/gconv/EBCDIC-IS-FRISS.so
/usr/lib/gconv/EBCDIC-IT.so
/usr/lib/gconv/EBCDIC-PT.so
/usr/lib/gconv/EBCDIC-UK.so
/usr/lib/gconv/EBCDIC-US.so
/usr/lib/gconv/ECMA-CYRILLIC.so
/usr/lib/gconv/EUC-CN.so
/usr/lib/gconv/EUC-JISX0213.so
/usr/lib/gconv/EUC-JP-MS.so
/usr/lib/gconv/EUC-JP.so
/usr/lib/gconv/EUC-KR.so
/usr/lib/gconv/EUC-TW.so
/usr/lib/gconv/GB18030.so
/usr/lib/gconv/GBBIG5.so
/usr/lib/gconv/GBGBK.so
/usr/lib/gconv/GBK.so
/usr/lib/gconv/GEORGIAN-ACADEMY.so
/usr/lib/gconv/GEORGIAN-PS.so
/usr/lib/gconv/GOST_19768-74.so
/usr/lib/gconv/GREEK-CCITT.so
```

/usr/lib/gconv/GREEK7-OLD.so
/usr/lib/gconv/GREEK7.so
/usr/lib/gconv/HP-ROMAN8.so
/usr/lib/gconv/IBM037.so
/usr/lib/gconv/IBM038.so
/usr/lib/gconv/IBM1004.so
/usr/lib/gconv/IBM1026.so
/usr/lib/gconv/IBM1046.so
/usr/lib/gconv/IBM1047.so
/usr/lib/gconv/IBM1124.so
/usr/lib/gconv/IBM1129.so
/usr/lib/gconv/IBM1132.so
/usr/lib/gconv/IBM1133.so
/usr/lib/gconv/IBM1160.so
/usr/lib/gconv/IBM1161.so
/usr/lib/gconv/IBM1162.so
/usr/lib/gconv/IBM1163.so
/usr/lib/gconv/IBM1164.so
/usr/lib/gconv/IBM256.so
/usr/lib/gconv/IBM273.so
/usr/lib/gconv/IBM274.so
/usr/lib/gconv/IBM275.so
/usr/lib/gconv/IBM277.so
/usr/lib/gconv/IBM278.so
/usr/lib/gconv/IBM280.so
/usr/lib/gconv/IBM281.so
/usr/lib/gconv/IBM284.so
/usr/lib/gconv/IBM285.so
/usr/lib/gconv/IBM290.so
/usr/lib/gconv/IBM297.so
/usr/lib/gconv/IBM420.so
/usr/lib/gconv/IBM423.so
/usr/lib/gconv/IBM424.so
/usr/lib/gconv/IBM437.so
/usr/lib/gconv/IBM500.so
/usr/lib/gconv/IBM850.so
/usr/lib/gconv/IBM851.so
/usr/lib/gconv/IBM852.so
/usr/lib/gconv/IBM855.so
/usr/lib/gconv/IBM856.so
/usr/lib/gconv/IBM857.so
/usr/lib/gconv/IBM860.so
/usr/lib/gconv/IBM861.so
/usr/lib/gconv/IBM862.so
/usr/lib/gconv/IBM863.so
/usr/lib/gconv/IBM864.so
/usr/lib/gconv/IBM865.so
/usr/lib/gconv/IBM866.so
/usr/lib/gconv/IBM866NAV.so
/usr/lib/gconv/IBM868.so
/usr/lib/gconv/IBM869.so
/usr/lib/gconv/IBM870.so
/usr/lib/gconv/IBM871.so
/usr/lib/gconv/IBM874.so
/usr/lib/gconv/IBM875.so
/usr/lib/gconv/IBM880.so
/usr/lib/gconv/IBM891.so
/usr/lib/gconv/IBM903.so
/usr/lib/gconv/IBM904.so
/usr/lib/gconv/IBM905.so
/usr/lib/gconv/IBM918.so
/usr/lib/gconv/IBM922.so
/usr/lib/gconv/IBM930.so
/usr/lib/gconv/IBM932.so
/usr/lib/gconv/IBM933.so
/usr/lib/gconv/IBM935.so
/usr/lib/gconv/IBM937.so
/usr/lib/gconv/IBM939.so
/usr/lib/gconv/IBM943.so
/usr/lib/gconv/IEC_P27-1.so
/usr/lib/gconv/INIS-8.so
/usr/lib/gconv/INIS-CYRILLIC.so
/usr/lib/gconv/INIS.so
/usr/lib/gconv/ISIRI-3342.so
/usr/lib/gconv/ISO-2022-CN-EXT.so
/usr/lib/gconv/ISO-2022-CN.so
/usr/lib/gconv/ISO-2022-JP-3.so
/usr/lib/gconv/ISO-2022-JP.so
/usr/lib/gconv/ISO-2022-KR.so
/usr/lib/gconv/ISO-IR-197.so
/usr/lib/gconv/ISO-IR-209.so
/usr/lib/gconv/ISO646.so
/usr/lib/gconv/ISO8859-1.so
/usr/lib/gconv/ISO8859-10.so
/usr/lib/gconv/ISO8859-11.so
/usr/lib/gconv/ISO8859-13.so
/usr/lib/gconv/ISO8859-14.so
/usr/lib/gconv/ISO8859-15.so
/usr/lib/gconv/ISO8859-16.so
/usr/lib/gconv/ISO8859-2.so
/usr/lib/gconv/ISO8859-3.so
/usr/lib/gconv/ISO8859-4.so
/usr/lib/gconv/ISO8859-5.so
/usr/lib/gconv/ISO8859-6.so

```

/usr/lib/gconv/ISO8859-7.so
/usr/lib/gconv/ISO8859-8.so
/usr/lib/gconv/ISO8859-9.so
/usr/lib/gconv/ISO_10367-BOX.so
/usr/lib/gconv/ISO_2033.so
/usr/lib/gconv/ISO_5427-EXT.so
/usr/lib/gconv/ISO_5427.so
/usr/lib/gconv/ISO_5428.so
/usr/lib/gconv/ISO_6937-2.so
/usr/lib/gconv/ISO_6937.so
/usr/lib/gconv/JOHAB.so
/usr/lib/gconv/KOI-8.so
/usr/lib/gconv/KOI8-R.so
/usr/lib/gconv/KOI8-T.so
/usr/lib/gconv/KOI8-U.so
/usr/lib/gconv/LATIN-GREEK-1.so
/usr/lib/gconv/LATIN-GREEK.so
/usr/lib/gconv/MAC-IS.so
/usr/lib/gconv/MAC-SAMI.so
/usr/lib/gconv/MAC-UK.so
/usr/lib/gconv/MACINTOSH.so
/usr/lib/gconv/NATS-DANO.so
/usr/lib/gconv/NATS-SEFI.so
/usr/lib/gconv/PT154.so
/usr/lib/gconv/RK1048.so
/usr/lib/gconv/SAMI-WS2.so
/usr/lib/gconv/SHIFT_JISX0213.so
/usr/lib/gconv/SJIS.so
/usr/lib/gconv/T.61.so
/usr/lib/gconv/TCVN5712-1.so
/usr/lib/gconv/TIS-620.so
/usr/lib/gconv/TSCII.so
/usr/lib/gconv/UHC.so
/usr/lib/gconv/UNICODE.so
/usr/lib/gconv/UTF-16.so
/usr/lib/gconv/UTF-32.so
/usr/lib/gconv/UTF-7.so
/usr/lib/gconv/VISCII.so
/usr/lib/gconv/gconv-modules
/usr/lib/gconv/libCNS.so
/usr/lib/gconv/libGB.so
/usr/lib/gconv/libISOIR165.so
/usr/lib/gconv/libJIS.so
/usr/lib/gconv/libJISX0213.so
/usr/lib/gconv/libKSC.so
/usr/lib/getconf
/usr/lib/libBrokenLocale.so
/usr/lib/libanl.so
/usr/lib/libc.so
/usr/lib/libcrypt.so
/usr/lib/libdl.so
/usr/lib/libm.so
/usr/lib/libnsl.so
/usr/lib/libnss_compat.so
/usr/lib/libnss_dns.so
/usr/lib/libnss_files.so
/usr/lib/libnss_hesiod.so
/usr/lib/libnss_nis.so
/usr/lib/libnss_nisplus.so
/usr/lib/libpthread.so
/usr/lib/libresolv.so
/usr/lib/librt.so
/usr/lib/libthread_db.so
/usr/lib/libutil.so
/usr/lib/pt_chown
/usr/sbin
/usr/sbin/iconvconfig
/usr/sbin/nscd
/usr/sbin/nscd_nischeck
/usr/sbin/rpcinfo
/usr/sbin/zdump
/usr/sbin/zic
/usr/share
/usr/share/info
/usr/share/info/libc.info
/usr/share/info/libc.info-1
/usr/share/info/libc.info-10
/usr/share/info/libc.info-11
/usr/share/info/libc.info-2
/usr/share/info/libc.info-3
/usr/share/info/libc.info-4
/usr/share/info/libc.info-5
/usr/share/info/libc.info-6
/usr/share/info/libc.info-7
/usr/share/info/libc.info-8
/usr/share/info/libc.info-9
/usr/share/zoneinfo
/usr/share/zoneinfo/iso3166.tab
/usr/share/zoneinfo/zone.tab
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
STD.3          SCTP

DETAILS RELATED TO THE REQUIREMENT

```

This feature is supported in stock 2.6 kernel

```
RPM PACKAGE:   lksctp-tools-1.0.4-1
Name          : lksctp-tools                Relocations: (not relocatable)
Version       : 1.0.4                      Vendor: Wind River Systems
Release      : 1                           Build Date: Sat May 13 06:52:01 2006
Install Date: Tue Jun 13 12:13:30 2006     Build Host: lpgbuild04
Group        : System Environment/Libraries Source RPM: lksctp-tools-1.0.4-1.src.rpm
Size         : 100983                       License: LGPL
Signature    : DSA/SHA1, Sun May 14 04:28:42 2006, Key ID 6dfc21e3b0c7d54f
Packager     : Wind River
URL          : http://easynews.dl.sourceforge.net/sourceforge/lksctp/lksctp-tools-1.0.4.tar.gz
Summary      : User-space access to Linux Kernel SCTP
Description  :
This is the lksctp-tools package for Linux Kernel SCTP Reference Implementation. This package is int
/usr
/usr/bin
/usr/bin/checksctp
/usr/bin/sctp_darn
/usr/bin/sctp_test
/usr/bin/withsctp
/usr/lib
/usr/lib/libsctp.so
/usr/lib/libsctp.so.1
/usr/lib/libsctp.so.1.0.4
/usr/lib/lksctp-tools
/usr/lib/lksctp-tools/libwithsctp.so
/usr/lib/lksctp-tools/libwithsctp.so.1
/usr/lib/lksctp-tools/libwithsctp.so.1.0.4
/usr/share
/usr/share/man/man3/sctp_bindx.3
/usr/share/man/man3/sctp_connectx.3
/usr/share/man/man3/sctp_getladdrs.3
/usr/share/man/man3/sctp_getpaddrs.3
/usr/share/man/man3/sctp_opt_info.3
/usr/share/man/man3/sctp_peeloff.3
/usr/share/man/man3/sctp_recvmmsg.3
/usr/share/man/man3/sctp_send.3
/usr/share/man/man3/sctp_sendmmsg.3
/usr/share/man/man7/sctp.7
```

STD.3.1 SCTP Base features

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

STD.4 IPV6

```
RPM PACKAGE:   usagi-tool-s20051205-1
Name          : usagi-tool                Relocations: (not relocatable)
Version       : s20051205                Vendor: Wind River Systems
Release      : 1                           Build Date: Sat May 13 08:07:48 2006
Install Date: Tue Jun 13 12:14:13 2006     Build Host: lpgbuild04
Group        : System Environment/Base     Source RPM: usagi-tool-s20051205-1.src.rpm
Size         : 1726789                     License: GPL
Signature    : DSA/SHA1, Sun May 14 04:28:53 2006, Key ID 6dfc21e3b0c7d54f
Packager     : Wind River
URL          : ftp://ftp.linux-ipv6.org/pub/usagi/snap/split/usagi-tool-s20051205.tar.bz2
Summary      : The USAGI IPv6 Networking Extension
Description  :
The USAGI Project aims to improve IPv6 environment on Linux including IPv6 stack in kernel, APIs in
/usr
/usr/local
/usr/local/v6
/usr/local/v6/bin
/usr/local/v6/bin/finger
/usr/local/v6/bin/ftp
/usr/local/v6/bin/pftp
/usr/local/v6/bin/ping6
/usr/local/v6/bin/rcp
/usr/local/v6/bin/rexec
/usr/local/v6/bin/rlogin
/usr/local/v6/bin/rsh
/usr/local/v6/bin/talk
/usr/local/v6/bin/telnet
/usr/local/v6/bin/tftp
/usr/local/v6/bin/tracepath6
/usr/local/v6/bin/traceroute6
/usr/local/v6/bin/write
/usr/local/v6/etc
/usr/local/v6/etc/inetd.conf.sample
/usr/local/v6/etc/init.d
/usr/local/v6/etc/init.d/ninfod
/usr/local/v6/lib
/usr/local/v6/sbin
/usr/local/v6/sbin/dtcpc
/usr/local/v6/sbin/in.comsat
/usr/local/v6/sbin/in.fingerd
/usr/local/v6/sbin/in.ftpd
/usr/local/v6/sbin/in.ntalkd
/usr/local/v6/sbin/in.rexecd
/usr/local/v6/sbin/in.rlogind
/usr/local/v6/sbin/in.rshd
/usr/local/v6/sbin/in.talkd
/usr/local/v6/sbin/in.telnetd
/usr/local/v6/sbin/in.tftpd
/usr/local/v6/sbin/in.writed
/usr/local/v6/sbin/inetd
```

```

/usr/local/v6/sbin/ip
/usr/local/v6/sbin/ipv6tunnel
/usr/local/v6/sbin/ndp
/usr/local/v6/sbin/netstat
/usr/local/v6/sbin/ninfod
/usr/local/v6/sbin/rtsol
/usr/local/v6/sbin/rwhod
/usr/local/v6/sbin/safe_finger
/usr/local/v6/sbin/syslogd
/usr/local/v6/sbin/tcpd
/usr/local/v6/sbin/tcpdchk
/usr/local/v6/sbin/tcpdmatch
/usr/local/v6/sbin/try-from

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

STD.4.1 IPv6 Base features

RPM PACKAGE: usagi-tool-s20051205-1

```

Name      : usagi-tool           Relocations: (not relocatable)
Version   : s20051205           Vendor: Wind River Systems
Release   : 1                   Build Date: Sat May 13 08:07:48 2006
Install Date: Tue Jun 13 12:14:13 2006 Build Host: lpgbuild04
Group     : System Environment/Base Source RPM: usagi-tool-s20051205-1.src.rpm
Size      : 1726789             License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:53 2006, Key ID 6dfc21e3b0c7d54f
Packager  : Wind River
URL       : ftp://ftp.linux-ipv6.org/pub/usagi/snap/split/usagi-tool-s20051205.tar.bz2
Summary   : The USAGI IPv6 Networking Extension

```

Description :

The USAGI Project aims to improve IPv6 environment on Linux including IPv6 stack in kernel, APIs in

```

/usr
/usr/local
/usr/local/v6
/usr/local/v6/bin
/usr/local/v6/bin/finger
/usr/local/v6/bin/ftp
/usr/local/v6/bin/pftp
/usr/local/v6/bin/ping6
/usr/local/v6/bin/rcp
/usr/local/v6/bin/rexec
/usr/local/v6/bin/rlogin
/usr/local/v6/bin/rsh
/usr/local/v6/bin/talk
/usr/local/v6/bin/telnet
/usr/local/v6/bin/tftp
/usr/local/v6/bin/tracepath6
/usr/local/v6/bin/traceroute6
/usr/local/v6/bin/write
/usr/local/v6/etc
/usr/local/v6/etc/inetd.conf.sample
/usr/local/v6/etc/init.d
/usr/local/v6/etc/init.d/ninfod
/usr/local/v6/lib
/usr/local/v6/sbin
/usr/local/v6/sbin/dtcpc
/usr/local/v6/sbin/in.comsat
/usr/local/v6/sbin/in.fingerd
/usr/local/v6/sbin/in.ftpd
/usr/local/v6/sbin/in.ntalkd
/usr/local/v6/sbin/in.rexecd
/usr/local/v6/sbin/in.rlogind
/usr/local/v6/sbin/in.rshd
/usr/local/v6/sbin/in.talkd
/usr/local/v6/sbin/in.telnetd
/usr/local/v6/sbin/in.tftpd
/usr/local/v6/sbin/in.writed
/usr/local/v6/sbin/inetd
/usr/local/v6/sbin/ip
/usr/local/v6/sbin/ipv6tunnel
/usr/local/v6/sbin/ndp
/usr/local/v6/sbin/netstat
/usr/local/v6/sbin/ninfod
/usr/local/v6/sbin/rtsol
/usr/local/v6/sbin/rwhod
/usr/local/v6/sbin/safe_finger
/usr/local/v6/sbin/syslogd
/usr/local/v6/sbin/tcpd
/usr/local/v6/sbin/tcpdchk
/usr/local/v6/sbin/tcpdmatch
/usr/local/v6/sbin/try-from

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

STD.5 IPSec v6 and v4

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

RPM PACKAGE: ipsec-tools-0.6.3-1

```

Name      : ipsec-tools           Relocations: (not relocatable)
Version   : 0.6.3               Vendor: Wind River Systems
Release   : 1                   Build Date: Sat May 13 06:48:12 2006
Install Date: Tue Jun 13 12:13:24 2006 Build Host: lpgbuild04
Group     : System Environment/Base Source RPM: ipsec-tools-0.6.3-1.src.rpm
Size      : 644874             License: GPL
Signature : DSA/SHA1, Sun May 14 04:28:41 2006, Key ID 6dfc21e3b0c7d54f

```

```

Packager      : Wind River
URL           : http://voxel.dl.sourceforge.net/sourceforge/ipsec-tools/ipsec-tools-0.6.3.tar.bz2
Summary      : Tools for configuring and using IPsec
Description  :
IPsec is a set of protocols developed to support the secure exchange of network traffic.The ipsec-to
/etc
/etc/racoon.conf
/usr
/usr/lib
/usr/sbin
/usr/sbin/plainrsa-gen
/usr/sbin/racoon
/usr/sbin/racoonctl
/usr/sbin/setkey
/usr/share
/usr/share/man/man3/ipsec_set_policy.3
/usr/share/man/man3/ipsec_strerror.3
/usr/share/man/man5/racoon.conf.5
/usr/share/man/man8/plainrsa-gen.8
/usr/share/man/man8/racoon.8
/usr/share/man/man8/racoonctl.8
/usr/share/man/man8/setkey.8
/var
/var/racoon

```

STD.5.1 IPsec Major CGL Features

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

```

RPM PACKAGE:  ipsec-tools-0.6.3-1
Name          : ipsec-tools                Relocations: (not relocatable)
Version      : 0.6.3                      Vendor: Wind River Systems
Release      : 1                          Build Date: Sat May 13 06:48:12 2006
Install Date: Tue Jun 13 12:13:24 2006    Build Host: lpgbuild04
Group        : System Environment/Base     Source RPM: ipsec-tools-0.6.3-1.src.rpm
Size         : 644874                      License: GPL
Signature    : DSA/SHA1, Sun May 14 04:28:41 2006, Key ID 6dfc21e3b0c7d54f
Packager     : Wind River
URL          : http://voxel.dl.sourceforge.net/sourceforge/ipsec-tools/ipsec-tools-0.6.3.tar.bz2
Summary      : Tools for configuring and using IPsec
Description  :
IPsec is a set of protocols developed to support the secure exchange of network traffic.The ipsec-to
/etc
/etc/racoon.conf
/usr
/usr/lib
/usr/sbin
/usr/sbin/plainrsa-gen
/usr/sbin/racoon
/usr/sbin/racoonctl
/usr/sbin/setkey
/usr/share
/usr/share/man/man3/ipsec_set_policy.3
/usr/share/man/man3/ipsec_strerror.3
/usr/share/man/man5/racoon.conf.5
/usr/share/man/man8/plainrsa-gen.8
/usr/share/man/man8/racoon.8
/usr/share/man/man8/racoonctl.8
/usr/share/man/man8/setkey.8
/var
/var/racoon

```

STD.6 MIPv6

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

```

RPM PACKAGE:  mipv6-2.0-1
Name          : mipv6                      Relocations: (not relocatable)
Version      : 2.0                        Vendor: Wind River Systems
Release      : 1                          Build Date: Sat May 13 07:00:35 2006
Install Date: Tue Jun 13 12:13:33 2006    Build Host: lpgbuild04
Group        : System Environment/Base     Source RPM: mipv6-2.0-1.src.rpm
Size         : 185032                      License: GPL
Signature    : DSA/SHA1, Sun May 14 04:28:45 2006, Key ID 6dfc21e3b0c7d54f
Packager     : Wind River
URL          : http://www.mobile-ipv6.org/software/download/mipv6-2.0.tar.gz
Summary      : Mobile IPv6 user side code
Description  :
Mobile IPv6 user side code
/usr
/usr/sbin
/usr/sbin/mip6d
/usr/share
/usr/share/man/man1/mip6d.1
/usr/share/man/man5/mip6d.conf.5
/usr/share/man/man7/mipv6.7

```

STD.6.1 MIPv6 CGL Major Features

```

RPM PACKAGE:  mipv6-2.0-1
Name          : mipv6                      Relocations: (not relocatable)
Version      : 2.0                        Vendor: Wind River Systems
Release      : 1                          Build Date: Sat May 13 07:00:35 2006
Install Date: Tue Jun 13 12:13:33 2006    Build Host: lpgbuild04
Group        : System Environment/Base     Source RPM: mipv6-2.0-1.src.rpm
Size         : 185032                      License: GPL
Signature    : DSA/SHA1, Sun May 14 04:28:45 2006, Key ID 6dfc21e3b0c7d54f
Packager     : Wind River

```



```
/usr/share/man/man1/snmpset.1
/usr/share/man/man1/snmpstatus.1
/usr/share/man/man1/snmpstable.1
/usr/share/man/man1/snmpptest.1
/usr/share/man/man1/snmptranslate.1
/usr/share/man/man1/snmptrap.1
/usr/share/man/man1/snmpusm.1
/usr/share/man/man1/snmpvacm.1
/usr/share/man/man1/snmpwalk.1
/usr/share/man/man3/add_mibdir.3
/usr/share/man/man3/add_module_replacement.3
/usr/share/man/man3/default_store.3
/usr/share/man/man3/get_module_node.3
/usr/share/man/man3/init_mib.3
/usr/share/man/man3/init_mib_internals.3
/usr/share/man/man3/mib_api.3
/usr/share/man/man3/netsnmp_Container_iterator.3
/usr/share/man/man3/netsnmp_agent.3
/usr/share/man/man3/netsnmp_baby_steps.3
/usr/share/man/man3/netsnmp_bulk_to_next.3
/usr/share/man/man3/netsnmp_cache_handler.3
/usr/share/man/man3/netsnmp_container.3
/usr/share/man/man3/netsnmp_debug.3
/usr/share/man/man3/netsnmp_example_scalar_int.3
/usr/share/man/man3/netsnmp_handler.3
/usr/share/man/man3/netsnmp_instance.3
/usr/share/man/man3/netsnmp_iterator_info_s.3
/usr/share/man/man3/netsnmp_leaf.3
/usr/share/man/man3/netsnmp_library.3
/usr/share/man/man3/netsnmp_mib_handler_methods.3
/usr/share/man/man3/netsnmp_mib_utilities.3
/usr/share/man/man3/netsnmp_mode_end_call.3
/usr/share/man/man3/netsnmp_multiplexer.3
/usr/share/man/man3/netsnmp_old_api.3
/usr/share/man/man3/netsnmp_read_only.3
/usr/share/man/man3/netsnmp_row_merge.3
/usr/share/man/man3/netsnmp_scalar.3
/usr/share/man/man3/netsnmp_scalar_group_group.3
/usr/share/man/man3/netsnmp_serialize.3
/usr/share/man/man3/netsnmp_stash_cache.3
/usr/share/man/man3/netsnmp_table.3
/usr/share/man/man3/netsnmp_table_array.3
/usr/share/man/man3/netsnmp_table_data.3
/usr/share/man/man3/netsnmp_table_dataset.3
/usr/share/man/man3/netsnmp_table_iterator.3
/usr/share/man/man3/netsnmp_utilities.3
/usr/share/man/man3/netsnmp_watcher.3
/usr/share/man/man3/print_description.3
/usr/share/man/man3/print_mib.3
/usr/share/man/man3/print_objid.3
/usr/share/man/man3/print_value.3
/usr/share/man/man3/print_variable.3
/usr/share/man/man3/read_all_mibs.3
/usr/share/man/man3/read_config.3
/usr/share/man/man3/read_mib.3
/usr/share/man/man3/read_module.3
/usr/share/man/man3/read_module_node.3
/usr/share/man/man3/read_objid.3
/usr/share/man/man3/shutdown_mib.3
/usr/share/man/man3/snmp_agent_api.3
/usr/share/man/man3/snmp_alarm.3
/usr/share/man/man3/snmp_api.3
/usr/share/man/man3/snmp_api_errstring.3
/usr/share/man/man3/snmp_close.3
/usr/share/man/man3/snmp_error.3
/usr/share/man/man3/snmp_free_pdu.3
/usr/share/man/man3/snmp_open.3
/usr/share/man/man3/snmp_perror.3
/usr/share/man/man3/snmp_read.3
/usr/share/man/man3/snmp_select_info.3
/usr/share/man/man3/snmp_send.3
/usr/share/man/man3/snmp_sess_api.3
/usr/share/man/man3/snmp_sess_async_send.3
/usr/share/man/man3/snmp_sess_close.3
/usr/share/man/man3/snmp_sess_error.3
/usr/share/man/man3/snmp_sess_init.3
/usr/share/man/man3/snmp_sess_open.3
/usr/share/man/man3/snmp_sess_perror.3
/usr/share/man/man3/snmp_sess_read.3
/usr/share/man/man3/snmp_sess_select_info.3
/usr/share/man/man3/snmp_sess_send.3
/usr/share/man/man3/snmp_sess_session.3
/usr/share/man/man3/snmp_sess_timeout.3
/usr/share/man/man3/snmp_set_mib_warnings.3
/usr/share/man/man3/snmp_set_save_descriptions.3
/usr/share/man/man3/snmp_timeout.3
/usr/share/man/man3/snmp_trap_api.3
/usr/share/man/man5/mib2c.conf.5
/usr/share/man/man5/snmp.conf.5
/usr/share/man/man5/snmp_config.5
/usr/share/man/man5/snmpd.conf.5
/usr/share/man/man5/snmpd.examples.5
/usr/share/man/man5/snmpd.internal.5
/usr/share/man/man5/snmptrapd.conf.5
```

```

/usr/share/man/man5/variables.5
/usr/share/man/man8/snmpd.8
/usr/share/man/man8/snmptrapd.8
/usr/share/snmp
/usr/share/snmp/mib2c-data
/usr/share/snmp/mib2c-data/default-mfd-top.m2c
/usr/share/snmp/mib2c-data/details-enums.m2i
/usr/share/snmp/mib2c-data/details-node.m2i
/usr/share/snmp/mib2c-data/details-table.m2i
/usr/share/snmp/mib2c-data/generic-ctx-copy.m2i
/usr/share/snmp/mib2c-data/generic-ctx-get.m2i
/usr/share/snmp/mib2c-data/generic-ctx-set.m2i
/usr/share/snmp/mib2c-data/generic-data-allocate.m2i
/usr/share/snmp/mib2c-data/generic-data-context.m2i
/usr/share/snmp/mib2c-data/generic-get-char.m2i
/usr/share/snmp/mib2c-data/generic-get-decl-bot.m2i
/usr/share/snmp/mib2c-data/generic-get-decl.m2i
/usr/share/snmp/mib2c-data/generic-get-long.m2i
/usr/share/snmp/mib2c-data/generic-get-oid.m2i
/usr/share/snmp/mib2c-data/generic-header-bottom.m2i
/usr/share/snmp/mib2c-data/generic-header-top.m2i
/usr/share/snmp/mib2c-data/generic-source-includes.m2i
/usr/share/snmp/mib2c-data/generic-table-constants.m2c
/usr/share/snmp/mib2c-data/generic-table-enums.m2c
/usr/share/snmp/mib2c-data/generic-table-indexes-from-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-set.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-to-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-varbind-setup.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes.m2i
/usr/share/snmp/mib2c-data/generic-table-oids.m2c
/usr/share/snmp/mib2c-data/generic-value-map-func.m2i
/usr/share/snmp/mib2c-data/generic-value-map-reverse.m2i
/usr/share/snmp/mib2c-data/generic-value-map.m2i
/usr/share/snmp/mib2c-data/m2c-internal-warning.m2i
/usr/share/snmp/mib2c-data/m2c_setup_enum.m2i
/usr/share/snmp/mib2c-data/m2c_setup_node.m2i
/usr/share/snmp/mib2c-data/m2c_setup_table.m2i
/usr/share/snmp/mib2c-data/m2c_table_save_defaults.m2i
/usr/share/snmp/mib2c-data/mfd-access-container-cached-defines.m2i
/usr/share/snmp/mib2c-data/mfd-access-unsorted-external-defines.m2i
/usr/share/snmp/mib2c-data/mfd-data-access.m2c
/usr/share/snmp/mib2c-data/mfd-data-get.m2c
/usr/share/snmp/mib2c-data/mfd-data-set.m2c
/usr/share/snmp/mib2c-data/mfd-doxygen.m2c
/usr/share/snmp/mib2c-data/mfd-interactive-setup.m2c
/usr/share/snmp/mib2c-data/mfd-interface.m2c
/usr/share/snmp/mib2c-data/mfd-makefile.m2m
/usr/share/snmp/mib2c-data/mfd-persistence.m2i
/usr/share/snmp/mib2c-data/mfd-readme.m2c
/usr/share/snmp/mib2c-data/mfd-top.m2c
/usr/share/snmp/mib2c-data/node-get.m2i
/usr/share/snmp/mib2c-data/node-set.m2i
/usr/share/snmp/mib2c-data/node-storage.m2i
/usr/share/snmp/mib2c-data/node-validate.m2i
/usr/share/snmp/mib2c-data/node-varbind-validate.m2i
/usr/share/snmp/mib2c-data/parent-dependencies.m2i
/usr/share/snmp/mib2c-data/parent-set.m2i
/usr/share/snmp/mib2c-data/subagent.m2c
/usr/share/snmp/mib2c-data/syntax-COUNTER64-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2d
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-readme.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-set.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-set.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-get.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-varbind-validate.m2i
/usr/share/snmp/mib2c-data/syntax-StorageType-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-TestAndIncr-get.m2i
/usr/share/snmp/mib2c.access_functions.conf
/usr/share/snmp/mib2c.array-user.conf
/usr/share/snmp/mib2c.check_values.conf
/usr/share/snmp/mib2c.check_values_local.conf
/usr/share/snmp/mib2c.column_defines.conf
/usr/share/snmp/mib2c.column_enums.conf
/usr/share/snmp/mib2c.column_storage.conf
/usr/share/snmp/mib2c.conf
/usr/share/snmp/mib2c.container.conf
/usr/share/snmp/mib2c.create-dataset.conf
/usr/share/snmp/mib2c.genhtml.conf
/usr/share/snmp/mib2c.int_watch.conf
/usr/share/snmp/mib2c.iterate.conf
/usr/share/snmp/mib2c.iterate_access.conf
/usr/share/snmp/mib2c.mfd.conf
/usr/share/snmp/mib2c.notify.conf
/usr/share/snmp/mib2c.old-api.conf
/usr/share/snmp/mib2c.scalar.conf
/usr/share/snmp/mib2c.table_data.conf
/usr/share/snmp/mibs
/usr/share/snmp/mibs/AGENTX-MIB.txt
/usr/share/snmp/mibs/DISMAN-EVENT-MIB.txt
/usr/share/snmp/mibs/DISMAN-SCHEDULE-MIB.txt

```

```

/usr/share/snmp/mibs/DISMAN-SCRIPT-MIB.txt
/usr/share/snmp/mibs/EtherLike-MIB.txt
/usr/share/snmp/mibs/HENUM-TC.txt
/usr/share/snmp/mibs/HOST-RESOURCES-MIB.txt
/usr/share/snmp/mibs/HOST-RESOURCES-TYPES.txt
/usr/share/snmp/mibs/IANA-ADDRESS-FAMILY-NUMBERS-MIB.txt
/usr/share/snmp/mibs/IANA-LANGUAGE-MIB.txt
/usr/share/snmp/mibs/IANA-RTPROTO-MIB.txt
/usr/share/snmp/mibs/IANAifType-MIB.txt
/usr/share/snmp/mibs/IF-INVERTED-STACK-MIB.txt
/usr/share/snmp/mibs/IF-MIB.txt
/usr/share/snmp/mibs/INET-ADDRESS-MIB.txt
/usr/share/snmp/mibs/IP-FORWARD-MIB.txt
/usr/share/snmp/mibs/IP-MIB.txt
/usr/share/snmp/mibs/IPV6-ICMP-MIB.txt
/usr/share/snmp/mibs/IPV6-MIB.txt
/usr/share/snmp/mibs/IPV6-TC.txt
/usr/share/snmp/mibs/IPV6-TCP-MIB.txt
/usr/share/snmp/mibs/IPV6-UDP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-AGENT-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXAMPLES-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXTEND-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-TC.txt
/usr/share/snmp/mibs/NOTIFICATION-LOG-MIB.txt
/usr/share/snmp/mibs/RFC-1215.txt
/usr/share/snmp/mibs/RFC1155-SMI.txt
/usr/share/snmp/mibs/RFC1213-MIB.txt
/usr/share/snmp/mibs/RMON-MIB.txt
/usr/share/snmp/mibs/SMUX-MIB.txt
/usr/share/snmp/mibs/SNMP-COMMUNITY-MIB.txt
/usr/share/snmp/mibs/SNMP-FRAMEWORK-MIB.txt
/usr/share/snmp/mibs/SNMP-MPD-MIB.txt
/usr/share/snmp/mibs/SNMP-NOTIFICATION-MIB.txt
/usr/share/snmp/mibs/SNMP-PROXY-MIB.txt
/usr/share/snmp/mibs/SNMP-TARGET-MIB.txt
/usr/share/snmp/mibs/SNMP-USER-BASED-SM-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-AES-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-DH-OBJECTS-MIB.txt
/usr/share/snmp/mibs/SNMP-VIEW-BASED-ACM-MIB.txt
/usr/share/snmp/mibs/SNMPv2-CONF.txt
/usr/share/snmp/mibs/SNMPv2-MIB.txt
/usr/share/snmp/mibs/SNMPv2-SMI.txt
/usr/share/snmp/mibs/SNMPv2-TC.txt
/usr/share/snmp/mibs/SNMPv2-TM.txt
/usr/share/snmp/mibs/TCP-MIB.txt
/usr/share/snmp/mibs/TRANSPORT-ADDRESS-MIB.txt
/usr/share/snmp/mibs/UCD-DEMO-MIB.txt
/usr/share/snmp/mibs/UCD-DISKIO-MIB.txt
/usr/share/snmp/mibs/UCD-DLMOD-MIB.txt
/usr/share/snmp/mibs/UCD-IPFWACC-MIB.txt
/usr/share/snmp/mibs/UCD-SNMP-MIB.txt
/usr/share/snmp/mibs/UDP-MIB.txt
/usr/share/snmp/snmp_perl_trapd.pl
/usr/share/snmp/snmpconf-data
/usr/share/snmp/snmpconf-data/snmp-data
/usr/share/snmp/snmpconf-data/snmp-data/authopts
/usr/share/snmp/snmpconf-data/snmp-data/debugging
/usr/share/snmp/snmpconf-data/snmp-data/mibs
/usr/share/snmp/snmpconf-data/snmp-data/output
/usr/share/snmp/snmpconf-data/snmp-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmpd-data
/usr/share/snmp/snmpconf-data/snmpd-data/acl
/usr/share/snmp/snmpconf-data/snmpd-data/basic_setup
/usr/share/snmp/snmpconf-data/snmpd-data/extending
/usr/share/snmp/snmpconf-data/snmpd-data/monitor
/usr/share/snmp/snmpconf-data/snmpd-data/operation
/usr/share/snmp/snmpconf-data/snmpd-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmpd-data/system
/usr/share/snmp/snmpconf-data/snmpd-data/trapsinks
/usr/share/snmp/snmpconf-data/snmptrapd-data
/usr/share/snmp/snmpconf-data/snmptrapd-data/authentication
/usr/share/snmp/snmpconf-data/snmptrapd-data/formatting
/usr/share/snmp/snmpconf-data/snmptrapd-data/logging
/usr/share/snmp/snmpconf-data/snmptrapd-data/runtime
/usr/share/snmp/snmpconf-data/snmptrapd-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmptrapd-data/traphandle

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

STD.7.1 SNMP v1, v2, v3

```

RPM PACKAGE: net-snmp-5.3.0.1-1
Name          : net-snmp                Relocations: (not relocatable)
Version       : 5.3.0.1                Vendor: Wind River Systems
Release       : 1                       Build Date: Sat May 13 06:36:40 2006
Install Date: Tue Jun 13 12:13:42 2006 Build Host: lpgbuild04
Group         : System Environment/Daemons Source RPM: net-snmp-5.3.0.1-1.src.rpm
Size          : 4622468                  License: BSD
Signature     : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager      : Wind River
URL           : http://aleron.dl.sourceforge.net/sourceforge/net-snmp/net-snmp-5.3.0.1.tar.gz
Summary       : A collection of SNMP protocol tools and libraries.
Description   :
SNMP (Simple Network Management Protocol) is a protocol used for network management. The NET-SNMP pr

```



```

/usr/share/man/man3/netsnmp_library.3
/usr/share/man/man3/netsnmp_mib_handler_methods.3
/usr/share/man/man3/netsnmp_mib_utilities.3
/usr/share/man/man3/netsnmp_mode_end_call.3
/usr/share/man/man3/netsnmp_multiplexer.3
/usr/share/man/man3/netsnmp_old_api.3
/usr/share/man/man3/netsnmp_read_only.3
/usr/share/man/man3/netsnmp_row_merge.3
/usr/share/man/man3/netsnmp_scalar.3
/usr/share/man/man3/netsnmp_scalar_group_group.3
/usr/share/man/man3/netsnmp_serialize.3
/usr/share/man/man3/netsnmp_stash_cache.3
/usr/share/man/man3/netsnmp_table.3
/usr/share/man/man3/netsnmp_table_array.3
/usr/share/man/man3/netsnmp_table_data.3
/usr/share/man/man3/netsnmp_table_dataset.3
/usr/share/man/man3/netsnmp_table_iterator.3
/usr/share/man/man3/netsnmp_utilities.3
/usr/share/man/man3/netsnmp_watcher.3
/usr/share/man/man3/print_description.3
/usr/share/man/man3/print_mib.3
/usr/share/man/man3/print_objid.3
/usr/share/man/man3/print_value.3
/usr/share/man/man3/print_variable.3
/usr/share/man/man3/read_all_mibs.3
/usr/share/man/man3/read_config.3
/usr/share/man/man3/read_mib.3
/usr/share/man/man3/read_module.3
/usr/share/man/man3/read_module_node.3
/usr/share/man/man3/read_objid.3
/usr/share/man/man3/shutdown_mib.3
/usr/share/man/man3/snmp_agent_api.3
/usr/share/man/man3/snmp_alarm.3
/usr/share/man/man3/snmp_api.3
/usr/share/man/man3/snmp_api_errstring.3
/usr/share/man/man3/snmp_close.3
/usr/share/man/man3/snmp_error.3
/usr/share/man/man3/snmp_free_pdu.3
/usr/share/man/man3/snmp_open.3
/usr/share/man/man3/snmp_perror.3
/usr/share/man/man3/snmp_read.3
/usr/share/man/man3/snmp_select_info.3
/usr/share/man/man3/snmp_send.3
/usr/share/man/man3/snmp_sess_api.3
/usr/share/man/man3/snmp_sess_async_send.3
/usr/share/man/man3/snmp_sess_close.3
/usr/share/man/man3/snmp_sess_error.3
/usr/share/man/man3/snmp_sess_init.3
/usr/share/man/man3/snmp_sess_open.3
/usr/share/man/man3/snmp_sess_perror.3
/usr/share/man/man3/snmp_sess_read.3
/usr/share/man/man3/snmp_sess_select_info.3
/usr/share/man/man3/snmp_sess_send.3
/usr/share/man/man3/snmp_sess_session.3
/usr/share/man/man3/snmp_sess_timeout.3
/usr/share/man/man3/snmp_set_mib_warnings.3
/usr/share/man/man3/snmp_set_save_descriptions.3
/usr/share/man/man3/snmp_timeout.3
/usr/share/man/man3/snmp_trap_api.3
/usr/share/man/man5/mib2c.conf.5
/usr/share/man/man5/snmp.conf.5
/usr/share/man/man5/snmp_config.5
/usr/share/man/man5/snmpd.conf.5
/usr/share/man/man5/snmpd.examples.5
/usr/share/man/man5/snmpd.internal.5
/usr/share/man/man5/snmptrapd.conf.5
/usr/share/man/man5/variables.5
/usr/share/man/man8/snmpd.8
/usr/share/man/man8/snmptrapd.8
/usr/share/snmp
/usr/share/snmp/mib2c-data
/usr/share/snmp/mib2c-data/default-mfd-top.m2c
/usr/share/snmp/mib2c-data/details-enums.m2i
/usr/share/snmp/mib2c-data/details-node.m2i
/usr/share/snmp/mib2c-data/details-table.m2i
/usr/share/snmp/mib2c-data/generic-ctx-copy.m2i
/usr/share/snmp/mib2c-data/generic-ctx-get.m2i
/usr/share/snmp/mib2c-data/generic-ctx-set.m2i
/usr/share/snmp/mib2c-data/generic-data-allocate.m2i
/usr/share/snmp/mib2c-data/generic-data-context.m2i
/usr/share/snmp/mib2c-data/generic-get-char.m2i
/usr/share/snmp/mib2c-data/generic-get-decl-bot.m2i
/usr/share/snmp/mib2c-data/generic-get-decl.m2i
/usr/share/snmp/mib2c-data/generic-get-long.m2i
/usr/share/snmp/mib2c-data/generic-get-oid.m2i
/usr/share/snmp/mib2c-data/generic-header-bottom.m2i
/usr/share/snmp/mib2c-data/generic-header-top.m2i
/usr/share/snmp/mib2c-data/generic-source-includes.m2i
/usr/share/snmp/mib2c-data/generic-table-constants.m2c
/usr/share/snmp/mib2c-data/generic-table-enums.m2c
/usr/share/snmp/mib2c-data/generic-table-indexes-from-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-set.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-to-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-varbind-setup.m2i

```

```

/usr/share/snmp/mib2c-data/generic-table-indexes.m2i
/usr/share/snmp/mib2c-data/generic-table-oids.m2c
/usr/share/snmp/mib2c-data/generic-value-map-func.m2i
/usr/share/snmp/mib2c-data/generic-value-map-reverse.m2i
/usr/share/snmp/mib2c-data/generic-value-map.m2i
/usr/share/snmp/mib2c-data/m2c-internal-warning.m2i
/usr/share/snmp/mib2c-data/m2c_setup_enum.m2i
/usr/share/snmp/mib2c-data/m2c_setup_node.m2i
/usr/share/snmp/mib2c-data/m2c_setup_table.m2i
/usr/share/snmp/mib2c-data/m2c_table_save_defaults.m2i
/usr/share/snmp/mib2c-data/mfd-access-container-cached-defines.m2i
/usr/share/snmp/mib2c-data/mfd-access-unsorted-external-defines.m2i
/usr/share/snmp/mib2c-data/mfd-data-access.m2c
/usr/share/snmp/mib2c-data/mfd-data-get.m2c
/usr/share/snmp/mib2c-data/mfd-data-set.m2c
/usr/share/snmp/mib2c-data/mfd-doxygen.m2c
/usr/share/snmp/mib2c-data/mfd-interactive-setup.m2c
/usr/share/snmp/mib2c-data/mfd-interface.m2c
/usr/share/snmp/mib2c-data/mfd-makefile.m2m
/usr/share/snmp/mib2c-data/mfd-persistence.m2i
/usr/share/snmp/mib2c-data/mfd-readme.m2c
/usr/share/snmp/mib2c-data/mfd-top.m2c
/usr/share/snmp/mib2c-data/node-get.m2i
/usr/share/snmp/mib2c-data/node-set.m2i
/usr/share/snmp/mib2c-data/node-storage.m2i
/usr/share/snmp/mib2c-data/node-validate.m2i
/usr/share/snmp/mib2c-data/node-varbind-validate.m2i
/usr/share/snmp/mib2c-data/parent-dependencies.m2i
/usr/share/snmp/mib2c-data/parent-set.m2i
/usr/share/snmp/mib2c-data/subagent.m2c
/usr/share/snmp/mib2c-data/syntax-COUNTER64-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2d
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-readme.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-set.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-set.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-get.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-varbind-validate.m2i
/usr/share/snmp/mib2c-data/syntax-StorageType-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-TestAndIncr-get.m2i
/usr/share/snmp/mib2c.access_functions.conf
/usr/share/snmp/mib2c.array-user.conf
/usr/share/snmp/mib2c.check_values.conf
/usr/share/snmp/mib2c.check_values_local.conf
/usr/share/snmp/mib2c.column_defines.conf
/usr/share/snmp/mib2c.column_enums.conf
/usr/share/snmp/mib2c.column_storage.conf
/usr/share/snmp/mib2c.conf
/usr/share/snmp/mib2c.container.conf
/usr/share/snmp/mib2c.create-dataset.conf
/usr/share/snmp/mib2c.genhtml.conf
/usr/share/snmp/mib2c.int_watch.conf
/usr/share/snmp/mib2c.iterate.conf
/usr/share/snmp/mib2c.iterate_access.conf
/usr/share/snmp/mib2c.mfd.conf
/usr/share/snmp/mib2c.notify.conf
/usr/share/snmp/mib2c.old-api.conf
/usr/share/snmp/mib2c.scalar.conf
/usr/share/snmp/mib2c.table_data.conf
/usr/share/snmp/mibs
/usr/share/snmp/mibs/AGENTX-MIB.txt
/usr/share/snmp/mibs/DISMAN-EVENT-MIB.txt
/usr/share/snmp/mibs/DISMAN-SCHEDULE-MIB.txt
/usr/share/snmp/mibs/DISMAN-SCRIPT-MIB.txt
/usr/share/snmp/mibs/EtherLike-MIB.txt
/usr/share/snmp/mibs/HENUM-TC.txt
/usr/share/snmp/mibs/HOST-RESOURCES-MIB.txt
/usr/share/snmp/mibs/HOST-RESOURCES-TYPES.txt
/usr/share/snmp/mibs/IANA-ADDRESS-FAMILY-NUMBERS-MIB.txt
/usr/share/snmp/mibs/IANA-LANGUAGE-MIB.txt
/usr/share/snmp/mibs/IANA-RTPROTO-MIB.txt
/usr/share/snmp/mibs/IANAifType-MIB.txt
/usr/share/snmp/mibs/IF-INVERTED-STACK-MIB.txt
/usr/share/snmp/mibs/IF-MIB.txt
/usr/share/snmp/mibs/INET-ADDRESS-MIB.txt
/usr/share/snmp/mibs/IP-FORWARD-MIB.txt
/usr/share/snmp/mibs/IP-MIB.txt
/usr/share/snmp/mibs/IPV6-ICMP-MIB.txt
/usr/share/snmp/mibs/IPV6-MIB.txt
/usr/share/snmp/mibs/IPV6-TC.txt
/usr/share/snmp/mibs/IPV6-TCP-MIB.txt
/usr/share/snmp/mibs/IPV6-UDP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-AGENT-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXAMPLES-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXTEND-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-TC.txt
/usr/share/snmp/mibs/NOTIFICATION-LOG-MIB.txt
/usr/share/snmp/mibs/RFC-1215.txt
/usr/share/snmp/mibs/RFC1155-SMI.txt
/usr/share/snmp/mibs/RFC1213-MIB.txt

```

```

/usr/share/snmp/mibs/RMON-MIB.txt
/usr/share/snmp/mibs/SMUX-MIB.txt
/usr/share/snmp/mibs/SNMP-COMMUNITY-MIB.txt
/usr/share/snmp/mibs/SNMP-FRAMEWORK-MIB.txt
/usr/share/snmp/mibs/SNMP-MPD-MIB.txt
/usr/share/snmp/mibs/SNMP-NOTIFICATION-MIB.txt
/usr/share/snmp/mibs/SNMP-PROXY-MIB.txt
/usr/share/snmp/mibs/SNMP-TARGET-MIB.txt
/usr/share/snmp/mibs/SNMP-USER-BASED-SM-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-AES-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-DH-OBJECTS-MIB.txt
/usr/share/snmp/mibs/SNMP-VIEW-BASED-ACM-MIB.txt
/usr/share/snmp/mibs/SNMPv2-CONF.txt
/usr/share/snmp/mibs/SNMPv2-MIB.txt
/usr/share/snmp/mibs/SNMPv2-SMI.txt
/usr/share/snmp/mibs/SNMPv2-TC.txt
/usr/share/snmp/mibs/SNMPv2-TM.txt
/usr/share/snmp/mibs/TCP-MIB.txt
/usr/share/snmp/mibs/TRANSPORT-ADDRESS-MIB.txt
/usr/share/snmp/mibs/UCD-DEMO-MIB.txt
/usr/share/snmp/mibs/UCD-DISKIO-MIB.txt
/usr/share/snmp/mibs/UCD-DLMOD-MIB.txt
/usr/share/snmp/mibs/UCD-IPFWACC-MIB.txt
/usr/share/snmp/mibs/UCD-SNMP-MIB.txt
/usr/share/snmp/mibs/UDP-MIB.txt
/usr/share/snmp/snmp_perl_trapd.pl
/usr/share/snmp/snmpconf-data
/usr/share/snmp/snmpconf-data/snmp-data
/usr/share/snmp/snmpconf-data/snmp-data/authopts
/usr/share/snmp/snmpconf-data/snmp-data/debugging
/usr/share/snmp/snmpconf-data/snmp-data/mibs
/usr/share/snmp/snmpconf-data/snmp-data/output
/usr/share/snmp/snmpconf-data/snmp-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmpd-data
/usr/share/snmp/snmpconf-data/snmpd-data/acl
/usr/share/snmp/snmpconf-data/snmpd-data/basic_setup
/usr/share/snmp/snmpconf-data/snmpd-data/extending
/usr/share/snmp/snmpconf-data/snmpd-data/monitor
/usr/share/snmp/snmpconf-data/snmpd-data/operation
/usr/share/snmp/snmpconf-data/snmpd-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmpd-data/system
/usr/share/snmp/snmpconf-data/snmpd-data/trapsinks
/usr/share/snmp/snmpconf-data/snmptrapd-data
/usr/share/snmp/snmpconf-data/snmptrapd-data/authentication
/usr/share/snmp/snmpconf-data/snmptrapd-data/formatting
/usr/share/snmp/snmpconf-data/snmptrapd-data/logging
/usr/share/snmp/snmpconf-data/snmptrapd-data/runtime
/usr/share/snmp/snmpconf-data/snmptrapd-data/snmpconf-config
/usr/share/snmp/snmpconf-data/snmptrapd-data/traphandle

```

```

RPM PACKAGE:      wrsnmp-10.1-1
package wrsnmp-10.1-1 is not installed
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel

```

```

STD.7.2           SNMP MIBs for IPv6/IPv4

```

```

RPM PACKAGE:      net-snmp-5.3.0.1-1
Name              : net-snmp                      Relocations: (not relocatable)
Version          : 5.3.0.1                        Vendor: Wind River Systems
Release         : 1                               Build Date: Sat May 13 06:36:40 2006
Install Date:   Tue Jun 13 12:13:42 2006         Build Host: lpgbuild04
Group           : System Environment/Daemons     Source RPM: net-snmp-5.3.0.1-1.src.rpm
Size            : 4622468                        License: BSD
Signature       : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager        : Wind River
URL             : http://aleron.dl.sourceforge.net/sourceforge/net-snmp/net-snmp-5.3.0.1.tar.gz
Summary         : A collection of SNMP protocol tools and libraries.
Description     :
SNMP (Simple Network Management Protocol) is a protocol used for network management. The NET-SNMP pr
/etc
/etc/snmp
/etc/snmp/snmpd.conf
/usr
/usr/bin
/usr/bin/encode_keychange
/usr/bin/fixproc
/usr/bin/ipf-mod.pl
/usr/bin/mib2c
/usr/bin/mib2c-update
/usr/bin/net-snmp-config
/usr/bin/snmpbulkget
/usr/bin/snmpbulkwalk
/usr/bin/snmpcheck
/usr/bin/snmpconf
/usr/bin/snmpdelta
/usr/bin/snmpdf
/usr/bin/snmpget
/usr/bin/snmpgetnext
/usr/bin/snmpinform
/usr/bin/snmpnetstat
/usr/bin/snmpset
/usr/bin/snmpstatus
/usr/bin/snmpstat
/usr/bin/snmpstat
/usr/bin/snmpstat
/usr/bin/snmpstat
/usr/bin/snmpstat

```

```

/usr/bin/snmptrap
/usr/bin/snmpusm
/usr/bin/snmpvacm
/usr/bin/snmpwalk
/usr/bin/tkmib
/usr/bin/traptoemail
/usr/lib
/usr/lib/libnetsnmp.so
/usr/lib/libnetsnmp.so.10
/usr/lib/libnetsnmp.so.10.0.1
/usr/lib/libnetsnmpagent.so
/usr/lib/libnetsnmpagent.so.10
/usr/lib/libnetsnmpagent.so.10.0.1
/usr/lib/libnetsnmphelpers.so
/usr/lib/libnetsnmphelpers.so.10
/usr/lib/libnetsnmphelpers.so.10.0.1
/usr/lib/libnetsnmpmibs.so
/usr/lib/libnetsnmpmibs.so.10
/usr/lib/libnetsnmpmibs.so.10.0.1
/usr/lib/libnetsnmptrapd.so
/usr/lib/libnetsnmptrapd.so.10
/usr/lib/libnetsnmptrapd.so.10.0.1
/usr/lib/libsnmp.so
/usr/lib/libsnmp.so.10
/usr/lib/libsnmp.so.10.0.1
/usr/sbin
/usr/sbin/snmpd
/usr/sbin/snmptrapd
/usr/share
/usr/share/man/man1/mib2c.1
/usr/share/man/man1/snmpbulkget.1
/usr/share/man/man1/snmpbulkwalk.1
/usr/share/man/man1/snmpcmd.1
/usr/share/man/man1/snmpconf.1
/usr/share/man/man1/snmpdelta.1
/usr/share/man/man1/snmpdf.1
/usr/share/man/man1/snmpget.1
/usr/share/man/man1/snmpgetnext.1
/usr/share/man/man1/snmpinform.1
/usr/share/man/man1/snmpnetstat.1
/usr/share/man/man1/snmpset.1
/usr/share/man/man1/snmpstatus.1
/usr/share/man/man1/snmpstest.1
/usr/share/man/man1/snmptranslate.1
/usr/share/man/man1/snmptrap.1
/usr/share/man/man1/snmpusm.1
/usr/share/man/man1/snmpvacm.1
/usr/share/man/man1/snmpwalk.1
/usr/share/man/man3/add_mibdir.3
/usr/share/man/man3/add_module_replacement.3
/usr/share/man/man3/default_store.3
/usr/share/man/man3/get_module_node.3
/usr/share/man/man3/init_mib.3
/usr/share/man/man3/init_mib_internals.3
/usr/share/man/man3/mib_api.3
/usr/share/man/man3/netsnmp_Container_iterator.3
/usr/share/man/man3/netsnmp_agent.3
/usr/share/man/man3/netsnmp_baby_steps.3
/usr/share/man/man3/netsnmp_bulk_to_next.3
/usr/share/man/man3/netsnmp_cache_handler.3
/usr/share/man/man3/netsnmp_container.3
/usr/share/man/man3/netsnmp_debug.3
/usr/share/man/man3/netsnmp_example_scalar_int.3
/usr/share/man/man3/netsnmp_handler.3
/usr/share/man/man3/netsnmp_instance.3
/usr/share/man/man3/netsnmp_iterator_info_s.3
/usr/share/man/man3/netsnmp_leaf.3
/usr/share/man/man3/netsnmp_library.3
/usr/share/man/man3/netsnmp_mib_handler_methods.3
/usr/share/man/man3/netsnmp_mib_utilities.3
/usr/share/man/man3/netsnmp_mode_end_call.3
/usr/share/man/man3/netsnmp_multiplexer.3
/usr/share/man/man3/netsnmp_old_api.3
/usr/share/man/man3/netsnmp_read_only.3
/usr/share/man/man3/netsnmp_row_merge.3
/usr/share/man/man3/netsnmp_scalar.3
/usr/share/man/man3/netsnmp_scalar_group_group.3
/usr/share/man/man3/netsnmp_serialize.3
/usr/share/man/man3/netsnmp_stash_cache.3
/usr/share/man/man3/netsnmp_table.3
/usr/share/man/man3/netsnmp_table_array.3
/usr/share/man/man3/netsnmp_table_data.3
/usr/share/man/man3/netsnmp_table_dataset.3
/usr/share/man/man3/netsnmp_table_iterator.3
/usr/share/man/man3/netsnmp_utilities.3
/usr/share/man/man3/netsnmp_watcher.3
/usr/share/man/man3/print_description.3
/usr/share/man/man3/print_mib.3
/usr/share/man/man3/print_objid.3
/usr/share/man/man3/print_value.3
/usr/share/man/man3/print_variable.3
/usr/share/man/man3/read_all_mibs.3
/usr/share/man/man3/read_config.3

```

```

/usr/share/man/man3/read_mib.3
/usr/share/man/man3/read_module.3
/usr/share/man/man3/read_module_node.3
/usr/share/man/man3/read_objid.3
/usr/share/man/man3/shutdown_mib.3
/usr/share/man/man3/snmp_agent_api.3
/usr/share/man/man3/snmp_alarm.3
/usr/share/man/man3/snmp_api.3
/usr/share/man/man3/snmp_api_errstring.3
/usr/share/man/man3/snmp_close.3
/usr/share/man/man3/snmp_error.3
/usr/share/man/man3/snmp_free_pdu.3
/usr/share/man/man3/snmp_open.3
/usr/share/man/man3/snmp_perror.3
/usr/share/man/man3/snmp_read.3
/usr/share/man/man3/snmp_select_info.3
/usr/share/man/man3/snmp_send.3
/usr/share/man/man3/snmp_sess_api.3
/usr/share/man/man3/snmp_sess_async_send.3
/usr/share/man/man3/snmp_sess_close.3
/usr/share/man/man3/snmp_sess_error.3
/usr/share/man/man3/snmp_sess_init.3
/usr/share/man/man3/snmp_sess_open.3
/usr/share/man/man3/snmp_sess_perror.3
/usr/share/man/man3/snmp_sess_read.3
/usr/share/man/man3/snmp_sess_select_info.3
/usr/share/man/man3/snmp_sess_send.3
/usr/share/man/man3/snmp_sess_session.3
/usr/share/man/man3/snmp_sess_timeout.3
/usr/share/man/man3/snmp_set_mib_warnings.3
/usr/share/man/man3/snmp_set_save_descriptions.3
/usr/share/man/man3/snmp_timeout.3
/usr/share/man/man3/snmp_trap_api.3
/usr/share/man/man5/mib2c.conf.5
/usr/share/man/man5/snmp.conf.5
/usr/share/man/man5/snmp_config.5
/usr/share/man/man5/snmpd.conf.5
/usr/share/man/man5/snmpd.examples.5
/usr/share/man/man5/snmpd.internal.5
/usr/share/man/man5/snmptrapd.conf.5
/usr/share/man/man5/variables.5
/usr/share/man/man8/snmpd.8
/usr/share/man/man8/snmptrapd.8
/usr/share/snmp
/usr/share/snmp/mib2c-data
/usr/share/snmp/mib2c-data/default-mfd-top.m2c
/usr/share/snmp/mib2c-data/details-enums.m2i
/usr/share/snmp/mib2c-data/details-node.m2i
/usr/share/snmp/mib2c-data/details-table.m2i
/usr/share/snmp/mib2c-data/generic-ctx-copy.m2i
/usr/share/snmp/mib2c-data/generic-ctx-get.m2i
/usr/share/snmp/mib2c-data/generic-ctx-set.m2i
/usr/share/snmp/mib2c-data/generic-data-allocate.m2i
/usr/share/snmp/mib2c-data/generic-data-context.m2i
/usr/share/snmp/mib2c-data/generic-get-char.m2i
/usr/share/snmp/mib2c-data/generic-get-decl-bot.m2i
/usr/share/snmp/mib2c-data/generic-get-decl.m2i
/usr/share/snmp/mib2c-data/generic-get-long.m2i
/usr/share/snmp/mib2c-data/generic-get-oid.m2i
/usr/share/snmp/mib2c-data/generic-header-bottom.m2i
/usr/share/snmp/mib2c-data/generic-header-top.m2i
/usr/share/snmp/mib2c-data/generic-source-includes.m2i
/usr/share/snmp/mib2c-data/generic-table-constants.m2c
/usr/share/snmp/mib2c-data/generic-table-enums.m2c
/usr/share/snmp/mib2c-data/generic-table-indexes-from-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-set.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-to-oid.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes-varbind-setup.m2i
/usr/share/snmp/mib2c-data/generic-table-indexes.m2i
/usr/share/snmp/mib2c-data/generic-table-oids.m2c
/usr/share/snmp/mib2c-data/generic-value-map-func.m2i
/usr/share/snmp/mib2c-data/generic-value-map-reverse.m2i
/usr/share/snmp/mib2c-data/generic-value-map.m2i
/usr/share/snmp/mib2c-data/m2c-internal-warning.m2i
/usr/share/snmp/mib2c-data/m2c_setup_enum.m2i
/usr/share/snmp/mib2c-data/m2c_setup_node.m2i
/usr/share/snmp/mib2c-data/m2c_setup_table.m2i
/usr/share/snmp/mib2c-data/m2c_table_save_defaults.m2i
/usr/share/snmp/mib2c-data/mfd-access-container-cached-defines.m2i
/usr/share/snmp/mib2c-data/mfd-access-unsorted-external-defines.m2i
/usr/share/snmp/mib2c-data/mfd-data-access.m2c
/usr/share/snmp/mib2c-data/mfd-data-get.m2c
/usr/share/snmp/mib2c-data/mfd-data-set.m2c
/usr/share/snmp/mib2c-data/mfd-doxygen.m2c
/usr/share/snmp/mib2c-data/mfd-interactive-setup.m2c
/usr/share/snmp/mib2c-data/mfd-interface.m2c
/usr/share/snmp/mib2c-data/mfd-makefile.m2m
/usr/share/snmp/mib2c-data/mfd-persistence.m2i
/usr/share/snmp/mib2c-data/mfd-readme.m2c
/usr/share/snmp/mib2c-data/mfd-top.m2c
/usr/share/snmp/mib2c-data/node-get.m2i
/usr/share/snmp/mib2c-data/node-set.m2i
/usr/share/snmp/mib2c-data/node-storage.m2i
/usr/share/snmp/mib2c-data/node-validate.m2i

```

```

/usr/share/snmp/mib2c-data/node-varbind-validate.m2i
/usr/share/snmp/mib2c-data/parent-dependencies.m2i
/usr/share/snmp/mib2c-data/parent-set.m2i
/usr/share/snmp/mib2c-data/subagent.m2c
/usr/share/snmp/mib2c-data/syntax-COUNTER64-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2d
/usr/share/snmp/mib2c-data/syntax-DateAndTime-get.m2i
/usr/share/snmp/mib2c-data/syntax-DateAndTime-readme.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddress-set.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-get.m2i
/usr/share/snmp/mib2c-data/syntax-InetAddressType-set.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-get.m2i
/usr/share/snmp/mib2c-data/syntax-RowStatus-varbind-validate.m2i
/usr/share/snmp/mib2c-data/syntax-StorageType-dependencies.m2i
/usr/share/snmp/mib2c-data/syntax-TestAndIncr-get.m2i
/usr/share/snmp/mib2c.access_functions.conf
/usr/share/snmp/mib2c.array-user.conf
/usr/share/snmp/mib2c.check_values.conf
/usr/share/snmp/mib2c.check_values_local.conf
/usr/share/snmp/mib2c.column_defines.conf
/usr/share/snmp/mib2c.column_enums.conf
/usr/share/snmp/mib2c.column_storage.conf
/usr/share/snmp/mib2c.conf
/usr/share/snmp/mib2c.container.conf
/usr/share/snmp/mib2c.create-dataset.conf
/usr/share/snmp/mib2c.genhtml.conf
/usr/share/snmp/mib2c.int_watch.conf
/usr/share/snmp/mib2c.iterate.conf
/usr/share/snmp/mib2c.iterate_access.conf
/usr/share/snmp/mib2c.mfd.conf
/usr/share/snmp/mib2c.notify.conf
/usr/share/snmp/mib2c.old-api.conf
/usr/share/snmp/mib2c.scalar.conf
/usr/share/snmp/mib2c.table_data.conf
/usr/share/snmp/mibs
/usr/share/snmp/mibs/AGENTX-MIB.txt
/usr/share/snmp/mibs/DISMAN-EVENT-MIB.txt
/usr/share/snmp/mibs/DISMAN-SCHEDULE-MIB.txt
/usr/share/snmp/mibs/DISMAN-SCRIPT-MIB.txt
/usr/share/snmp/mibs/EtherLike-MIB.txt
/usr/share/snmp/mibs/HENUM-TC.txt
/usr/share/snmp/mibs/HOST-RESOURCES-MIB.txt
/usr/share/snmp/mibs/HOST-RESOURCES-TYPES.txt
/usr/share/snmp/mibs/IANA-ADDRESS-FAMILY-NUMBERS-MIB.txt
/usr/share/snmp/mibs/IANA-LANGUAGE-MIB.txt
/usr/share/snmp/mibs/IANA-RTPROTO-MIB.txt
/usr/share/snmp/mibs/IANAifType-MIB.txt
/usr/share/snmp/mibs/IF-INVERTED-STACK-MIB.txt
/usr/share/snmp/mibs/IF-MIB.txt
/usr/share/snmp/mibs/INET-ADDRESS-MIB.txt
/usr/share/snmp/mibs/IP-FORWARD-MIB.txt
/usr/share/snmp/mibs/IP-MIB.txt
/usr/share/snmp/mibs/IPV6-ICMP-MIB.txt
/usr/share/snmp/mibs/IPV6-MIB.txt
/usr/share/snmp/mibs/IPV6-TC.txt
/usr/share/snmp/mibs/IPV6-TCP-MIB.txt
/usr/share/snmp/mibs/IPV6-UDP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-AGENT-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXAMPLES-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-EXTEND-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-MIB.txt
/usr/share/snmp/mibs/NET-SNMP-TC.txt
/usr/share/snmp/mibs/NOTIFICATION-LOG-MIB.txt
/usr/share/snmp/mibs/RFC-1215.txt
/usr/share/snmp/mibs/RFC1155-SMI.txt
/usr/share/snmp/mibs/RFC1213-MIB.txt
/usr/share/snmp/mibs/RMON-MIB.txt
/usr/share/snmp/mibs/SMUX-MIB.txt
/usr/share/snmp/mibs/SNMP-COMMUNITY-MIB.txt
/usr/share/snmp/mibs/SNMP-FRAMEWORK-MIB.txt
/usr/share/snmp/mibs/SNMP-MPD-MIB.txt
/usr/share/snmp/mibs/SNMP-NOTIFICATION-MIB.txt
/usr/share/snmp/mibs/SNMP-PROXY-MIB.txt
/usr/share/snmp/mibs/SNMP-TARGET-MIB.txt
/usr/share/snmp/mibs/SNMP-USER-BASED-SM-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-AES-MIB.txt
/usr/share/snmp/mibs/SNMP-USM-DH-OBJECTS-MIB.txt
/usr/share/snmp/mibs/SNMP-VIEW-BASED-ACM-MIB.txt
/usr/share/snmp/mibs/SNMPv2-CONF.txt
/usr/share/snmp/mibs/SNMPv2-MIB.txt
/usr/share/snmp/mibs/SNMPv2-SMI.txt
/usr/share/snmp/mibs/SNMPv2-TC.txt
/usr/share/snmp/mibs/SNMPv2-TM.txt
/usr/share/snmp/mibs/TCP-MIB.txt
/usr/share/snmp/mibs/TRANSPORT-ADDRESS-MIB.txt
/usr/share/snmp/mibs/UCD-DEMO-MIB.txt
/usr/share/snmp/mibs/UCD-DISKIO-MIB.txt
/usr/share/snmp/mibs/UCD-DLMOD-MIB.txt
/usr/share/snmp/mibs/UCD-IPFWACC-MIB.txt
/usr/share/snmp/mibs/UCD-SNMP-MIB.txt
/usr/share/snmp/mibs/UDP-MIB.txt
/usr/share/snmp/snmp_perl_trapd.pl

```



```

/usr/sbin/ais-test/testevt
/usr/sbin/ais-test/unlink
/usr/sbin/aisexec
/usr/sbin/keygen
STD.8.1 SA Forum AIS
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for STD.8
STD.8.2 SA Forum AIS . Lock Service API
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for STD.8
STD.8.3 SA Forum AIS . Cluster Membership Service API
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for STD.8
STD.8.4 SA Forum AIS . Checkpoint Service API
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for STD.8
STD.8.5 SA Forum AIS . Event Service API
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for STD.8
STD.8.6 SA Forum AIS . Message Service API
RPM PACKAGE:
STD.8.7 SA Forum AIS . Availability Management
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for STD.8
STD.8.8 SA Forum HPI

RPM PACKAGE: openhpi-2.2.1-1
Name : openhpi Relocations: (not relocatable)
Version : 2.2.1 Vendor: Wind River Systems
Release : 1 Build Date: Sat May 13 07:31:04 2006
Install Date: Tue Jun 13 12:13:44 2006 Build Host: lpgbuild04
Group : Utilities Source RPM: openhpi-2.2.1-1.src.rpm
Size : 2753515 License: BSD
Signature : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager : Wind River
URL : http://voxel.dl.sourceforge.net/sourceforge/openhpi/openhpi-2.2.1.tar.gz
Summary : Library that provides SAForums HPI
Description :
This package contains an implementation of Service Availability Forums HPI specification. It include
/etc
/etc/openhpi
/etc/openhpi/openhpi.conf
/usr
/usr/bin
/usr/bin/hpi_cmd
/usr/bin/hpialarmpanel
/usr/bin/hpidomainel
/usr/bin/hpiel
/usr/bin/hpievent
/usr/bin/hpifan
/usr/bin/hpigetevents
/usr/bin/hpiinv
/usr/bin/hpipower
/usr/bin/hpipower2
/usr/bin/hpireset
/usr/bin/hpireset2
/usr/bin/hpisensor
/usr/bin/hpisetime
/usr/bin/hpithres
/usr/bin/hpitop
/usr/bin/hpitree
/usr/bin/hpiwdt
/usr/bin/openhpi-switcher
/usr/bin/openhpid
/usr/lib
/usr/lib/libohtcpconnx.so
/usr/lib/libohtcpconnx.so.2
/usr/lib/libohtcpconnx.so.2.2.1
/usr/lib/libohudpconnx.so
/usr/lib/libohudpconnx.so.2
/usr/lib/libohudpconnx.so.2.2.1
/usr/lib/libopenhpi.so
/usr/lib/libopenhpi.so.2
/usr/lib/libopenhpi.so.2.2.1
/usr/lib/libopenhpi_snmp.so
/usr/lib/libopenhpi_snmp.so.2
/usr/lib/libopenhpi_snmp.so.2.2.1
/usr/lib/libopenhpimarshal.so
/usr/lib/libopenhpimarshal.so.2
/usr/lib/libopenhpimarshal.so.2.2.1
/usr/lib/libopenhpiui.so
/usr/lib/libopenhpiui.so.2
/usr/lib/libopenhpiui.so.2.2.1
/usr/lib/libopenhpiutils.so
/usr/lib/libopenhpiutils.so.2
/usr/lib/libopenhpiutils.so.2.2.1
/usr/lib/openhpi
/usr/lib/openhpi/client
/usr/lib/openhpi/client/libopenhpi.so

```

```

/usr/lib/openhpi/client/libopenhpi.so.2
/usr/lib/openhpi/client/libopenhpi.so.2.2.1
/usr/lib/openhpi/libdummy.so
/usr/lib/openhpi/libipmi.so
/usr/lib/openhpi/libipmi.so.2
/usr/lib/openhpi/libipmi.so.2.2.1
/usr/lib/openhpi/libipmidirect.so
/usr/lib/openhpi/libipmidirect.so.2
/usr/lib/openhpi/libipmidirect.so.2.2.1
/usr/lib/openhpi/libsnmp_bc.so
/usr/lib/openhpi/libwatchdog.so
/usr/lib/openhpi/libwatchdog.so.2
/usr/lib/openhpi/libwatchdog.so.2.2.1
/usr/lib/openhpi/standard
/usr/share
/usr/share/man/man1/openhpi-switcher.1
/usr/share/man/man7/openhpi.7
/var
/var/lib
/var/lib/openhpi
/var/lib/openhpi/lib
/var/lib/openhpi/lib/openhpi
TEST DETAILS : SAF_HPI_TEST_RESULT
STD.9 IPMI
RPM PACKAGE: openipmi-1.4.21-1
Name : openipmi Relocations: (not relocatable)
Version : 1.4.21 Vendor: Wind River Systems
Release : 1 Build Date: Sat May 13 06:45:22 2006
Install Date: Tue Jun 13 12:13:44 2006 Build Host: lpgbuild04
Group : Libraries Source RPM: openipmi-1.4.21-1.src.rpm
Size : 1207528 License: GPL, LGPL
Signature : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager : Wind River
URL : http://voxel.dl.sourceforge.net/sourceforge/openipmi/OpenIPMI-1.4.21.tar.gz
Summary : IPMI abstraction layer
Description :
OpenIPMI project aims to develop an open code base to allow access to platform information using Int
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/ipmi
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K85ipmi
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/K85ipmi
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S25ipmi
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S25ipmi
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S25ipmi
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S25ipmi
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K85ipmi
/usr
/usr/bin
/usr/bin/ipmi_ui
/usr/bin/ipmicmd
/usr/bin/ipmilan
/usr/bin/ipmish
/usr/lib
/usr/lib/libIPMIlanserv.so
/usr/lib/libIPMIlanserv.so.0
/usr/lib/libIPMIlanserv.so.0.0.1
/usr/lib/libOpenIPMI.so
/usr/lib/libOpenIPMI.so.0
/usr/lib/libOpenIPMI.so.0.0.5
/usr/lib/libOpenIPMIcmdlang.so
/usr/lib/libOpenIPMIcmdlang.so.0
/usr/lib/libOpenIPMIcmdlang.so.0.0.5
/usr/lib/libOpenIPMIglib.so
/usr/lib/libOpenIPMIglib.so.0
/usr/lib/libOpenIPMIglib.so.0.0.1
/usr/lib/libOpenIPMIposix.so
/usr/lib/libOpenIPMIposix.so.0
/usr/lib/libOpenIPMIposix.so.0.0.1
/usr/lib/libOpenIPMIpthread.so
/usr/lib/libOpenIPMIpthread.so.0
/usr/lib/libOpenIPMIpthread.so.0.0.1
/usr/lib/libOpenIPMIui.so
/usr/lib/libOpenIPMIui.so.1
/usr/lib/libOpenIPMIui.so.1.0.1
/usr/lib/libOpenIPMIutils.so
/usr/lib/libOpenIPMIutils.so.0
/usr/lib/libOpenIPMIutils.so.0.0.1
/usr/share
/usr/share/man/man1/ipmi_ui.1
/usr/share/man/man1/ipmicmd.1
/usr/share/man/man1/ipmish.1
/usr/share/man/man7/ipmi_cmdlang.7
/usr/share/man/man8/ipmilan.8
STD.10 802.1Q

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

STD.11 Diameter Protocol CGL Major Features

```
RPM PACKAGE:   freeradius-1.0.4-1
Name           : freeradius                Relocations: (not relocatable)
Version        : 1.0.4                    Vendor: Wind River Systems
Release        : 1                        Build Date: Sat May 13 06:27:21 2006
Install Date: Tue Jun 13 12:13:17 2006    Build Host: lpgbuild04
Group          : Applications/Communications Source RPM: freeradius-1.0.4-1.src.rpm
Size           : 10425293                 License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:37 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : ftp://ftp.freeradius.org/pub/radius/freeradius-1.0.4.tar.gz
Summary        : Remote Authentication Dial-In User Service
Description    :
```

FreerADIUS is the premiere open source RADIUS server. While detailed statistics are not available, w

```
/usr
/usr/local
/usr/local/bin
/usr/local/bin/radclient
/usr/local/bin/radlast
/usr/local/bin/radrelay
/usr/local/bin/radtest
/usr/local/bin/radwho
/usr/local/bin/radzap
/usr/local/bin/smbencrypt
/usr/local/etc
/usr/local/etc/raddb
/usr/local/etc/raddb/acct_users
/usr/local/etc/raddb/attrs
/usr/local/etc/raddb/certs
/usr/local/etc/raddb/certs/README
/usr/local/etc/raddb/certs/cert-clt.der
/usr/local/etc/raddb/certs/cert-clt.pl2
/usr/local/etc/raddb/certs/cert-clt.pem
/usr/local/etc/raddb/certs/cert-srv.der
/usr/local/etc/raddb/certs/cert-srv.pl2
/usr/local/etc/raddb/certs/cert-srv.pem
/usr/local/etc/raddb/certs/demoCA
/usr/local/etc/raddb/certs/demoCA/cacert.pem
/usr/local/etc/raddb/certs/demoCA/index.txt
/usr/local/etc/raddb/certs/demoCA/index.txt.old
/usr/local/etc/raddb/certs/demoCA/serial
/usr/local/etc/raddb/certs/demoCA/serial.old
/usr/local/etc/raddb/certs/dh
/usr/local/etc/raddb/certs/newcert.pem
/usr/local/etc/raddb/certs/newreq.pem
/usr/local/etc/raddb/certs/random
/usr/local/etc/raddb/certs/root.der
/usr/local/etc/raddb/certs/root.pl2
/usr/local/etc/raddb/certs/root.pem
/usr/local/etc/raddb/clients
/usr/local/etc/raddb/clients.conf
/usr/local/etc/raddb/dictionary
/usr/local/etc/raddb/eap.conf
/usr/local/etc/raddb/experimental.conf
/usr/local/etc/raddb/hints
/usr/local/etc/raddb/huntgroups
/usr/local/etc/raddb/ldap.attrmap
/usr/local/etc/raddb/mssql.conf
/usr/local/etc/raddb/naslist
/usr/local/etc/raddb/naspasswd
/usr/local/etc/raddb/oraclesql.conf
/usr/local/etc/raddb/postgresql.conf
/usr/local/etc/raddb/preproxy_users
/usr/local/etc/raddb/proxy.conf
/usr/local/etc/raddb/radiusd.conf
/usr/local/etc/raddb/realms
/usr/local/etc/raddb/snmp.conf
/usr/local/etc/raddb/sql.conf
/usr/local/etc/raddb/users
/usr/local/etc/raddb/x99.conf
/usr/local/etc/raddb/x99passwd.sample
/usr/local/lib
/usr/local/lib/libradius-1.0.4.so
/usr/local/lib/libradius.so
/usr/local/lib/rlm_acct_unique-1.0.4.la
/usr/local/lib/rlm_acct_unique-1.0.4.so
/usr/local/lib/rlm_acct_unique.a
/usr/local/lib/rlm_acct_unique.la
/usr/local/lib/rlm_acct_unique.so
/usr/local/lib/rlm_always-1.0.4.la
/usr/local/lib/rlm_always-1.0.4.so
/usr/local/lib/rlm_always.a
/usr/local/lib/rlm_always.la
/usr/local/lib/rlm_always.so
/usr/local/lib/rlm_attr_filter-1.0.4.la
/usr/local/lib/rlm_attr_filter-1.0.4.so
/usr/local/lib/rlm_attr_filter.a
/usr/local/lib/rlm_attr_filter.la
/usr/local/lib/rlm_attr_filter.so
/usr/local/lib/rlm_attr_rewrite-1.0.4.la
/usr/local/lib/rlm_attr_rewrite-1.0.4.so
/usr/local/lib/rlm_attr_rewrite.a
```

```
/usr/local/lib/rlm_attr_rewrite.la
/usr/local/lib/rlm_attr_rewrite.so
/usr/local/lib/rlm_chap-1.0.4.la
/usr/local/lib/rlm_chap-1.0.4.so
/usr/local/lib/rlm_chap.a
/usr/local/lib/rlm_chap.la
/usr/local/lib/rlm_chap.so
/usr/local/lib/rlm_checkval-1.0.4.la
/usr/local/lib/rlm_checkval-1.0.4.so
/usr/local/lib/rlm_checkval.a
/usr/local/lib/rlm_checkval.la
/usr/local/lib/rlm_checkval.so
/usr/local/lib/rlm_detail-1.0.4.la
/usr/local/lib/rlm_detail-1.0.4.so
/usr/local/lib/rlm_detail.a
/usr/local/lib/rlm_detail.la
/usr/local/lib/rlm_detail.so
/usr/local/lib/rlm_digest-1.0.4.la
/usr/local/lib/rlm_digest-1.0.4.so
/usr/local/lib/rlm_digest.a
/usr/local/lib/rlm_digest.la
/usr/local/lib/rlm_digest.so
/usr/local/lib/rlm_exec-1.0.4.la
/usr/local/lib/rlm_exec-1.0.4.so
/usr/local/lib/rlm_exec.a
/usr/local/lib/rlm_exec.la
/usr/local/lib/rlm_exec.so
/usr/local/lib/rlm_expr-1.0.4.la
/usr/local/lib/rlm_expr-1.0.4.so
/usr/local/lib/rlm_expr.a
/usr/local/lib/rlm_expr.la
/usr/local/lib/rlm_expr.so
/usr/local/lib/rlm_fastusers-1.0.4.la
/usr/local/lib/rlm_fastusers-1.0.4.so
/usr/local/lib/rlm_fastusers.a
/usr/local/lib/rlm_fastusers.la
/usr/local/lib/rlm_fastusers.so
/usr/local/lib/rlm_files-1.0.4.la
/usr/local/lib/rlm_files-1.0.4.so
/usr/local/lib/rlm_files.a
/usr/local/lib/rlm_files.la
/usr/local/lib/rlm_files.so
/usr/local/lib/rlm_mschap-1.0.4.la
/usr/local/lib/rlm_mschap-1.0.4.so
/usr/local/lib/rlm_mschap.a
/usr/local/lib/rlm_mschap.la
/usr/local/lib/rlm_mschap.so
/usr/local/lib/rlm_ns_mta_md5-1.0.4.la
/usr/local/lib/rlm_ns_mta_md5-1.0.4.so
/usr/local/lib/rlm_ns_mta_md5.a
/usr/local/lib/rlm_ns_mta_md5.la
/usr/local/lib/rlm_ns_mta_md5.so
/usr/local/lib/rlm_pap-1.0.4.la
/usr/local/lib/rlm_pap-1.0.4.so
/usr/local/lib/rlm_pap.a
/usr/local/lib/rlm_pap.la
/usr/local/lib/rlm_pap.so
/usr/local/lib/rlm_passwd-1.0.4.la
/usr/local/lib/rlm_passwd-1.0.4.so
/usr/local/lib/rlm_passwd.a
/usr/local/lib/rlm_passwd.la
/usr/local/lib/rlm_passwd.so
/usr/local/lib/rlm_preprocess-1.0.4.la
/usr/local/lib/rlm_preprocess-1.0.4.so
/usr/local/lib/rlm_preprocess.a
/usr/local/lib/rlm_preprocess.la
/usr/local/lib/rlm_preprocess.so
/usr/local/lib/rlm_radutmp-1.0.4.la
/usr/local/lib/rlm_radutmp-1.0.4.so
/usr/local/lib/rlm_radutmp.a
/usr/local/lib/rlm_radutmp.la
/usr/local/lib/rlm_radutmp.so
/usr/local/lib/rlm_realm-1.0.4.la
/usr/local/lib/rlm_realm-1.0.4.so
/usr/local/lib/rlm_realm.a
/usr/local/lib/rlm_realm.la
/usr/local/lib/rlm_realm.so
/usr/local/lib/rlm_unix-1.0.4.la
/usr/local/lib/rlm_unix-1.0.4.so
/usr/local/lib/rlm_unix.a
/usr/local/lib/rlm_unix.la
/usr/local/lib/rlm_unix.so
/usr/local/lib/rlm_x99_token-1.0.4.la
/usr/local/lib/rlm_x99_token-1.0.4.so
/usr/local/lib/rlm_x99_token.a
/usr/local/lib/rlm_x99_token.la
/usr/local/lib/rlm_x99_token.so
/usr/local/man/man1/radclient.1
/usr/local/man/man1/radeapclient.1
/usr/local/man/man1/radlast.1
/usr/local/man/man1/radtest.1
/usr/local/man/man1/radwho.1
/usr/local/man/man1/radzap.1
/usr/local/man/man5/acct_users.5
```

```

/usr/local/man/man5/clients.5
/usr/local/man/man5/clients.conf.5
/usr/local/man/man5/dictionary.5
/usr/local/man/man5/naslist.5
/usr/local/man/man5/radiusd.conf.5
/usr/local/man/man5/rlm_acct_unique.5
/usr/local/man/man5/rlm_always.5
/usr/local/man/man5/rlm_attr_filter.5
/usr/local/man/man5/rlm_attr_rewrite.5
/usr/local/man/man5/rlm_chap.5
/usr/local/man/man5/rlm_counter.5
/usr/local/man/man5/rlm_detail.5
/usr/local/man/man5/rlm_expr.5
/usr/local/man/man5/rlm_files.5
/usr/local/man/man5/rlm_mschap.5
/usr/local/man/man5/rlm_pap.5
/usr/local/man/man5/rlm_passwd.5
/usr/local/man/man5/rlm_realm.5
/usr/local/man/man5/rlm_sql.5
/usr/local/man/man5/rlm_unix.5
/usr/local/man/man5/users.5
/usr/local/man/man8/radiusd.8
/usr/local/man/man8/radrelay.8
/usr/local/man/man8/radwatch.8
/usr/local/sbin
/usr/local/sbin/check-radiusd-config
/usr/local/sbin/checkrad
/usr/local/sbin/radiusd
/usr/local/sbin/radwatch
/usr/local/sbin/rc.radiusd
/usr/local/share
/usr/local/share/doc
/usr/local/share/doc/freeradius-1.0.4
/usr/local/share/doc/freeradius-1.0.4/Autz-Type
/usr/local/share/doc/freeradius-1.0.4/DIFFS
/usr/local/share/doc/freeradius-1.0.4/MACOSX
/usr/local/share/doc/freeradius-1.0.4/OS2
/usr/local/share/doc/freeradius-1.0.4/RADIUS-LDAP.schema
/usr/local/share/doc/freeradius-1.0.4/RADIUS-LDAPv3.schema
/usr/local/share/doc/freeradius-1.0.4/RADIUS-SQL.schema
/usr/local/share/doc/freeradius-1.0.4/README
/usr/local/share/doc/freeradius-1.0.4/Simultaneous-Use
/usr/local/share/doc/freeradius-1.0.4/aaa.txt
/usr/local/share/doc/freeradius-1.0.4/ascend
/usr/local/share/doc/freeradius-1.0.4/bay
/usr/local/share/doc/freeradius-1.0.4/bugs
/usr/local/share/doc/freeradius-1.0.4/cisco
/usr/local/share/doc/freeradius-1.0.4/coding-methods.txt
/usr/local/share/doc/freeradius-1.0.4/configurable_failover
/usr/local/share/doc/freeradius-1.0.4/duplicate-users
/usr/local/share/doc/freeradius-1.0.4/module_interface
/usr/local/share/doc/freeradius-1.0.4/performance-testing
/usr/local/share/doc/freeradius-1.0.4/processing_users_file
/usr/local/share/doc/freeradius-1.0.4/proxy
/usr/local/share/doc/freeradius-1.0.4/radrelay
/usr/local/share/doc/freeradius-1.0.4/rfc
/usr/local/share/doc/freeradius-1.0.4/rfc/attributes.html
/usr/local/share/doc/freeradius-1.0.4/rfc/draft-kamath-pppext-eap-mschapv2-00.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/draft-sterman-aaa-sip-00.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/leap.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/pppext-eap-sim-12.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc1157.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc1227.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc1448.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc1901.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc1905.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2058.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2059.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2138.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2139.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2243.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2289.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2433.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2548.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2618.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2619.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2620.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2621.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2716.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2759.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2809.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2865.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2866.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2867.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2868.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2869.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2882.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc2924.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc3162.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc3575.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc3576.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc3579.txt
/usr/local/share/doc/freeradius-1.0.4/rfc/rfc3580.txt
/usr/local/share/doc/freeradius-1.0.4/rlm_attr_filter

```

```

/usr/local/share/doc/freeradius-1.0.4/rlm_dbm
/usr/local/share/doc/freeradius-1.0.4/rlm_digest
/usr/local/share/doc/freeradius-1.0.4/rlm_eap
/usr/local/share/doc/freeradius-1.0.4/rlm_fastusers
/usr/local/share/doc/freeradius-1.0.4/rlm_krb5
/usr/local/share/doc/freeradius-1.0.4/rlm_ldap
/usr/local/share/doc/freeradius-1.0.4/rlm_pam
/usr/local/share/doc/freeradius-1.0.4/rlm_passwd
/usr/local/share/doc/freeradius-1.0.4/rlm_python
/usr/local/share/doc/freeradius-1.0.4/rlm_sim_triplets
/usr/local/share/doc/freeradius-1.0.4/rlm_sql
/usr/local/share/doc/freeradius-1.0.4/rlm_sqlcounter
/usr/local/share/doc/freeradius-1.0.4/rlm_x99_token
/usr/local/share/doc/freeradius-1.0.4/supervise-radiusd.txt
/usr/local/share/doc/freeradius-1.0.4/tuning_guide
/usr/local/share/doc/freeradius-1.0.4/variables.txt
/usr/local/share/freeradius
/usr/local/share/freeradius/dictionary
/usr/local/share/freeradius/dictionary.3com
/usr/local/share/freeradius/dictionary.3gpp
/usr/local/share/freeradius/dictionary.3gpp2
/usr/local/share/freeradius/dictionary.acc
/usr/local/share/freeradius/dictionary.alcatel
/usr/local/share/freeradius/dictionary.alteon
/usr/local/share/freeradius/dictionary.altiga
/usr/local/share/freeradius/dictionary.aptis
/usr/local/share/freeradius/dictionary.ascend
/usr/local/share/freeradius/dictionary.bay
/usr/local/share/freeradius/dictionary.bintec
/usr/local/share/freeradius/dictionary.bristol
/usr/local/share/freeradius/dictionary.cabletron
/usr/local/share/freeradius/dictionary.cisco
/usr/local/share/freeradius/dictionary.cisco.bbsm
/usr/local/share/freeradius/dictionary.cisco.vpn3000
/usr/local/share/freeradius/dictionary.cisco.vpn5000
/usr/local/share/freeradius/dictionary.colubris
/usr/local/share/freeradius/dictionary.columbia_university
/usr/local/share/freeradius/dictionary.compat
/usr/local/share/freeradius/dictionary.ern
/usr/local/share/freeradius/dictionary.extreme
/usr/local/share/freeradius/dictionary.foundry
/usr/local/share/freeradius/dictionary.freeradius
/usr/local/share/freeradius/dictionary.gandalf
/usr/local/share/freeradius/dictionary.garderos
/usr/local/share/freeradius/dictionary.gemtek
/usr/local/share/freeradius/dictionary.itk
/usr/local/share/freeradius/dictionary.juniper
/usr/local/share/freeradius/dictionary.karlnet
/usr/local/share/freeradius/dictionary.livingston
/usr/local/share/freeradius/dictionary.localweb
/usr/local/share/freeradius/dictionary.merit
/usr/local/share/freeradius/dictionary.microsoft
/usr/local/share/freeradius/dictionary.mikrotik
/usr/local/share/freeradius/dictionary.navini
/usr/local/share/freeradius/dictionary.netscreen
/usr/local/share/freeradius/dictionary.nokia
/usr/local/share/freeradius/dictionary.nomadix
/usr/local/share/freeradius/dictionary.propel
/usr/local/share/freeradius/dictionary.quintum
/usr/local/share/freeradius/dictionary.redback
/usr/local/share/freeradius/dictionary.redcreek
/usr/local/share/freeradius/dictionary.shasta
/usr/local/share/freeradius/dictionary.shiva
/usr/local/share/freeradius/dictionary.sonicwall
/usr/local/share/freeradius/dictionary.springtide
/usr/local/share/freeradius/dictionary.telebit
/usr/local/share/freeradius/dictionary.trapeze
/usr/local/share/freeradius/dictionary.tunnel
/usr/local/share/freeradius/dictionary.unix
/usr/local/share/freeradius/dictionary.usr
/usr/local/share/freeradius/dictionary.valemount
/usr/local/share/freeradius/dictionary.versanet
/usr/local/share/freeradius/dictionary.wispr
/usr/local/share/freeradius/dictionary.xedia
/usr/local/var
/usr/local/var/log
/usr/local/var/log/radius
/usr/local/var/log/radius/radacct
/usr/local/var/run
/usr/local/var/run/radiusd
RPM PACKAGE:
STD.12.0          CIM
STD.12.0: is not supported in wrlinux-1.3 distribution
STD.13.0          WBEM
STD.13.0: is not supported in wrlinux-1.3 distribution
STD.14.0          ACPI
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
STD.15.0          Trusted Computing
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel

```

STD.16.0 PCI Express
 DETAILS RELATED TO THE REQUIREMENT
 This feature is supported in stock 2.6 kernel

AVAILABILITY

AVL.1.0 Robust Mutexes

KERNEL PATCH: <http://source.mvista.com/~dsingleton>
<http://source.mvista.com/~dsingleton>

DETAILS RELATED TO THE REQUIREMENT

This feature is supported by David Singleton patch integration in wrlinux-1.3 distribution

AVL.2.0 Software ECC Support

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

AVL.3 Forced Device Removal

RPM PACKAGE: hotplug-2004_09_23-1

Name	: hotplug	Relocations:	(not relocatable)
Version	: 2004_09_23	Vendor:	Wind River Systems
Release	: 1	Build Date:	Sat May 13 06:42:23 2006
Install Date:	Tue Jun 13 12:13:20 2006	Build Host:	lpgbuild04
Group	: System Environment/Kernel	Source RPM:	hotplug-2004_09_23-1.src.rpm
Size	: 125533	License:	GPL
Signature	: DSA/SHA1, Sun May 14 04:28:38 2006, Key ID 6dfc21e3b0c7d54f		
Packager	: Wind River		
URL	: http://www.kernel.org/pub/linux/utils/kernel/hotplug/hotplug-2004_09_23.tar.bz2		
Summary	: iA helper application which loads modules for USB devices.		
Description	:		

The term hotplugging refers to the dynamic reconfiguration performed after a device has been attached

```

/etc
/etc/hotplug
/etc/hotplug.d
/etc/hotplug.d/default
/etc/hotplug.d/default/default.hotplug
/etc/hotplug/blacklist
/etc/hotplug/dasd.agent
/etc/hotplug/firmware.agent
/etc/hotplug/hotplug.functions
/etc/hotplug/ieee1394.agent
/etc/hotplug/input.agent
/etc/hotplug/input.rc
/etc/hotplug/net.agent
/etc/hotplug/pci
/etc/hotplug/pci.agent
/etc/hotplug/pci.rc
/etc/hotplug/pnp.rc
/etc/hotplug/scsi.agent
/etc/hotplug/tape.agent
/etc/hotplug/usb
/etc/hotplug/usb.agent
/etc/hotplug/usb.distmap
/etc/hotplug/usb.handmap
/etc/hotplug/usb.rc
/etc/hotplug/usb.usermap
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/hotplug
/sbin
/sbin/hotplug
/usr
/usr/share
/usr/share/man/man8/hotplug.8
/var
/var/log
/var/log/hotplug
/var/run
/var/run/usb

```

AVL.3.2 Forced Un-mount

RPM PACKAGE: hotplug-2004_09_23-1

Name	: hotplug	Relocations:	(not relocatable)
Version	: 2004_09_23	Vendor:	Wind River Systems
Release	: 1	Build Date:	Sat May 13 06:42:23 2006
Install Date:	Tue Jun 13 12:13:20 2006	Build Host:	lpgbuild04
Group	: System Environment/Kernel	Source RPM:	hotplug-2004_09_23-1.src.rpm
Size	: 125533	License:	GPL
Signature	: DSA/SHA1, Sun May 14 04:28:38 2006, Key ID 6dfc21e3b0c7d54f		
Packager	: Wind River		
URL	: http://www.kernel.org/pub/linux/utils/kernel/hotplug/hotplug-2004_09_23.tar.bz2		
Summary	: iA helper application which loads modules for USB devices.		
Description	:		

The term hotplugging refers to the dynamic reconfiguration performed after a device has been attached

```

/etc
/etc/hotplug
/etc/hotplug.d
/etc/hotplug.d/default
/etc/hotplug.d/default/default.hotplug
/etc/hotplug/blacklist
/etc/hotplug/dasd.agent
/etc/hotplug/firmware.agent
/etc/hotplug/hotplug.functions
/etc/hotplug/ieee1394.agent

```

```

/etc/hotplug/input.agent
/etc/hotplug/input.rc
/etc/hotplug/net.agent
/etc/hotplug/pci
/etc/hotplug/pci.agent
/etc/hotplug/pci.rc
/etc/hotplug/pnp.rc
/etc/hotplug/scsi.agent
/etc/hotplug/tape.agent
/etc/hotplug/usb
/etc/hotplug/usb.agent
/etc/hotplug/usb.distmap
/etc/hotplug/usb.handmap
/etc/hotplug/usb.rc
/etc/hotplug/usb.usermap
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/hotplug
/sbin
/sbin/hotplug
/usr
/usr/share
/usr/share/man/man8/hotplug.8
/var
/var/log
/var/log/hotplug
/var/run
/var/run/usb

```

AVL.4 Memory Over-commit Actions

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

AVL4.1 VM Strict Over-Commit

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

AVL.5 Non-Intrusive Monitoring of Processes

RPM PACKAGE: strace-4.5.14-1

```

Name       : strace                               Relocations: (not relocatable)
Version    : 4.5.14                             Vendor: Wind River Systems
Release    : 1                                  Build Date: Sat May 13 08:04:11 2006
Install Date: Tue Jun 13 12:14:07 2006         Build Host: lpgbuild04
Group      : Development/Debuggers            Source RPM: strace-4.5.14-1.src.rpm
Size       : 201310                             License: GPL
Signature  : DSA/SHA1, Sun May 14 04:28:52 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://voxel.dl.sourceforge.net/sourceforge/strace/strace-4.5.14.tar.bz2
Summary    : Tracks and displays system calls associated with a running process.
Description:

```

The strace program intercepts and records the system calls called and received by a running process.

```

/usr
/usr/bin
/usr/bin/strace
/usr/bin/strace-graph
/usr/share
/usr/share/man/man1/strace.1

```

RPM PACKAGE: wdbagent-pttrace-1.1-1

```

Name       : wdbagent-pttrace                   Relocations: (not relocatable)
Version    : 1.1                               Vendor: Wind River Systems
Release    : 1                                  Build Date: Sat May 13 08:10:08 2006
Install Date: Tue Jun 13 12:14:19 2006         Build Host: lpgbuild04
Group      : Development/Debuggers            Source RPM: wdbagent-pttrace-1.1-1.src.rpm
Size       : 154047                             License: Wind River
Signature  : DSA/SHA1, Sun May 14 04:28:53 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : WINDRIVER_INTERNAL
Summary    : Wind River workbench agent
Description:

```

The wdbagent-pttrace package contains the debugger agent for the Wind River workbench IDE.

```

/usr
/usr/bin
/usr/bin/usermode-agent

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported as part of usermode debugging support in workbench

AVL.5.1 Kernel-Level Non-Intrusive Application Monitor Without Modifying Application Code

RPM PACKAGE: lttv-0.8.2_06012006-1

```

Name       : lttv                               Relocations: (not relocatable)
Version    : 0.8.2_06012006                   Vendor: Wind River Systems
Release    : 1                                  Build Date: Sat May 13 06:58:20 2006
Install Date: Tue Jun 13 12:13:31 2006         Build Host: lpgbuild04
Group      : System Environment/Daemons        Source RPM: lttv-0.8.2_06012006-1.src.rpm
Size       : 160430                             License: GPL
Signature  : DSA/SHA1, Sun May 14 04:28:43 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://www.opersys.com/ftp/pub/LTT/LinuxTraceToolkitViewer-0.8.2-06012006.tar.gz
Summary    : Linux Trace Toolkit tracedaemon
Description:

```

this package provides the new linux trace toolkit lttctl and lttdd executables as well as xml files w

```

/usr
/usr/bin
/usr/bin/lttctl
/usr/bin/lttdd

```

```

/usr/bin/lttdaemon
/usr/share
/usr/share/LinuxTraceToolkitViewer
/usr/share/LinuxTraceToolkitViewer/facilities
/usr/share/LinuxTraceToolkitViewer/facilities/core.xml
/usr/share/LinuxTraceToolkitViewer/facilities/fs.xml
/usr/share/LinuxTraceToolkitViewer/facilities/ipc.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_arm.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_i386.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_mips.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_ppc.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_ppc64.xml
/usr/share/LinuxTraceToolkitViewer/facilities/memory.xml
/usr/share/LinuxTraceToolkitViewer/facilities/network.xml
/usr/share/LinuxTraceToolkitViewer/facilities/process.xml
/usr/share/LinuxTraceToolkitViewer/facilities/socket.xml
/usr/share/LinuxTraceToolkitViewer/facilities/statedump.xml
/usr/share/LinuxTraceToolkitViewer/facilities/timer.xml

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported as part of KGDB debugging support in workbench

AVL.5.2 Kernel-Level Non-Intrusive Application Monitor Using a Defined API

KERNEL PATCH: <http://kgdb.linsyssoft.com/downloads.htm>
<http://kgdb.linsyssoft.com/downloads.htm>

```

RPM PACKAGE:    lttv-0.8.2_06012006-1
Name           : lttv                      Relocations: (not relocatable)
Version        : 0.8.2_06012006           Vendor: Wind River Systems
Release        : 1                         Build Date: Sat May 13 06:58:20 2006
Install Date:  Tue Jun 13 12:13:31 2006    Build Host: lpgbuild04
Group          : System Environment/Daemons Source RPM: lttv-0.8.2_06012006-1.src.rpm
Size           : 160430                    License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:43 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://www.opersys.com/ftp/pub/LTT/LinuxTraceToolkitViewer-0.8.2-06012006.tar.gz
Summary        : Linux Trace Toolkit tracedaemon
Description    :
this package provides the new linux trace toolkit lttctl and lttdd executables as well as xml files w
/usr
/usr/bin
/usr/bin/lttctl
/usr/bin/lttd
/usr/bin/lttdaemon
/usr/share
/usr/share/LinuxTraceToolkitViewer
/usr/share/LinuxTraceToolkitViewer/facilities
/usr/share/LinuxTraceToolkitViewer/facilities/core.xml
/usr/share/LinuxTraceToolkitViewer/facilities/fs.xml
/usr/share/LinuxTraceToolkitViewer/facilities/ipc.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_arm.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_i386.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_mips.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_ppc.xml
/usr/share/LinuxTraceToolkitViewer/facilities/kernel_arch_ppc64.xml
/usr/share/LinuxTraceToolkitViewer/facilities/memory.xml
/usr/share/LinuxTraceToolkitViewer/facilities/network.xml
/usr/share/LinuxTraceToolkitViewer/facilities/process.xml
/usr/share/LinuxTraceToolkitViewer/facilities/socket.xml
/usr/share/LinuxTraceToolkitViewer/facilities/statedump.xml
/usr/share/LinuxTraceToolkitViewer/facilities/timer.xml

```

AVL.6.0 Disk Predictive Analysis

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

AVL.7 Redundant Paths to Resources

```

RPM PACKAGE:    scsidev-2.30-1
Name           : scsidev                   Relocations: (not relocatable)
Version        : 2.30                      Vendor: Wind River Systems
Release        : 1                         Build Date: Sat May 13 08:02:50 2006
Install Date:  Tue Jun 13 12:14:04 2006    Build Host: lpgbuild04
Group          : Utilities/System          Source RPM: scsidev-2.30-1.src.rpm
Size           : 41066                     License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:51 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : ftp://ftp.suse.com/pub/people/garloff/linux/scsidev/scsidev-2.30.tar.gz
Summary        : scsidev - Lets you access your SCSI devices easily
Description    :
scsidev lets you set up aliases for your SCSI devices, so that you can access them, even if their ID
/bin
/bin/scsidev
/dev
/dev/scsi
/usr
/usr/share
/usr/share/man/man8/scsidev.8.gz

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

AVL.7.1 Multi-Path Access to Storage

```

RPM PACKAGE:    device-mapper-1.00.19-1
Name           : device-mapper             Relocations: (not relocatable)

```

```

Version      : 1.00.19                               Vendor: Wind River Systems
Release     : 1                                       Build Date: Sat May 13 06:17:20 2006
Install Date: Tue Jun 13 12:13:13 2006              Build Host: lpgbuild04
Group      : System Environment/Base                Source RPM: device-mapper-1.00.19-1.src.rpm
Size       : 40310                                   License: GPL
Signature  : DSA/SHA1, Sun May 14 04:28:36 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : ftp://sources.redhat.com/pub/dm/old/device-mapper.1.00.19.tgz
Summary    : device mapper library
Description:
This package contains the supporting userspace files (libdevmapper and dmsetup) for the device-mapper
/usr
/usr/lib
/usr/lib/libdevmapper.so
/usr/lib/libdevmapper.so.1.00
/usr/sbin
/usr/sbin/dmsetup
/usr/share
/usr/share/man/man8/dmsetup.8
AVL.8                               Fast System Startup Within Kernel Space
RPM PACKAGE:  kexec-tools-1.101-1
Name          : kexec-tools                          Relocations: (not relocatable)
Version      : 1.101                                 Vendor: Wind River Systems
Release     : 1                                       Build Date: Sat May 13 06:49:39 2006
Install Date: Tue Jun 13 12:13:26 2006              Build Host: lpgbuild04
Group      : Development/Tools                      Source RPM: kexec-tools-1.101-1.src.rpm
Size       : 474965                                   License: GPL
Signature  : DSA/SHA1, Sun May 14 04:28:41 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://www.xmission.com/~ebiederm/files/kexec/kexec-tools-1.101.tar.gz
Summary    : Load one kernel from another
Description:
/sbin/kexec is a user space utility for loading another kernel and asking the currently running kernel
/sbin
/sbin/kdump_32
/sbin/kdump_64
/sbin/kexec_32
/sbin/kexec_64
/usr
/usr/lib
/usr/lib/kexec-tools
/usr/lib/kexec-tools/kexec_test
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
AVL.8.1                               Fast Linux Restart Bypassing System Firmware
RPM PACKAGE:  kexec-tools-1.101-1
Name          : kexec-tools                          Relocations: (not relocatable)
Version      : 1.101                                 Vendor: Wind River Systems
Release     : 1                                       Build Date: Sat May 13 06:49:39 2006
Install Date: Tue Jun 13 12:13:26 2006              Build Host: lpgbuild04
Group      : Development/Tools                      Source RPM: kexec-tools-1.101-1.src.rpm
Size       : 474965                                   License: GPL
Signature  : DSA/SHA1, Sun May 14 04:28:41 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://www.xmission.com/~ebiederm/files/kexec/kexec-tools-1.101.tar.gz
Summary    : Load one kernel from another
Description:
/sbin/kexec is a user space utility for loading another kernel and asking the currently running kernel
/sbin
/sbin/kdump_32
/sbin/kdump_64
/sbin/kexec_32
/sbin/kexec_64
/usr
/usr/lib
/usr/lib/kexec-tools
/usr/lib/kexec-tools/kexec_test
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
AVL.9.0                               Boot Image Fallback Mechanism
DETAILS RELATED TO THE REQUIREMENT
Reason for non-compliance: No stable open source project was found
AVL.10.0                              Live Patching
DETAILS RELATED TO THE REQUIREMENT
See requirement satisfaction data for SPM.3.0
AVL.21.0                              Ethernet link bonding
RPM PACKAGE:  net-tools-1.60-1
Name          : net-tools                          Relocations: (not relocatable)
Version      : 1.60                                 Vendor: Wind River Systems
Release     : 1                                       Build Date: Sat May 13 07:23:04 2006
Install Date: Tue Jun 13 12:13:42 2006              Build Host: lpgbuild04
Group      : System Environment/Base                Source RPM: net-tools-1.60-1.src.rpm
Size       : 513672                                   License: GPL
Signature  : DSA/SHA1, Sun May 14 04:28:46 2006, Key ID 6dfc21e3b0c7d54f
Packager   : Wind River
URL        : http://ftp.debian.org/debian/pool/main/n/net-tools/net-tools_1.60.orig.tar.gz
Summary    : Basic networking tools.
Description:
The net-tools package contains basic networking tools, including ifconfig, netstat, route, and other
/bin

```

```

/bin/netstat
/sbin
/sbin/arp
/sbin/ifconfig
/sbin/ipmaddr
/sbin/iptunnel
/sbin/mii-tool
/sbin/nameif
/sbin/plipconfig
/sbin/rarp
/sbin/route
/sbin/slattach
/usr
/usr/share
/usr/share/man/de_DE/man1/dnsdomainname.1
/usr/share/man/de_DE/man1/domainname.1
/usr/share/man/de_DE/man1/hostname.1
/usr/share/man/de_DE/man1/nisdomainname.1
/usr/share/man/de_DE/man1/ypdomainname.1
/usr/share/man/de_DE/man5/ethers.5
/usr/share/man/de_DE/man8/arp.8
/usr/share/man/de_DE/man8/ifconfig.8
/usr/share/man/de_DE/man8/netstat.8
/usr/share/man/de_DE/man8/plipconfig.8
/usr/share/man/de_DE/man8/rarp.8
/usr/share/man/de_DE/man8/route.8
/usr/share/man/de_DE/man8/slattach.8
/usr/share/man/fr_FR/man1/dnsdomainname.1
/usr/share/man/fr_FR/man1/domainname.1
/usr/share/man/fr_FR/man1/hostname.1
/usr/share/man/fr_FR/man1/nisdomainname.1
/usr/share/man/fr_FR/man1/ypdomainname.1
/usr/share/man/fr_FR/man5/ethers.5
/usr/share/man/fr_FR/man8/arp.8
/usr/share/man/fr_FR/man8/ifconfig.8
/usr/share/man/fr_FR/man8/netstat.8
/usr/share/man/fr_FR/man8/plipconfig.8
/usr/share/man/fr_FR/man8/rarp.8
/usr/share/man/fr_FR/man8/route.8
/usr/share/man/fr_FR/man8/slattach.8
/usr/share/man/man1/dnsdomainname.1
/usr/share/man/man1/domainname.1
/usr/share/man/man1/hostname.1
/usr/share/man/man1/nisdomainname.1
/usr/share/man/man1/ypdomainname.1
/usr/share/man/man5/ethers.5
/usr/share/man/man8/arp.8
/usr/share/man/man8/ifconfig.8
/usr/share/man/man8/mii-tool.8
/usr/share/man/man8/nameif.8
/usr/share/man/man8/netstat.8
/usr/share/man/man8/plipconfig.8
/usr/share/man/man8/rarp.8
/usr/share/man/man8/route.8
/usr/share/man/man8/slattach.8
/usr/share/man/pt_BR/man1/dnsdomainname.1
/usr/share/man/pt_BR/man1/domainname.1
/usr/share/man/pt_BR/man1/hostname.1
/usr/share/man/pt_BR/man1/nisdomainname.1
/usr/share/man/pt_BR/man1/ypdomainname.1
/usr/share/man/pt_BR/man8/arp.8
/usr/share/man/pt_BR/man8/ifconfig.8
/usr/share/man/pt_BR/man8/netstat.8
/usr/share/man/pt_BR/man8/rarp.8
/usr/share/man/pt_BR/man8/route.8
RPM PACKAGE:   ifenslave-1.1.0-1
Name           : ifenslave                Relocations: (not relocatable)
Version        : 1.1.0                    Vendor: Wind River Systems
Release        : 1                        Build Date: Sat May 13 06:42:23 2006
Install Date:  Tue Jun 13 12:13:21 2006   Build Host: lpgbuild04
Group          : Networking               Source RPM: ifenslave-1.1.0-1.src.rpm
Size           : 20662                    License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:39 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://ftp.debian.org/debian/pool/main/i/ifenslave-2.6/ifenslave-2.6_1.1.0.orig.tar.gz
Summary        : Configure network interfaces for parallel routing
Description    :
ifenslave configures network interfaces for parallel routing.
/usr
/usr/sbin
/usr/sbin/ifenslave
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
AVL.22.0                Software RAID 1 support

RPM PACKAGE:   mdadm-2.2-1
Name           : mdadm                    Relocations: (not relocatable)
Version        : 2.2                      Vendor: Wind River Systems
Release        : 1                        Build Date: Sat May 13 06:59:14 2006
Install Date:  Tue Jun 13 12:13:32 2006   Build Host: lpgbuild04
Group          : System Environment/Base   Source RPM: mdadm-2.2-1.src.rpm
Size           : 186319                    License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:45 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River

```

```

URL      : http://neilb.web.cse.unsw.edu.au/source/mdadm/mdadm-2.2.tgz
Summary  : mdadm controls Linux md devices (software RAID arrays).
Description :
The mdadm application is used to create, manage, and monitor Linux md (software RAID) devices. As su
/sbin
/sbin/mdadm
/usr
/usr/share
/usr/share/man/man4/md.4
/usr/share/man/man5/mdadm.conf.5
/usr/share/man/man8/mdadm.8

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

AVL.23.0 Watchdog Timer Pre-Timeout Interrupt

```

RPM PACKAGE:  watchdog-5.2-1
Name          : watchdog                      Relocations: (not relocatable)
Version       : 5.2                          Vendor: Wind River Systems
Release       : 1                             Build Date: Sat May 13 08:09:58 2006
Install Date: Tue Jun 13 12:14:18 2006      Build Host: lpgbuild04
Group         : System Environment/Daemons   Source RPM: watchdog-5.2-1.src.rpm
Size          : 88315                         License: GPL
Signature     : DSA/SHA1, Sun May 14 04:28:53 2006, Key ID 6dfc21e3b0c7d54f
Packager      : Wind River
URL           : http://www.ibiblio.org/pub/Linux/system/daemons/watchdog/watchdog-5.2.tar.gz
Summary       : A software watchdog
Description   :
Watchdog is a daemon that checks if your system is still working. If programs in user space are not
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/watchdog
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K87watchdog
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/S13watchdog
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S13watchdog
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S13watchdog
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S13watchdog
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S13watchdog
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K87watchdog
/etc/sysconfig
/etc/sysconfig/watchdog
/etc/watchdog.conf
/usr
/usr/sbin
/usr/sbin/watchdog
/usr/share
/usr/share/man/man5/watchdog.conf.5
/usr/share/man/man8/watchdog.8

```

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

AVL.24.0 Watchdog Timer Interface Requirements

```

RPM PACKAGE:  watchdog-5.2-1
Name          : watchdog                      Relocations: (not relocatable)
Version       : 5.2                          Vendor: Wind River Systems
Release       : 1                             Build Date: Sat May 13 08:09:58 2006
Install Date: Tue Jun 13 12:14:18 2006      Build Host: lpgbuild04
Group         : System Environment/Daemons   Source RPM: watchdog-5.2-1.src.rpm
Size          : 88315                         License: GPL
Signature     : DSA/SHA1, Sun May 14 04:28:53 2006, Key ID 6dfc21e3b0c7d54f
Packager      : Wind River
URL           : http://www.ibiblio.org/pub/Linux/system/daemons/watchdog/watchdog-5.2.tar.gz
Summary       : A software watchdog
Description   :
Watchdog is a daemon that checks if your system is still working. If programs in user space are not
/etc
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/watchdog
/etc/rc.d/rc0.d
/etc/rc.d/rc0.d/K87watchdog
/etc/rc.d/rc1.d
/etc/rc.d/rc1.d/S13watchdog
/etc/rc.d/rc2.d
/etc/rc.d/rc2.d/S13watchdog
/etc/rc.d/rc3.d
/etc/rc.d/rc3.d/S13watchdog
/etc/rc.d/rc4.d
/etc/rc.d/rc4.d/S13watchdog
/etc/rc.d/rc5.d
/etc/rc.d/rc5.d/S13watchdog
/etc/rc.d/rc6.d
/etc/rc.d/rc6.d/K87watchdog
/etc/sysconfig
/etc/sysconfig/watchdog
/etc/watchdog.conf
/usr

```

```

/usr/sbin
/usr/sbin/watchdog
/usr/share
/usr/share/man/man5/watchdog.conf.5
/usr/share/man/man8/watchdog.8
DETAILS RELATED TO THE REQUIREMENT
This feature is supported in stock 2.6 kernel
AVL.25.0          Application Heartbeat Monitor

RPM PACKAGE:    heartbeat-2.0.2-1
Name            : heartbeat                Relocations: (not relocatable)
Version        : 2.0.2                    Vendor: Wind River Systems
Release        : 1                        Build Date: Sat May 13 06:42:19 2006
Install Date:  Tue Jun 13 12:13:20 2006   Build Host: lpgbuild04
Group          : System Environment/Administration  Source RPM: heartbeat-2.0.2-1.src.rpm
Size           : 8131123                   License: GPL
Signature      : DSA/SHA1, Sun May 14 04:28:38 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://linux-ha.org/download/heartbeat-2.0.2.tar.gz
Summary        : heartbeat - The Heartbeat Subsystem for High-Availability Linux
Description    :
heartbeat is a basic high-availability subsystem for Linux-HA. It will run scripts at initialization
/etc
/etc/ha.d
/etc/ha.d/README.config
/etc/ha.d/conf
/etc/ha.d/harc
/etc/ha.d/rc.d
/etc/ha.d/rc.d/ask_resources
/etc/ha.d/rc.d/hb_takeover
/etc/ha.d/rc.d/ip-request
/etc/ha.d/rc.d/ip-request-resp
/etc/ha.d/rc.d/status
/etc/ha.d/resource.d
/etc/ha.d/resource.d/AudibleAlarm
/etc/ha.d/resource.d/Delay
/etc/ha.d/resource.d/Filesystem
/etc/ha.d/resource.d/ICP
/etc/ha.d/resource.d/IPaddr
/etc/ha.d/resource.d/IPaddr2
/etc/ha.d/resource.d/IPsrcaddr
/etc/ha.d/resource.d/IPv6addr
/etc/ha.d/resource.d/LVM
/etc/ha.d/resource.d/LVSSyncDaemonSwap
/etc/ha.d/resource.d/LinuxSCSI
/etc/ha.d/resource.d/MailTo
/etc/ha.d/resource.d/OCF
/etc/ha.d/resource.d/Raid1
/etc/ha.d/resource.d/SendArp
/etc/ha.d/resource.d/ServeRAID
/etc/ha.d/resource.d/WAS
/etc/ha.d/resource.d/WinPopup
/etc/ha.d/resource.d/Xinetd
/etc/ha.d/resource.d/apache
/etc/ha.d/resource.d/db2
/etc/ha.d/resource.d/hto-mapfuncs
/etc/ha.d/resource.d/portblock
/etc/ha.d/shellfuncs
/etc/logrotate.d
/etc/logrotate.d/heartbeat
/etc/logrotate.d/ldirectord
/etc/rc.d
/etc/rc.d/init.d
/etc/rc.d/init.d/heartbeat
/etc/rc.d/init.d/ldirectord
/usr
/usr/bin
/usr/bin/cl_respawn
/usr/bin/cl_status
/usr/lib
/usr/lib/heartbeat
/usr/lib/heartbeat/BasicSanityCheck
/usr/lib/heartbeat/ResourceManager
/usr/lib/heartbeat/TestHeartbeatComm
/usr/lib/heartbeat/api_test
/usr/lib/heartbeat/apphbd
/usr/lib/heartbeat/apphbtst
/usr/lib/heartbeat/atest
/usr/lib/heartbeat/ccm
/usr/lib/heartbeat/ccm_testclient
/usr/lib/heartbeat/ccm_tool
/usr/lib/heartbeat/cib
/usr/lib/heartbeat/cibadmin
/usr/lib/heartbeat/cibmon
/usr/lib/heartbeat/clmtest
/usr/lib/heartbeat/crm_attribute
/usr/lib/heartbeat/crm_diff
/usr/lib/heartbeat/crm_master
/usr/lib/heartbeat/crm_mon
/usr/lib/heartbeat/crm_standby
/usr/lib/heartbeat/crmadmin
/usr/lib/heartbeat/crmd
/usr/lib/heartbeat/crmtest
/usr/lib/heartbeat/crmtest/lnode.sh

```

```

/usr/lib/heartbeat/crmtest/2node-empty.sh
/usr/lib/heartbeat/crmtest/2node-fail.sh
/usr/lib/heartbeat/crmtest/2node-fence.sh
/usr/lib/heartbeat/crmtest/2node.sh
/usr/lib/heartbeat/crmtest/3node-fail.sh
/usr/lib/heartbeat/crmtest/3node-rapid.sh
/usr/lib/heartbeat/crmtest/3node.sh
/usr/lib/heartbeat/crmtest/cib_suite.sh
/usr/lib/heartbeat/crmtest/extract.logs
/usr/lib/heartbeat/crmtest/helper.sh
/usr/lib/heartbeat/crmtest/stop.sh
/usr/lib/heartbeat/crmtest/testutils.pl
/usr/lib/heartbeat/findif
/usr/lib/heartbeat/ha_config
/usr/lib/heartbeat/ha_logd
/usr/lib/heartbeat/ha_logger
/usr/lib/heartbeat/hb_standby
/usr/lib/heartbeat/hb_takeover
/usr/lib/heartbeat/heartbeat
/usr/lib/heartbeat/ipctest
/usr/lib/heartbeat/ipctransientclient
/usr/lib/heartbeat/ipctransientserver
/usr/lib/heartbeat/ipfail
/usr/lib/heartbeat/iso8601
/usr/lib/heartbeat/logtest
/usr/lib/heartbeat/lrmadmin
/usr/lib/heartbeat/lrmd
/usr/lib/heartbeat/lrmtest
/usr/lib/heartbeat/lrmtest/LRMBasicSanityCheck
/usr/lib/heartbeat/mach_down
/usr/lib/heartbeat/mlock
/usr/lib/heartbeat/ocf-shellfuncs
/usr/lib/heartbeat/pengine
/usr/lib/heartbeat/plugins
/usr/lib/heartbeat/plugins/AppHBNotification
/usr/lib/heartbeat/plugins/AppHBNotification/recmgr.so
/usr/lib/heartbeat/plugins/HBauth
/usr/lib/heartbeat/plugins/HBauth/crc.so
/usr/lib/heartbeat/plugins/HBauth/md5.so
/usr/lib/heartbeat/plugins/HBauth/shal.so
/usr/lib/heartbeat/plugins/HBcomm
/usr/lib/heartbeat/plugins/HBcomm/bcast.so
/usr/lib/heartbeat/plugins/HBcomm/mcast.so
/usr/lib/heartbeat/plugins/HBcomm/ping.so
/usr/lib/heartbeat/plugins/HBcomm/ping_group.so
/usr/lib/heartbeat/plugins/HBcomm/serial.so
/usr/lib/heartbeat/plugins/HBcomm/ucast.so
/usr/lib/heartbeat/plugins/HBcompress
/usr/lib/heartbeat/plugins/HBcompress/bz2.so
/usr/lib/heartbeat/plugins/HBcompress/zlib.so
/usr/lib/heartbeat/plugins/RAExec
/usr/lib/heartbeat/plugins/RAExec/heartbeat.so
/usr/lib/heartbeat/plugins/RAExec/lsb.so
/usr/lib/heartbeat/plugins/RAExec/ocf.so
/usr/lib/heartbeat/plugins/RAExec/stonith.so
/usr/lib/heartbeat/plugins/test
/usr/lib/heartbeat/plugins/test/test.so
/usr/lib/heartbeat/ptest
/usr/lib/heartbeat/recoverymgrd
/usr/lib/heartbeat/req_resource
/usr/lib/heartbeat/send_arp
/usr/lib/heartbeat/stonithd
/usr/lib/heartbeat/stonithdtest
/usr/lib/heartbeat/stonithdtest/STONITHDBasicSanityCheck
/usr/lib/heartbeat/stonithdtest/apitest
/usr/lib/heartbeat/tengine
/usr/lib/heartbeat/ttest
/usr/lib/libapphb.so
/usr/lib/libapphb.so.0
/usr/lib/libapphb.so.0.0.0
/usr/lib/libccmclient.so
/usr/lib/libccmclient.so.1
/usr/lib/libccmclient.so.1.0.0
/usr/lib/libcib.so
/usr/lib/libcib.so.0
/usr/lib/libcib.so.0.0.0
/usr/lib/libclm.so
/usr/lib/libclm.so.1
/usr/lib/libclm.so.1.0.0
/usr/lib/libcrmcommon.so
/usr/lib/libcrmcommon.so.0
/usr/lib/libcrmcommon.so.0.0.0
/usr/lib/libhbclient.so
/usr/lib/libhbclient.so.1
/usr/lib/libhbclient.so.1.0.0
/usr/lib/liblrm.so
/usr/lib/liblrm.so.0
/usr/lib/liblrm.so.0.0.0
/usr/lib/libpengine.so
/usr/lib/libpengine.so.0
/usr/lib/libpengine.so.0.0.0
/usr/lib/libpils.so
/usr/lib/libpils.so.1
/usr/lib/libpils.so.1.0.0

```

```

/usr/lib/libplumb.so
/usr/lib/libplumb.so.1
/usr/lib/libplumb.so.1.0.0
/usr/lib/libplumbgpl.so
/usr/lib/libplumbgpl.so.1
/usr/lib/libplumbgpl.so.1.0.0
/usr/lib/librecoverymgr.so
/usr/lib/librecoverymgr.so.1
/usr/lib/librecoverymgr.so.1.0.0
/usr/lib/libstonith.so
/usr/lib/libstonith.so.1
/usr/lib/libstonith.so.1.0.0
/usr/lib/libstonithd.so
/usr/lib/libstonithd.so.0
/usr/lib/libstonithd.so.0.0.0
/usr/lib/ocf
/usr/lib/ocf/resource.d
/usr/lib/ocf/resource.d/heartbeat
/usr/lib/ocf/resource.d/heartbeat/AudibleAlarm
/usr/lib/ocf/resource.d/heartbeat/ClusterMon
/usr/lib/ocf/resource.d/heartbeat/Delay
/usr/lib/ocf/resource.d/heartbeat/Dummy
/usr/lib/ocf/resource.d/heartbeat/FileSystem
/usr/lib/ocf/resource.d/heartbeat/ICP
/usr/lib/ocf/resource.d/heartbeat/IPaddr
/usr/lib/ocf/resource.d/heartbeat/IPaddr2
/usr/lib/ocf/resource.d/heartbeat/IPsrcaddr
/usr/lib/ocf/resource.d/heartbeat/IPv6addr
/usr/lib/ocf/resource.d/heartbeat/LVM
/usr/lib/ocf/resource.d/heartbeat/LinuxSCSI
/usr/lib/ocf/resource.d/heartbeat/MailTo
/usr/lib/ocf/resource.d/heartbeat/Raid1
/usr/lib/ocf/resource.d/heartbeat/ServerAID
/usr/lib/ocf/resource.d/heartbeat/WAS
/usr/lib/ocf/resource.d/heartbeat/WinPopup
/usr/lib/ocf/resource.d/heartbeat/Xinetd
/usr/lib/ocf/resource.d/heartbeat/apache
/usr/lib/ocf/resource.d/heartbeat/db2
/usr/lib/ocf/resource.d/heartbeat/drbd
/usr/lib/ocf/resource.d/heartbeat/ocf-shellfuncs
/usr/lib/ocf/resource.d/heartbeat/portblock
/usr/lib/pils
/usr/lib/pils/plugins
/usr/lib/pils/plugins/InterfaceMgr
/usr/lib/pils/plugins/InterfaceMgr/generic.so
/usr/lib/stonith
/usr/lib/stonith/plugins
/usr/lib/stonith/plugins/external
/usr/lib/stonith/plugins/external/riloe
/usr/lib/stonith/plugins/external/ssh
/usr/lib/stonith/plugins/stonith2
/usr/lib/stonith/plugins/stonith2/apcmaster.so
/usr/lib/stonith/plugins/stonith2/apcmastersnmp.so
/usr/lib/stonith/plugins/stonith2/apcsmart.so
/usr/lib/stonith/plugins/stonith2/baytech.so
/usr/lib/stonith/plugins/stonith2/cyclades.so
/usr/lib/stonith/plugins/stonith2/external.so
/usr/lib/stonith/plugins/stonith2/ibmhmc.so
/usr/lib/stonith/plugins/stonith2/meatware.so
/usr/lib/stonith/plugins/stonith2/null.so
/usr/lib/stonith/plugins/stonith2/nw_rpc100s.so
/usr/lib/stonith/plugins/stonith2/rcd_serial.so
/usr/lib/stonith/plugins/stonith2/ribcl.py
/usr/lib/stonith/plugins/stonith2/rps10.so
/usr/lib/stonith/plugins/stonith2/ssh.so
/usr/lib/stonith/plugins/stonith2/suicide.so
/usr/lib/stonith/plugins/stonith2/wti_nps.so
/usr/sbin
/usr/sbin/meatclient
/usr/sbin/stonith
/usr/sbin/supervise-ldirectord-config
/usr/share
/usr/share/doc
/usr/share/doc/heartbeat-2.0.2
/usr/share/doc/heartbeat-2.0.2/AUTHORS
/usr/share/doc/heartbeat-2.0.2/COPYING
/usr/share/doc/heartbeat-2.0.2/ChangeLog
/usr/share/doc/heartbeat-2.0.2/DirectoryMap.txt
/usr/share/doc/heartbeat-2.0.2/GettingStarted.html
/usr/share/doc/heartbeat-2.0.2/GettingStarted.txt
/usr/share/doc/heartbeat-2.0.2/HardwareGuide.html
/usr/share/doc/heartbeat-2.0.2/HardwareGuide.txt
/usr/share/doc/heartbeat-2.0.2/README
/usr/share/doc/heartbeat-2.0.2/Requirements.html
/usr/share/doc/heartbeat-2.0.2/Requirements.txt
/usr/share/doc/heartbeat-2.0.2/apphbd.cf
/usr/share/doc/heartbeat-2.0.2/authkeys
/usr/share/doc/heartbeat-2.0.2/faqntips.html
/usr/share/doc/heartbeat-2.0.2/faqntips.txt
/usr/share/doc/heartbeat-2.0.2/ha.cf
/usr/share/doc/heartbeat-2.0.2/ha_logd.cf
/usr/share/doc/heartbeat-2.0.2/haresources
/usr/share/doc/heartbeat-2.0.2/heartbeat_api.html
/usr/share/doc/heartbeat-2.0.2/heartbeat_api.txt

```

```

/usr/share/doc/heartbeat-2.0.2/rsync.html
/usr/share/doc/heartbeat-2.0.2/rsync.txt
/usr/share/doc/heartbeat-2.0.2/startstop
/usr/share/man/man1/cl_status.1
/usr/share/man/man1/ha_logger.1
/usr/share/man/man1/hb_standby.1
/usr/share/man/man1/hb_takeover.1
/usr/share/man/man8/apphbd.8
/usr/share/man/man8/ha_logd.8
/usr/share/man/man8/heartbeat.8
/usr/share/man/man8/ldirectord.8
/usr/share/man/man8/meatclient.8
/usr/share/man/man8/stonith.8
/usr/share/man/man8/supervise-ldirectord-config.8
/var
/var/lib
/var/lib/heartbeat
/var/lib/heartbeat/cores
/var/lib/heartbeat/cores/hacluster
/var/lib/heartbeat/cores/nobody
/var/lib/heartbeat/cores/root
/var/lib/heartbeat/crm
/var/lib/heartbeat/fencing
/var/lib/heartbeat/lrm
/var/run
/var/run/heartbeat
/var/run/heartbeat/ccm
/var/run/heartbeat/crm

```

AVL.26.0 Resilient File System Support

DETAILS RELATED TO THE REQUIREMENT

This feature is supported in stock 2.6 kernel

```

RPM PACKAGE:    e2fsprogs-1.38-1
Name           : e2fsprogs                Relocations: (not relocatable)
Version        : 1.38                     Vendor: Wind River Systems
Release        : 1                        Build Date: Sat May 13 05:34:57 2006
Install Date:  Tue Jun 13 12:13:14 2006   Build Host: lpgbuild04
Group          : System Environment/Base   Source RPM: e2fsprogs-1.38-1.src.rpm
Size           : 1170648                   License: GPL, LGPL
Signature      : DSA/SHA1, Sun May 14 04:28:37 2006, Key ID 6dfc21e3b0c7d54f
Packager       : Wind River
URL            : http://aleron dl.sourceforge.net/sourceforge/e2fsprogs/e2fsprogs-1.38.tar.gz
Summary        : Utilities for managing the second extended (ext2) filesystem.
Description    :
The e2fsprogs package contains a number of utilities for creating, checking, modifying, and correcti
/lib
/lib/e2initrd_helper
/lib/libblkid.so
/lib/libblkid.so.1
/lib/libblkid.so.1.0
/lib/libcom_err.so
/lib/libcom_err.so.2
/lib/libcom_err.so.2.1
/lib/libe2p.so
/lib/libe2p.so.2
/lib/libe2p.so.2.3
/lib/libext2fs.so
/lib/libext2fs.so.2
/lib/libext2fs.so.2.4
/lib/libss.so
/lib/libss.so.2
/lib/libss.so.2.0
/lib/libuuid.so
/lib/libuuid.so.1
/lib/libuuid.so.1.2
/sbin
/sbin/badbblocks
/sbin/blkid
/sbin/debugfs
/sbin/dumpe2fs
/sbin/e2fsck
/sbin/e2image
/sbin/e2label
/sbin/filefrag
/sbin/findfs
/sbin/fsck
/sbin/fsck.ext2
/sbin/fsck.ext3
/sbin/logsave
/sbin/mke2fs
/sbin/mkfs.ext2
/sbin/mkfs.ext3
/sbin/mklost+found
/sbin/resize2fs
/sbin/tune2fs
/usr
/usr/bin
/usr/bin/chattr
/usr/bin/lsattr
/usr/bin/uuidgen
/usr/share
/usr/share/info
/usr/share/info/libext2fs.info.gz
/usr/share/man/man1/chattr.1

```

```
/usr/share/man/man1/lsattr.1
/usr/share/man/man1/uuidgen.1
/usr/share/man/man8/badblocks.8
/usr/share/man/man8/blkid.8
/usr/share/man/man8/debugfs.8
/usr/share/man/man8/dumpe2fs.8
/usr/share/man/man8/e2fsck.8
/usr/share/man/man8/e2image.8
/usr/share/man/man8/e2label.8
/usr/share/man/man8/filefrag.8
/usr/share/man/man8/findfs.8
/usr/share/man/man8/fsck.8
/usr/share/man/man8/fsck.ext2.8
/usr/share/man/man8/fsck.ext3.8
/usr/share/man/man8/logsave.8
/usr/share/man/man8/mke2fs.8
/usr/share/man/man8/mkfs.ext2.8
/usr/share/man/man8/mkfs.ext3.8
/usr/share/man/man8/mklost+found.8
/usr/share/man/man8/resize2fs.8
/usr/share/man/man8/tune2fs.8
```